

Table of Contents

1. 2022	. 3
1.1. Version 1.0.12.11846	. 3
1.1.1. New features and improvements	. 3
1.1.2. Resolved issues	. 3
1.2. Version 1.0.11.11626	. 3
1.2.1. New features and improvements	. 3
1.3. Version 1.0.10.11583	. 3
1.3.1. New features and improvements	. 3
1.4. Version 1.0.9.11517	. 3
1.4.1. New features and improvements	. 4
1.4.2. Resolved issues	. 4
1.5. Version 1.0.8.11397	. 4
1.5.1. Improvements	. 4
1.6. Version 1.0.6.11333	. 4
1.6.1. Improvements	. 4
1.6.2 Known issues	5

1.2022

1.1. Version 1.0.12.11846

Release date:

Fast ring: 2022.12.07Slow ring: 2022.12.12

1.1.1. New Features And Improvements

The password security requirement has been increased. It must contain at least 8
characters, one digit, at least one upper case character, at least one lower case character,
one special character and must be changed every 3 months.

1.1.2. Resolved Issues

- Reduced the network traffic consumption of the Network Probe module.
- Fixed an issue that caused the XDR Network Sensor Virtual Appliance services to run before the network module.

1.2. Version 1.0.11.11626

Release date:

Fast ring: 2022.08.08Slow ring: 2022.08.08

1.2.1. New Features And Improvements

General

· You can now add multiple subnets for the monitoring interface.

1.3. Version 1.0.10.11583

Release date:

Fast ring: 2022.07.04Slow ring: 2022.07.05

1.3.1. New Features And Improvements

General

In My Company > Licensing tab, the My company ID field displays a new string format of 24 characters. The old string of 32 characters is available in the new My company hash field.

1.4. Version 1.0.9.11517

Release date:

Fast ring: 2022.05.31

Slow ring: 2022.06.02

1.4.1. New Features And Improvements

Product

- The communication server configuration options have been renamed to better reflect the used Cloud instances, based on your browser's URL:
 - For cloudgz.gravityzone.bitdefender.com: GravityZone Cloud Instance 1
 - For cloud.gravityzone.bitdefender.com: GravityZone Cloud Instance 2
- The default Dynamic Host Configuration Protocol (DHCP) client has been removed from the Switched Port Analyzer (SPAN) network. To accommodate this, the Security Server setup has been modified.
- The XDR Network Sensor Virtual Appliance has been integrated into the GravityZone Sensors Management.

1.4.2. Resolved Issues

General

Fixed an issue that prevented DNS entries from remaining saved after a reboot.

1.5. Version 1.0.8.11397

Release date:

Fast ring: 2022.04.07Slow ring: 2022.04.13

1.5.1. Improvements

Product

 When you configure the Communication Server parameters on the Security Server for GravityZone Cloud, you can select your cloud region from a drop-down menu.

1.6. Version 1.0.6.11333

Release date:

Fast ring: 2022.03.01Slow ring: 2022.03.03

1.6.1. Improvements

Product

- Security hardenings for Security Server have been implemented according to CIS Benchmarks and CIS-CAT scan, achieving a score of 85%.
- Improved the proxy settings for the Support Tool.
- Events are now sent hourly to the syslog server. In addition, the syslog file maximum size is now 2 GB.
- Security Server now stores the command history in the [bitdefender_directory]/var/log/history.log file for previous Terminal sessions.

1.6.2. Known Issues

• Some Security Server have lost their static DNS configuration. If you have encountered this issue, use the sva-setup command to manually correct them.