

Bitdefender[®]

ANTIVIRUS PLUS 2015



USER'S GUIDE



Bitdefender Antivirus Plus 2015 User's Guide

Publication date 10/16/2014

Copyright© 2014 Bitdefender

Legal Notice

All rights reserved. No part of this book may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or by any information storage and retrieval system, without written permission from an authorized representative of Bitdefender. The inclusion of brief quotations in reviews may be possible only with the mention of the quoted source. The content can not be modified in any way.

Warning and Disclaimer. This product and its documentation are protected by copyright. The information in this document is provided on an "as is" basis, without warranty. Although every precaution has been taken in the preparation of this document, the authors will not have any liability to any person or entity with respect to any loss or damage caused or alleged to be caused directly or indirectly by the information contained in this work.

This book contains links to third-party Websites that are not under the control of Bitdefender, therefore Bitdefender is not responsible for the content of any linked site. If you access a third-party website listed in this document, you will do so at your own risk. Bitdefender provides these links only as a convenience, and the inclusion of the link does not imply that Bitdefender endorses or accepts any responsibility for the content of the third-party site.

Trademarks. Trademark names may appear in this book. All registered and unregistered trademarks in this document are the sole property of their respective owners, and are respectfully acknowledged.



Table of Contents

Installation	1
1. Preparing for installation	2
2. System requirements	3
2.1. Minimum system requirements	3
2.2. Recommended system requirements	3
2.3. Software requirements	4
3. Installing your Bitdefender product	5
Getting started	11
4. The basics	12
4.1. Opening the Bitdefender window	13
4.2. Fixing issues	13
4.2.1. Fix All Issues wizard	14
4.2.2. Configuring status alerts	15
4.3. Events	15
4.4. Autopilot	16
4.5. Profiles and Battery Mode	17
4.5.1. Profiles	17
4.5.2. Battery Mode	19
4.6. Password-protecting Bitdefender settings	20
4.7. Anonymous usage reports	21
4.8. Special offers and product notifications	21
5. Bitdefender interface	23
5.1. System tray icon	23
5.2. Main window	24
5.2.1. Upper toolbar	25
5.2.2. Panels area	26
5.3. The Bitdefender modules	30
5.4. Security Widget	31
5.4.1. Scanning files and folders	32
5.4.2. Hide / show Security Widget	32
5.5. Security Report	33
5.5.1. Checking the Security Report	34
5.5.2. Turning on or off the Security Report notification	35
6. Registering Bitdefender	36
6.1. Entering your license key	36
6.2. Buying or renewing license keys	37
7. MyBitdefender account	38
7.1. Linking your computer to MyBitdefender	38
8. Keeping Bitdefender up-to-date	41
8.1. Checking if Bitdefender is up-to-date	41



8.2. Performing an update	42
8.3. Turning on or off automatic update	42
8.4. Adjusting update settings	43

How to 45

9. Installation	46
9.1. How do I install Bitdefender on a second computer?	46
9.2. When should I reinstall Bitdefender?	46
9.3. Where can I download my Bitdefender product from?	47
9.4. How do I switch from one Bitdefender product to another?	47
9.5. How do I use my Bitdefender license key after a Windows upgrade?	48
9.6. How do I repair Bitdefender?	51
10. Registration	52
10.1. What Bitdefender product am I using?	52
10.2. How do I register a trial version?	52
10.3. When does my Bitdefender protection expire?	52
10.4. How do I renew my Bitdefender protection?	53
11. MyBitdefender	54
11.1. How do I log in into MyBitdefender using another online account?	54
11.2. How do I change the e-mail address used for MyBitdefender account?	54
11.3. How do I reset the password for MyBitdefender account?	55
12. Scanning with Bitdefender	57
12.1. How do I scan a file or a folder?	57
12.2. How do I scan my system?	57
12.3. How do I create a custom scan task?	57
12.4. How do I exclude a folder from being scanned?	58
12.5. What to do when Bitdefender detected a clean file as infected?	59
12.6. How do I check what viruses Bitdefender detected?	60
13. Privacy protection	61
13.1. How do I make sure my online transaction is secure?	61
13.2. How do I protect my Facebook account?	61
13.3. How do I protect my personal information?	62
13.4. How do I remove a file permanently with Bitdefender?	62
14. TuneUp	63
14.1. How do I improve my system performance?	63
14.1.1. Defragment your hard disk	63
14.1.2. Optimize your system performance with a single click	63
14.1.3. Scan your system periodically	64
14.2. How can I improve my system startup time?	64
15. Useful Information	66
15.1. How do I test my antivirus solution?	66
15.2. How do I remove Bitdefender?	66
15.3. How do I keep my system protected after uninstalling Bitdefender?	68
15.4. How do I automatically shut down the computer after the scan is over?	69
15.5. How do I configure Bitdefender to use a proxy Internet connection?	70



15.6. Am I using a 32 bit or a 64 bit version of Windows?	71
15.7. How do I display hidden objects in Windows?	72
15.8. How do I remove other security solutions?	72
15.9. How do I use System Restore in Windows?	73
15.10. How do I restart in Safe Mode?	74

Managing your security 76

16. Antivirus protection	77
16.1. On-access scanning (real-time protection)	78
16.1.1. Turning on or off real-time protection	78
16.1.2. Adjusting the real-time protection level	79
16.1.3. Configuring the real time protection settings	79
16.1.4. Restoring the default settings	83
16.2. On-demand scanning	83
16.2.1. Scanning a file or folder for malware	84
16.2.2. Running a Quick Scan	84
16.2.3. Running a System Scan	84
16.2.4. Configuring a custom scan	85
16.2.5. Antivirus Scan Wizard	88
16.2.6. Checking scan logs	91
16.3. Automatic scan of removable media	91
16.3.1. How does it work?	92
16.3.2. Managing removable media scan	93
16.4. Configuring scan exclusions	93
16.4.1. Excluding files or folders from scanning	94
16.4.2. Excluding file extensions from scanning	94
16.4.3. Managing scan exclusions	95
16.5. Managing quarantined files	96
16.6. Active Virus Control	97
16.6.1. Checking detected applications	97
16.6.2. Turning on or off Active Virus Control	98
16.6.3. Adjusting the Active Virus Control protection	98
16.6.4. Managing excluded processes	98
17. Web protection	100
17.1. Bitdefender protection in the web browser	101
17.2. Bitdefender alerts in the browser	103
18. Data protection	104
18.1. About data protection	104
18.2. Configuring data protection	104
18.2.1. Creating data protection rules	105
18.3. Managing rules	106
18.4. Deleting files permanently	106
19. Vulnerability	108
19.1. Scanning your system for vulnerabilities	108
19.2. Using automatic vulnerability monitoring	109
20. Safepay security for online transactions	112



20.1. Using Bitdefender Safepay™	113
20.2. Configuring settings	114
20.3. Managing bookmarks	115
20.4. Hotspot protection for unsecured networks	115
21. ID Theft Protection	117
22. Wallet protection for your credentials	118
22.1. Configuring the Wallet	119
22.2. Turning on or off the Wallet protection	120
22.3. Managing the Wallet settings	121
23. Safego protection for Facebook	124
24. USB Immunizer	126
25. Managing your computers remotely	127
25.1. Accessing MyBitdefender	127
25.2. Running tasks on the computers	127
System optimization	129
26. TuneUp	130
26.1. Optimizing your system speed with a single click	130
26.2. Optimizing your PC's boot time	131
26.3. Cleaning up your PC	132
26.4. Defragmenting hard disk volumes	133
26.5. Cleaning Windows registry	134
26.6. Recovering cleaned registry	136
26.7. Finding duplicate files	136
27. Profiles	138
27.1. Work Profile	139
27.2. Movie Profile	140
27.3. Game Profile	141
27.4. Real-Time Optimization	142
Troubleshooting	143
28. Solving common issues	144
28.1. My system appears to be slow	144
28.2. Scan doesn't start	146
28.3. I can no longer use an application	148
28.4. What to do when Bitdefender blocks a safe website or online application	149
28.5. How to update Bitdefender on a slow Internet connection	150
28.6. My computer is not connected to the Internet. How do I update Bitdefender?	150
28.7. Bitdefender services are not responding	151
28.8. The Autofill feature in my Wallet doesn't work	152
28.9. Bitdefender removal failed	153
28.10. My system doesn't boot up after installing Bitdefender	154



29. Removing malware from your system	158
29.1. Bitdefender Rescue Mode	158
29.2. What to do when Bitdefender finds viruses on your computer?	160
29.3. How do I clean a virus in an archive?	161
29.4. How do I clean a virus in an e-mail archive?	163
29.5. What to do if I suspect a file as being dangerous?	164
29.6. How to clean the infected files from System Volume Information	164
29.7. What are the password-protected files in the scan log?	166
29.8. What are the skipped items in the scan log?	166
29.9. What are the over-compressed files in the scan log?	167
29.10. Why did Bitdefender automatically delete an infected file?	167
Contact us	168
30. Asking for help	169
31. Online resources	171
31.1. Bitdefender Support Center	171
31.2. Bitdefender Support Forum	171
31.3. HOTforSecurity Portal	172
32. Contact information	173
32.1. Web addresses	173
32.2. Local distributors	173
32.3. Bitdefender offices	174
Glossary	176



INSTALLATION



1. PREPARING FOR INSTALLATION

Before you install Bitdefender Antivirus Plus 2015, complete these preparations to ensure the installation will go smoothly:

- Make sure that the computer where you plan to install Bitdefender meets the minimum system requirements. If the computer does not meet all the minimum system requirements, Bitdefender will not be installed or, if installed, it will not work properly and it will cause system slowdowns and instability. For a complete list of system requirements, please refer to *"System requirements"* (p. 3).
- Log on to the computer using an Administrator account.
- Remove any other similar software from the computer. Running two security programs simultaneously may affect their operation and cause major problems with the system. Windows Defender will be disabled during the installation.
- It is recommended that your computer be connected to the Internet during the installation, even when installing from a CD/DVD. If newer versions of the application files included in the installation package are available, Bitdefender can download and install them.



2. SYSTEM REQUIREMENTS

You may install Bitdefender Antivirus Plus 2015 only on computers running the following operating systems:

- Windows XP with Service Pack 3 (32-bit)
- Windows Vista with Service Pack 2
- Windows 7 with Service Pack 1
- Windows 8
- Windows 8.1

Before installation, make sure that your computer meets the minimum system requirements.



Note

To find out the Windows operating system your computer is running and hardware information, follow these steps:

- In **Windows XP**, **Windows Vista** and **Windows 7**, right-click **My Computer** on the desktop and then select **Properties** from the menu.
- In **Windows 8**, from the Windows Start screen, locate Computer (for example, you can start typing "Computer" directly in the Start screen) and then right-click its icon. Select Properties in the bottom menu. Look under System to see the system type.

2.1. Minimum system requirements

- 1 GB available free hard disk space (at least 800 MB on the system drive)
- 1.6 GHz processor
- 1 GB of memory (RAM) for Windows XP, Windows Vista, Windows 7 and Windows 8

2.2. Recommended system requirements

- 2 GB available free hard disk space (at least 800 MB on the system drive)
- Intel CORE Duo (2 GHz) or equivalent processor
- Memory (RAM):
 - 1 GB for Windows XP
 - 1.5 GB for Windows Vista, Windows 7 and Windows 8



2.3. Software requirements

To be able to use Bitdefender and all its features, your computer needs to meet the following software requirements:

- Internet Explorer 8 or higher
- Mozilla Firefox 14 or higher
- Chrome 20 or higher
- Skype 6.3 or higher
- Yahoo! Messenger 9 or higher
- .NET Framework 3.5 (automatically installed with Bitdefender if missing)



3. INSTALLING YOUR BITDEFENDER PRODUCT

You can install Bitdefender from the Bitdefender installation disc or using a web installer downloaded on your computer from the Bitdefender website or from other authorized websites (for example, the website of a Bitdefender partner or an online shop). You can download the installation file from the Bitdefender website at the following address:
<http://www.bitdefender.com/Downloads/>.

If your purchase covers more than one computer (for example, you purchased Bitdefender Antivirus Plus 2015 for 3 PCs), repeat the installation process and register your product with the license key on every computer.

- To install Bitdefender from the installation disc, insert the disc in the optical drive. A welcome screen should be displayed in a few moments. Follow the instructions to start installation.



Note

The welcome screen provides an option to copy the installation package from the installation disc to a USB storage device. This is useful if you need to install Bitdefender on a computer that does not have a disc drive (for example, on a netbook). Insert the storage device into the USB drive and then click **Copy to USB**. Afterwards, go to the computer without a disc drive, insert the storage device into the USB drive and double-click `runsetup.exe` from the folder where you have saved the installation package.

If the welcome screen does not appear, use Windows Explorer to browse to the disc's root directory and double-click the file `autorun.exe`.

- To install Bitdefender using the web installer downloaded on your computer, locate the file and double-click it.

Validating the installation

Bitdefender will first check your system to validate the installation.

If your system does not meet the minimum requirements for installing Bitdefender, you will be informed of the areas that need improvement before you can proceed.

If an incompatible antivirus program or an older version of Bitdefender is detected, you will be prompted to remove it from your system. Please follow the directions to remove the software from your system, thus avoiding



problems occurring later on. You may need to reboot your computer to complete the removal of detected antivirus programs.

The Bitdefender Antivirus Plus 2015 installation package is constantly updated. If you are installing from a CD/DVD, Bitdefender can download the newest versions of the files during the installation. Click **Yes** when prompted in order to allow Bitdefender to download the files, ensuring you are installing the very latest version of the software.



Note

Downloading the installation files can take a long time, especially over slower Internet connections.

Once the installation is validated, the setup wizard will appear. Follow the steps to install Bitdefender Antivirus Plus 2015.

Step 1 - Welcome

The welcome screen lets you choose what type of installation you want to perform.

For a completely hassle-free installation experience, just click the **Install** button. Bitdefender will be installed in the default location with default settings and you will skip directly to **Step 3** of the wizard.

If you wish to configure the installation settings, click **Custom**.

Two additional tasks can be performed during this step:

- Please read the End User License Agreement before proceeding with the installation. The License Agreement contains the terms and conditions under which you may use Bitdefender Antivirus Plus 2015.

If you do not agree to these terms, close the window. The installation process will be abandoned and you will exit setup.

- Enable sending **Anonymous Usage Reports**. By enabling this option, reports containing information about how you use the product are sent to the Bitdefender servers. This information is essential for improving the product and can help us provide a better experience in the future. Please note that these reports contain no confidential data, such as your name or IP address, and that they will not be used for commercial purposes.



Step 2 - Customize installation settings



Note

This step appears only if you have chosen to customize the installation during the previous step.

The following options are available:

Installation Path

By default, Bitdefender Antivirus Plus 2015 will be installed in C:\Program Files\Bitdefender\Bitdefender Antivirus Plus 2015. If you want to change the installation path, click **Change** and select the folder in which you would like Bitdefender to be installed.

Configure Proxy Settings

Bitdefender Antivirus Plus 2015 requires access to the Internet for product registration, downloading security and product updates, in-cloud detection components, etc. If you use a proxy connection instead of a direct Internet connection, you must select this option and configure the proxy settings.

The settings can be imported from the default browser or you can enter them manually.

Click **Install** to confirm your preferences and begin the installation. If you change your mind, click the corresponding **Use default** button.

Step 3 - Installation in progress

Wait for the installation to complete. Detailed information about the progress is displayed.

Critical areas on your system are scanned for viruses, the latest versions of the application files are downloaded and installed, and the Bitdefender services are started. This step can take a couple of minutes.

Step 4 - Installation completed

A summary of the installation is displayed. If any active malware was detected and removed during the installation, a system reboot may be required.

You can either close the window, or continue with the initial setup of your software by clicking **Get started**.



Step 5 - Register your product



Note

This step appears only if you have selected Get Started during the previous step.

To complete the registration of your product you need to enter a license key. An active Internet connection is required.

Proceed according to your situation:

● I purchased the product

In this case, register the product by following these steps:

1. Select **I purchased Bitdefender and I want to register now.**
2. Type the license key in the corresponding field.



Note

You can find your license key:

- on the CD/DVD label.
- on the license certificate.
- in the online purchase e-mail.

3. Click **Register Now.**

● I don't have a key, I want to try the product for free

In this case, you can use the product for a 30 day period. To begin the trial period, select **I don't have a key, I want to try the product for free.**

- Click **Next.**

Step 6 - Configure product behavior

Bitdefender can be configured to automatically identify your working tools to improve your experience in certain situations. Use the switch to turn on or off **Profiles**.

If you work, play games or watch movies, enable **Profiles**. This action will modify the product and system settings so as to keep the impact on your system's performance to a minimum. For more information, please refer to *"Profiles"* (p. 17).

Click **Next.**



Step 7 - Activate your product

A MyBitdefender account is required in order to use the online features of your product. For more information, please refer to "*MyBitdefender account*" (p. 38).

Proceed according to your situation.

I want to create a MyBitdefender account

To successfully create a MyBitdefender account, follow these steps:

1. Select **Create a new account**.

A new window will appear.

2. Type the required information in the corresponding fields. The data you provide here will remain confidential.

- **E-mail** - enter your e-mail address.

- **User name** - enter a user name for your account.

- **Password** - enter a password for your account. The password must be at least 6 characters long.

- **Confirm password** - retype the password.



Note

Once the account is created, you can use the provided e-mail address and password to log in to your account at <https://my.bitdefender.com>.

3. Click **Create**.

4. Before being able to use your account, you must complete the registration. Check your e-mail and follow the instructions in the confirmation e-mail sent by Bitdefender.

I want to log in using my Microsoft, Facebook or Google account

To log in with your Microsoft, Facebook or Google account, follow these steps:

1. Select the service you want to use. You will be redirected to the login page of that service.
2. Follow the instructions provided by the selected service to link your account to Bitdefender.



Note

Bitdefender does not get access to any confidential information such as the password of the account you use to log in, or the personal information of your friends and contacts.

I already have a MyBitdefender account

If you have logged in to an account from your product before, Bitdefender will detect it and prompt you to enter the password to log in to that account.

If you already have an active account, but Bitdefender does not detect it, or you simply want to log in with a different account, enter the e-mail address and password and click **Login to MyBitdefender**.

Postpone for later

If you want to leave this task for another time, click **Ask me later**. Remember that you must log in to an account to use the online features of the product.



GETTING STARTED



4. THE BASICS

Once you have installed Bitdefender Antivirus Plus 2015, your computer is protected against all kinds of malware (such as viruses, spyware and trojans).

The application uses the Photon technology to enhance the speed and performance of the anti-malware scanning process. It works by learning the usage patterns of your system applications to know what and when to scan, thus minimizing the impact on system performance.

You can engage the **Autopilot** to enjoy completely silent security and you are not required to configure any settings. However, you may want to take advantage of the Bitdefender settings to fine-tune and improve your protection.

While you work, play games or watch movies, Bitdefender can offer you a continuous user experience by postponing maintenance tasks, eliminating interruptions and adjusting system visual effects. You can benefit from all these by activating and configuring **Profiles**.

Bitdefender will make most security-related decisions for you and will rarely show pop-up alerts. Details about actions taken and information about program operation are available in the Events window. For more information, please refer to **"Events"** (p. 15).

From time to time, you should open Bitdefender and fix the existing issues. You may have to configure specific Bitdefender components or take preventive actions to protect your computer and your data.

If you have not registered the product, remember to do so until the trial period ends. For more information, please refer to **"Registering Bitdefender"** (p. 36).

To use the online features of Bitdefender Antivirus Plus 2015, make sure to link your computer to a MyBitdefender account. For more information, please refer to **"MyBitdefender account"** (p. 38).


The **"How to"** (p. 45) section is where you will find step-by-step instructions on how to perform common tasks. If you experience issues while using Bitdefender, check the **"Solving common issues"** (p. 144) section for possible solutions to the most common problems.




4.1. Opening the Bitdefender window

To access the main interface of Bitdefender Antivirus Plus 2015, follow the steps below:

- In **Windows XP, Windows Vista** and **Windows 7**:

1. Click **Start** and go to **All Programs**.
2. Click **Bitdefender 2015**.
3. Click **Bitdefender Antivirus Plus 2015** or, quicker, double-click the Bitdefender  icon in the system tray.

- In **Windows 8**:

Locate Bitdefender Antivirus Plus 2015 from the Windows Start screen (for example, you can start typing "Bitdefender" directly in the Start screen) and then click its icon. Alternatively, open the Desktop app and then double-click the Bitdefender  icon in the system tray.

For more information about the Bitdefender window and icon in the system tray, please refer to "*Bitdefender interface*" (p. 23).


4.2. Fixing issues

Bitdefender uses an issue tracking system to detect and inform you about the issues that may affect the security of your computer and data. By default, it will monitor only a series of issues that are considered to be very important. However, you can configure it as needed, choosing which specific issues you want to be notified about.


Detected issues include important protection settings that are turned off and other conditions that can represent a security risk. They are grouped into two categories:

- **Critical issues** - prevent Bitdefender from protecting you against malware or represent a major security risk.
- **Minor (non-critical) issues** - can affect your protection in the near future.

The Bitdefender icon in the **system tray** indicates pending issues by changing its color as follows:

 Critical issues are affecting the security of your system. They require your immediate attention and must be fixed as soon as possible.



 Non-critical issues are affecting the security of your system. You should check and fix them when you have the time.

Also, if you move the mouse cursor over the icon, a pop-up will confirm the existence of pending issues.

When you open the Bitdefender window, the Security status area on the upper toolbar will indicate nature of issues affecting your system.

4.2.1. Fix All Issues wizard

To fix detected issues follow the **Fix All Issues** wizard.

1. To open the wizard, do any of the following:

- Right-click the Bitdefender icon in the **system tray** and choose **View security issues**.
- Open the **Bitdefender window** and click anywhere inside the Security status area on the upper toolbar (for example, you can click the **Fix All Issues!** link).

2. You can see the issues affecting the security of your computer and data. All current issues are selected to be fixed.

If you do not want to fix a specific issue right away, clear the corresponding check box. You will be prompted to specify for how long to postpone fixing the issue. Choose the desired option from the menu and click **OK**. To stop monitoring the respective issue category, choose **Permanently**.

The issue status will change to **Postpone** and no action will be taken to fix the issue.

3. To fix the selected issues, click **Fix**. Some issues are fixed immediately. For others, a wizard helps you fix them.

The issues that this wizard helps you fix can be grouped into these main categories:

- **Disabled security settings.** Such issues are fixed immediately, by enabling the respective security settings.
- **Preventive security tasks you need to perform.** When fixing such issues, a wizard helps you successfully complete the task.




4.2.2. Configuring status alerts

Bitdefender can inform you when issues are detected in the operation of the following program components:

- Antivirus
- Update
- Browser Security

You can configure the alert system to best serve your security needs by choosing which specific issues to be informed about. Follow these steps:


1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **General Settings** from the drop-down menu.
3. In the **General Settings** window, select the **Advanced** tab.
4. Click the **Configure status alerts** link.
5. Click the switches to turn on or off status alerts according to your preferences.

4.3. Events

Bitdefender keeps a detailed log of events concerning its activity on your computer. Whenever something relevant to the security of your system or data happens, a new message is added to the Bitdefender Events, in a similar way to a new e-mail appearing in your Inbox.

Events are a very important tool in monitoring and managing your Bitdefender protection. For instance, you can easily check if the update was successfully performed, if malware was found on your computer etc. Additionally, you can take further action if needed or change actions taken by Bitdefender.

To access the Events log, follow these steps:


1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **Events** from the drop-down menu.


Messages are grouped according to the Bitdefender module whose activity they are related to:

- Antivirus
- Web Protection



- **Safego**
- **TuneUp**
- **Vulnerability**
- **Update**
- **ID Theft Protection**

Every time an event occurs, a blue dot can be noticed on the  icon at the top of the window.

A list of events is available for each category. To find out information about a particular event in the list, click the  icon and select **Events** from the drop-down menu. Event details are displayed in the lower part of the window. Each event comes with the following information: a short description, the action Bitdefender took on it when it happened, and the date and time when it occurred. Options may be provided to take further action if needed.

You can filter events by their importance and in the order they happened. There are three types of events filtered by their importance, each type indicated by a specific icon:

- **Information** events indicate successful operations.
- **Warning** events indicate non-critical issues. You should check and fix them when you have the time.
- **Critical** events indicate critical issues. You should check them immediately.

To view the events that occurred in a period of time, select the desired period from the corresponding field.

To help you easily manage logged events, each section of the Events window provides options to delete or mark as read all events in that section.

4.4. Autopilot

For all the users who want nothing more from their security solution than to be protected without being bothered, Bitdefender Antivirus Plus 2015 has been designed with a built-in Autopilot mode.

While on Autopilot, Bitdefender applies an optimal security configuration and takes all security-related decisions for you. This means you will see no pop-ups, no alerts and you will not have to configure any settings whatsoever.


In Autopilot mode, Bitdefender automatically fixes critical issues, enables and quietly manages:



- Antivirus protection, provided by on-access scanning and continuous scanning.
- Web protection.
- Automatic updates.

To turn the Autopilot on or off, follow these steps:

1. Open the **Bitdefender window**.
2. Click the **User Mode / Autopilot** switch on the upper toolbar. When the switch is on the User Mode position, the Autopilot is off.

As long as the Autopilot is on, the Bitdefender icon in the system tray changes to .



Important

While the Autopilot is on, modifying any of the settings it manages will result in it being turned off.

To see a history of actions performed by Bitdefender while Autopilot was engaged, open the **Events** window.

4.5. Profiles and Battery Mode

Some computer activities, such as online games or video presentations, require increased system responsiveness, high performance and no interruptions. When your laptop is running on battery power, it is best that unnecessary operations, which consume additional power, be postponed until the laptop is connected back to A/C power.

To adapt to these particular situations, Bitdefender Antivirus Plus 2015 includes two special operation modes:

- **Profiles**
- **Battery Mode**

4.5.1. Profiles

Bitdefender Profiles assigns more system resources to the running applications by temporarily modifying protection settings and adjusting system configuration. Consequently, the system impact on your activity is minimized.

To adapt to different activities, Bitdefender comes with the following profiles:



Work Profile

Optimizes your work efficiency by identifying and adjusting the product and system settings.

Movie Profile

Enhances visual effects and eliminates interruptions when watching movies.

Game Profile

Enhances visual effects and eliminates interruptions when playing games.

Turning on or off profiles

To turn on or off profiles, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Click the **Profiles** module.
4. In the **Profiles** window, select the **Profiles Settings** tab.
5. Turn on or off profiles by clicking the corresponding switch.

Configure Autopilot to monitor profiles

For an easy-to-use user experience, you can configure Autopilot to manage your working profile. While in this mode, Bitdefender automatically detects the activity you perform and applies system and product optimization settings.

To allow Autopilot manage profiles, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Click the **Profiles** module.
4. In the **Profiles** window, select the **Profiles Settings** tab.
5. Click the corresponding **Let Autopilot manage my profiles** switch.

If you do not want to let your Profile be automatically managed, leave the box unchecked and manually choose it from the right-upper corner of the Bitdefender interface.



For more information on Profiles, please refer to *"Profiles"* (p. 138)

4.5.2. Battery Mode

Battery Mode is specially designed for laptop and tablet users. Its purpose is to minimize both system and Bitdefender impact on power consumption when the battery charge level is lower than you select.

The following product settings are applied when Bitdefender operates in Battery Mode:

- Bitdefender Automatic Update is postponed.
- Scheduled scans are postponed.
- **Security Widget** is turned off.

Bitdefender detects when your laptop has switched to battery power and based on the battery charge level it automatically enters Battery Mode. Likewise, Bitdefender automatically exits Battery Mode when it detects the laptop is no longer running on battery.

To turn on or off Battery mode, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Click the **Profiles** module.
4. In the **Profiles** window, select the **Battery Mode** tab.
5. Turn on or off automatic Battery Mode by clicking the corresponding switch.

Drag the corresponding slider along the scale to set when the system should start operating in Battery Mode. By default, the mode is activated when the battery charge level drops below 30%.



Note

The Battery Mode is enabled by default on laptops and tablets.

Configuring Battery Mode

To configure Battery mode, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.




3. Click the **Profiles** module.
4. In the **Profiles** window, select the **Battery Mode** tab.
5. Click **Configure**.
6. Choose the system adjustments to be applied by checking the following options:
 - Optimize product settings for Battery Mode.
 - Postpone background programs and maintenance tasks.
 - Postpone Windows Automatic Updates.
 - Adjust power plan settings for Battery Mode.
 - Disable external devices and network ports.
7. Click **Save** to save the changes and close the window.

4.6. Password-protecting Bitdefender settings

If you are not the only person with administrative rights using this computer, it is recommended that you protect your Bitdefender settings with a password.

To configure password protection for the Bitdefender settings, follow these steps:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **General Settings** from the drop-down menu.
3. In the **General Settings** window, select the **General Settings** tab.
4. Turn on password protection by clicking the switch.
5. Enter the password in the two fields and then click **OK**. The password must be at least 8 characters long.

Once you have set a password, anyone trying to change the Bitdefender settings will first have to provide the password.




Important

Be sure to remember your password or keep a record of it in a safe place. If you forget the password, you will have to reinstall the program or to contact Bitdefender for support.



To remove password protection, follow these steps:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **General Settings** from the drop-down menu.
3. In the **General Settings** window, select the **General Settings** tab.
4. Turn off password protection by clicking the switch. Enter the password and then click **OK**.




Note

To modify the password for your product, click the **Change password** link.

4.7. Anonymous usage reports

By default, Bitdefender sends reports containing information about how you use it to Bitdefender servers. This information is essential for improving the product and can help us offer you a better experience in the future. Please note that these reports will contain no confidential data, such as your name or IP address, and that they will not be used for commercial purposes.

In case you want to stop sending Anonymous usage reports, follow these steps:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **General Settings** from the drop-down menu.
3. In the **General Settings** window, select the **Advanced** tab.
4. Click the switch to turn off Anonymous usage reports.


4.8. Special offers and product notifications

When promotional offers are available, the Bitdefender product is set up to notify you through a pop-up window. This gives you the opportunity to benefit from advantageous prices and keep your devices protected for a longer period of time.

Additionally, product notifications can appear when changes are made by user in the product.

To turn on or off special offers and product notifications, follow these steps:



1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **General Settings** from the drop-down menu.
3. In the **General Settings** window, select the **General Settings** tab.
4. Turn on or off special offers and product notifications by clicking the corresponding switch.

The special offers and product notifications option is enabled by default.



Note

After disabling special offers and product notifications, Bitdefender will continue to keep you informed about special offers when you use a trial version, when your subscription is due to expire or when you use an expired product version.



5. BITDEFENDER INTERFACE

Bitdefender Antivirus Plus 2015 meets the needs of computer beginners and very technical people alike. Its graphical user interface is designed to suit each and every category of users.

To see the status of the product and perform essential tasks, the Bitdefender **system tray icon** is available at any time.

The **main window** gives you access to important product information, the program modules, and lets you perform common tasks. From the main window you can access the **Panels area** for detailed configuration and advanced administrative tasks, and manage the product's behavior using **Autopilot** and **Profiles**.

If you want to keep a constant eye on essential security information and have quick access to key settings, add the **Security Widget** to your desktop.


5.1. System tray icon

To manage the entire product more quickly, you can use the Bitdefender **B** icon in the system tray.



Note


If you are using Windows Vista, Windows 7 or Windows 8, the Bitdefender icon may not be visible at all times. To make the icon appear permanently, follow these steps:

1. Click the arrow  in the lower-right corner of the screen.
2. Click **Customize...** to open the Notification Area Icons window.
3. Select the option **Show icons and notifications** for the **Bitdefender Agent** icon.

If you double-click this icon, Bitdefender will open. Also, by right-clicking the icon, a contextual menu will allow you to quickly manage the Bitdefender product.







- **Show** - opens the main window of Bitdefender.
- **About** - opens a window where you can see information about Bitdefender and where to look for help in case something unexpected appears.
- **View security issues** - helps you remove current security vulnerabilities. If the option is unavailable, there are no issues to be fixed. For detailed information, please refer to *"Fixing issues"* (p. 13).
- **Hide / Show Security Widget** - enables / disables **Security Widget**.
- **Update Now** - starts an immediate update. You can follow the update status in the Update panel of the main Bitdefender window.
- **Show Security Report** - opens a window where you can see a weekly status and recommendations for your system. You can follow the recommendations to improve your system security.



Tray Icon

The Bitdefender system tray icon informs you when issues affect your computer or how the product operates, by displaying a special symbol, as follows:

-  Critical issues are affecting the security of your system. They require your immediate attention and must be fixed as soon as possible.
-  Non-critical issues are affecting the security of your system. You should check and fix them when you have the time.
-  Bitdefender **Autopilot** is engaged.

If Bitdefender is not working, the system tray icon appears on a gray background: . This usually happens when the license key expires. It can also occur when the Bitdefender services are not responding or when other errors affect the normal operation of Bitdefender.

5.2. Main window

The main Bitdefender window allows you to perform common tasks, quickly fix security issues, view information about product operation and configure product settings. Everything is just a few clicks away.

The window is organized in two main areas:




Upper toolbar

This is where you can check your computer's security status, configure the Bitdefender behavior in special cases and access important tasks.

Panels area

This is where you can manage the main Bitdefender modules and run different tasks to keep your system protected and running at optimal speed.

The  icon at the top of the window lets you manage your account and access the online features of your product from the account dashboard. Here you can also access the **Events**, the weekly **Security Report** and the **Help & Support** page.

Link	Description
Number of days left	The time remaining before your current license expires is displayed. Click the link to open a window where you can see more information about your license key or register your product with a new license key.
Buy Now	Helps you purchase a license key for your Bitdefender Antivirus Plus 2015 product.

5.2.1. Upper toolbar

The upper toolbar contains the following elements:

- **Security Status Area** on the left side of the toolbar, informs you if there are any issues affecting your computer's security and helps you fix them.

The color of the security status area changes depending on the detected issues and different messages are displayed:

- **The area is colored green.** There are no issues to fix. Your computer and data are protected.
- **The area is colored yellow.** Non-critical issues are affecting the security of your system. You should check and fix them when you have the time.
- **The area is colored red.** Critical issues are affecting the security of your system. You should address these issues immediately.

By clicking anywhere inside the security status area, you can access a wizard that will help you easily remove any threats from your computer. For detailed information, please refer to *"Fixing issues"* (p. 13).



- **Autopilot** allows you to engage the Autopilot and enjoy completely silent security. For detailed information, please refer to "*Autopilot*" (p. 16).
- **Profiles** allows you to work, play games or watch movies by saving time configuring the system to postpone maintenance tasks. For detailed information, please refer to "*Profiles*" (p. 138).

5.2.2. Panels area

The panels area is divided into two parts, one on the left side of the window where you can access and manage the Bitdefender modules, and one on the right side of the window where you can launch important tasks using action buttons.

The panels available in this area are:

- Protection
- Privacy
- Tools
- Action buttons

Protection

In this panel you can configure your security level and set up what system vulnerabilities to be fixed.

The modules you can manage in the Protection panel are:

Antivirus

Antivirus protection is the foundation of your security. Bitdefender protects you in real-time and on-demand against all sorts of malware, such as viruses, trojans, spyware, adware, etc.

From the Antivirus module you can easily access the following scan tasks:

- Quick Scan
- System Scan
- Manage Scans
- Rescue Mode

For more information about scan tasks and how to configure antivirus protection, please refer to "*Antivirus protection*" (p. 77).



Web protection

Web protection helps you to stay protected against phishing attacks, fraud attempts and private data leaks, while surfing on the Internet.

For more information about how to configure Bitdefender to protect your web activity, please refer to *"Web protection"* (p. 100).

Vulnerability

The Vulnerability module helps you to keep up to date the operating system and the applications you regularly use.

Click **Vulnerability Scan** under the Vulnerability module to start identifying critical Windows updates, applications updates and weak passwords belonging to Windows accounts.

For more information on configuring vulnerability protection, please refer to *"Vulnerability"* (p. 108).

Privacy

In the Privacy panel you can protect your online transactions and keep secure your browsing experience.

The modules you can manage in the Privacy panel are:

Data protection

The Data protection module prevents sensitive data leaks when you are online and lets you delete files permanently.

Click **File Shredder** under the Data Protection module to start a wizard that will allow you to completely eliminate files from your system.

For more information on configuring Data protection, please refer to *"Data protection"* (p. 104).

Wallet

Wallet is the password manager that helps you keep track of your passwords, protects your privacy and provides a secure browsing experience.

From the Wallet module you can select the following tasks:

- **Open Wallet** - opens the existing Wallet database.
- **Export Wallet** - allows you to save the existing database to a location on your system.



- **Create new Wallet** - starts a wizard that will allow you to create a new Wallet database.

For more information about configuring Wallet, please refer to *"Wallet protection for your credentials"* (p. 118).

Safepay

The Bitdefender Safepay™ browser helps you to keep your online banking, e-shopping and any other type of online transaction private and secure.

Click **Open Safepay** under the Safepay module to start making online transactions in a secure environment.

For more information about Bitdefender Safepay™, please refer to *"Safepay security for online transactions"* (p. 112).

ID Theft Protection

Bitdefender offers a comprehensive identity theft protection service.



Note

This feature is available only for users in the United States.

Activate the service from the **Privacy** panel or through your MyBitdefender account by clicking the **Activate free** link in the **Identity Theft Protection** icon in the dashboard. If the service has already been activated, you will be able to access statistics regarding its activity by clicking the corresponding button.

For more information, please refer to *"ID Theft Protection"* (p. 117).

Tools

In the Tools panel you can configure your working profile, improve the system's speed, back up important files and stay protected while you use your Facebook account.

The modules you can manage in the Tools panel are:

Safego

Bitdefender Safego is the security solution that ensures a safe online environment for Facebook users, by monitoring both your and friends' social networking activity and warning against all possible malicious postings.

For more information, please refer to *"Safego protection for Facebook"* (p. 124).



TuneUp

Bitdefender Antivirus Plus 2015 offers not just security, it also helps you keep your computer's performance in shape.

In the TuneUp module you can access a number of useful tools:

- OneClick Optimizer
- Startup Optimizer
- PC Clean-Up
- Disk Defragmenter
- Registry Cleaner
- Registry Recovery
- Duplicate Finder

For more information about the performance optimization tools, please refer to *"TuneUp"* (p. 130).

Profiles

Bitdefender Profiles helps you to have a simplified user experience while working, watching a movie or playing a game, by monitoring the product and system working tools. Click **Activate Now** on the upper toolbar in the Bitdefender interface to start using this feature.

Bitdefender lets you to configure the following profiles:

- Work Profile
- Movie Profile
- Game Profile

For more information about how you can configure the profiles module, please refer to *"Profiles"* (p. 138).

Action buttons

The section dedicated to the action buttons lets you perform important tasks related to the security of your activity. Whenever you need to run a scan, update the product, protect your online transactions or optimize your system speed, use the following options:

Scan

Run a quick scan to make sure your computer is clean of viruses.

Update

Update your Bitdefender to make sure that you have the latest malware signatures.



Safepay

Open Safepay to protect your sensitive data while proceeding online transactions.

Optimize

Free disk space, fix registry errors and protect your privacy by deleting files that may no longer be useful with a single click on a button.

5.3. The Bitdefender modules

The Bitdefender product comes with a number of useful modules to help you stay protected while you work, surf the web or want to make online payments, improve the speed of your system and many others. Whenever you want to have access to modules or to start configuring your product, click the **Protection**, **Privacy** and **Tools** panels from the Bitdefender interface.

The following list briefly describes each module.

Antivirus

Allows you to configure your protection against malware, set scan exclusions and manage quarantined files.

Web protection

Allows you to know if the information of the web pages you want to visit is safe.

Vulnerability

Allows you to detect and fix vulnerabilities of your system.

Data protection

Allows you to prevent data leaks and protect your privacy while you are online.

Wallet

Allows you to access your credentials with one master password.

Profiles

Allows you to set up your working profile for an easy going system usability.

TuneUp

Allows you to monitor your computer's performance and keep an eye on resource consumption.

ID Theft Protection

Allows you to manage and configure protection against identity theft.




Note

This feature is available only for users in the United States.

5.4. Security Widget

Security Widget is the quick and easy way to monitor and control Bitdefender Antivirus Plus 2015. Adding this small and unintrusive widget to your desktop lets you see critical information and perform key tasks at all times:

- open the main window of Bitdefender.
- monitor scanning activity in real-time.
- monitor the security status of your system and fix any existing issues.
- view when an update is in progress.
- view notifications and get access to the latest events reported by Bitdefender.
- scan files or folders by dragging and dropping one or multiple items over the widget.



The overall security status of your computer is displayed **at the center** of the widget. The status is indicated by the color and shape of the icon that is displayed in this area.



Critical issues are affecting the security of your system.

They require your immediate attention and must be fixed as soon as possible. Click the status icon to begin fixing the reported issues.



Non-critical issues are affecting the security of your system. You should check and fix them when you have the time. Click the status icon to begin fixing the reported issues.




Your system is protected.



When an on-demand scan task is in progress, this animated icon is displayed.

When issues are reported, click the status icon to launch the Fix Issues wizard.


The **lower side** of the widget displays the unread events counter (the number of outstanding events reported by Bitdefender, if any). Click the event counter, for example  for one unread event, to open the Events window. For more information, please refer to *"Events"* (p. 15).

5.4.1. Scanning files and folders

You can use the Security Widget to quickly scan files and folders. Drag any file or folder you want to be scanned and drop it over the **Security Widget**.

The **Antivirus Scan wizard** will appear and guide you through the scanning process. The scanning options are pre-configured for the best detection results and can not be changed. If infected files are detected, Bitdefender will try to disinfect them (remove the malware code). If disinfection fails, the Antivirus Scan wizard will allow you to specify other actions to be taken on infected files.

5.4.2. Hide / show Security Widget


When you no longer want to see the widget, click .

To restore Security Widget, use one of the following methods:

● From system tray:

1. Right-click the Bitdefender icon in the **system tray icon**.
2. Click **Show Security Widget** in the contextual menu that appears.

● From the Bitdefender interface:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **General Settings** from the drop-down menu.
3. In the **General Settings** window, select the **General Settings** tab.
4. Turn on **Display Security Widget** by clicking the corresponding switch.



5.5. Security Report

The Security Report provides a weekly status for your product and various tips to improve the system protection. These tips are important for managing the overall protection and you can easily see the actions you can take on your system.

The report is generated once a week and it summarizes the relevant information on your product activity so you can easily understand what occurred during this period of time.

The information offered by the Security Report is divided into two categories:

- **Protection area** - view information related to your system protection.

- **Files Scanned**

Allows you to see the files scanned by Bitdefender for the week. You can view details, such as the number of scanned files and the number of files cleaned by Bitdefender.

For more information on the Antivirus protection, please refer to *"Antivirus protection"* (p. 77).

- **Webpages Scanned**

Allows you to check the number of web pages scanned and blocked by Bitdefender. To protect you from disclosing personal information while browsing, Bitdefender secures your web traffic.

For more information on Web protection, please refer to *"Web protection"* (p. 100).

- **Vulnerabilities**

Allows you to easily identify and fix system vulnerabilities in order to make your computer more secure against malware and hackers.

For more information on the Vulnerability scan, please refer to *"Vulnerability"* (p. 108).

- **Events Timeline**

Allows you to have an overall image of all scanning processes and issues fixed by Bitdefender throughout the week. The events are separated by days.

For more information on a detailed log of events concerning the activity on your computer, see **Events**.



- **Optimization** area - view information related to the space cleared, optimized applications and how much computer battery you had saved using Battery Mode.

- **Space cleared**

Allows you to view how much space has been cleared during the system optimization process. Bitdefender uses TuneUp to help improve your system speed.

For more information on TuneUp, please refer to *"TuneUp"* (p. 130).

- **Battery saved**

Allows you to see how much battery you have saved while the system ran in Battery Mode.

For more information on Battery Mode, please refer to *"Battery Mode"* (p. 19).

- **Apps optimized**

Allows you to see the number of the applications you have used under the Profiles.


For more information on Profiles, please refer to *"Profiles"* (p. 138).

5.5.1. Checking the Security Report

The Security Report uses an issue tracking system to detect and inform you about the issues that may affect the security of your computer and data. Detected issues include important protection settings that are turned off and other conditions that can represent a security risk. Using the report, you can configure specific Bitdefender components or take preventive actions to protect your computer and your private data.

To check the Security Report, follow these steps:

1. Access the report:

- Open the **Bitdefender window**, click the  icon at the top of the window and then select **Security Report** from the drop-down menu.
- Right-click the Bitdefender icon in the system tray and select **Show Security Report**.
- Once a report is complete you will receive a pop-up notification. Click **Show** to access the security report.



A web page will open on your web browser where you can view the generated report.


2. Take a look at the top of the window to see the overall security status.
3. Check our recommendations at the bottom of the page.

The color of the security status area changes depending on the detected issues and different messages are displayed:

- **The area is colored green.** There are no issues to fix. Your computer and data are protected.
- **The area is colored yellow.** Non-critical issues are affecting the security of your system. You should check and fix them when you have the time.
- **The area is colored red.** Critical issues are affecting the security of your system. You should address these issues immediately.

5.5.2. Turning on or off the Security Report notification

To turn on or off the Security Report notification, follow these steps:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **General Settings** from the drop-down menu.
3. In the **General Settings** window, select the **General Settings** tab.
4. Click the corresponding switch to turn on or off the Security Report notification.

The Security Report notification is enabled by default.



6. REGISTERING BITDEFENDER

In order to be protected by Bitdefender, you must register your product with a license key. The license key specifies how long you may use the product. As soon as the license key expires, Bitdefender stops performing its functions and protecting your computer.

You should purchase a license key or renew your license a few days before the current license key expires. For more information, please refer to *"Buying or renewing license keys"* (p. 37). If you are using a trial version of Bitdefender, you must register the product with a license key if you want to continue using it after the trial period ends.

6.1. Entering your license key

If you selected to evaluate the product during the installation, you can use it for a 30-day trial period. To continue using Bitdefender after the trial period expires, you must register the product with a license key.

A link that indicates the number of days left on your license appears at the bottom of the Bitdefender window. Click this link to open the registration window.

You can see the Bitdefender registration status, the current license key and how many days are left until the license expires.

To register Bitdefender Antivirus Plus 2015:

1. Type the license key in the corresponding field.



Note

You can find your license key:

- on the CD label.
- on the license certificate.
- in the online purchase e-mail.

If you do not have a Bitdefender license key, click the link provided in the window to open a web page from where you can purchase one.

2. Click **Register Now**.

Even after you purchase a license key, until the in-product registration with the key is completed, Bitdefender Antivirus Plus 2015 will continue to appear as a trial version.



6.2. Buying or renewing license keys

If the trial period is going to end soon, you must purchase a license key and register your product. Similarly, if your current license key is going to expire soon, you must renew your license.

Bitdefender will alert you when the expiration date of your current license is approaching. Follow the instructions in the alert to purchase a new license.

You can visit a web page from where a license key can be purchased at any time, by following these steps:

1. Open the **Bitdefender window**.
2. Click the link that indicates the number of days left on your license, located at the bottom of the Bitdefender window, to open the product registration window.
3. Click **Don't have a license key? Buy one now!**
4. A web page will open on your web browser where you can purchase a Bitdefender license key.



7. MYBITDEFENDER ACCOUNT


The online features of your product and additional Bitdefender services are available exclusively through MyBitdefender. You must link your computer to MyBitdefender by logging in to an account from Bitdefender Antivirus Plus 2015 in order to do any of the following:

- Recover your license key, should you ever lose it.
- Get protection for your Facebook account with **Safego**.
- Manage and configure the **ID Theft Protection** service.
- Manage Bitdefender Antivirus Plus 2015 **remotely**.

Multiple Bitdefender security solutions for PCs as well as other platforms integrate with MyBitdefender. You can manage the security of all the devices linked to your account from a single centralized dashboard.

Your MyBitdefender account can be accessed from any device connected to the Internet at <https://my.bitdefender.com>.


You can also access and manage your account directly from your product:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **MyBitdefender** from the drop-down menu.

7.1. Linking your computer to MyBitdefender

To link your computer to a MyBitdefender account, you must log in to an account from Bitdefender Antivirus Plus 2015. Until you link your computer to MyBitdefender, you will be prompted to log in to MyBitdefender every time you want to use a feature that requires an account.

To open the MyBitdefender window from which you can create or log in to an account, follow these steps:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **Account Info** from the drop-down menu.

If you have already logged in to an account, the account you are logged in is displayed. Click **Login with another account** to change the account linked to the computer.



If you have already logged in to an account, the account you are logged in to is displayed. Click **Go to MyBitdefender** to go to your dashboard. To change the account linked to the computer, click **Login with another account**.

If you have not logged in to an account, proceed according to your situation.

I want to create a MyBitdefender account

To successfully create a MyBitdefender account, follow these steps:

1. Select **Create a new account**.

A new window will appear.

2. Type the required information in the corresponding fields. The data you provide here will remain confidential.

- **Email** - enter your e-mail address.

- **User name** - enter a user name for your account.

- **Password** - enter a password for your account. The password must be at least 6 characters long.

- **Confirm password** - retype the password.

3. Click **Create**.

4. Before being able to use your account, you must complete the registration. Check your e-mail and follow the instructions in the confirmation e-mail sent by Bitdefender.

I want to log in using my Microsoft, Facebook or Google account

To log in with your Microsoft, Facebook or Google account, follow these steps:

1. Click the icon of the service you want to use to log in. You will be redirected to the login page of that service.
2. Follow the instructions provided by the selected service to link your account to Bitdefender.



Note

Bitdefender does not get access to any confidential information such as the password of the account you use to log in, or the personal information of your friends and contacts.

I already have a MyBitdefender account

If you already have an account but you have not logged in to it yet, follow these steps to log in:

1. Type the e-mail address and the password of your account in the corresponding fields.




Note

If you have forgotten your password, click **Forgot password** and follow the instructions to retrieve it.

2. Click **Login to MyBitdefender**.

Once the computer is linked to an account, you can use the provided e-mail address and password to log in at <https://my.bitdefender.com>.

You can also access your account directly from Bitdefender Antivirus Plus 2015 by clicking the  icon at the top of the window and selecting **MyBitdefender** from the drop-down menu.



8. KEEPING BITDEFENDER UP-TO-DATE

New malware is found and identified every day. This is why it is very important to keep Bitdefender up to date with the latest malware signatures.

If you are connected to the Internet through broadband or DSL, Bitdefender takes care of this itself. By default, it checks for updates when you turn on your computer and every **hour** after that. If an update is detected, it is automatically downloaded and installed on your computer.

The update process is performed on the fly, meaning that the files to be updated are replaced progressively. In this way, the update process will not affect product operation and, at the same time, any vulnerability will be excluded.



Important

To be protected against the latest threats keep Automatic Update turned on.

In some particular situations, your intervention is required in order to keep your Bitdefender protection up-to-date:

- If your computer connects to the Internet through a proxy server, you must configure the proxy settings as described in *"How do I configure Bitdefender to use a proxy Internet connection?"* (p. 70).
- If you do not have Internet connection, you can update Bitdefender manually as described in *"My computer is not connected to the Internet. How do I update Bitdefender?"* (p. 150). The manual update file is released once a week.
- Errors may occur while downloading updates on a slow Internet connection. To find out how to overcome such errors, please refer to *"How to update Bitdefender on a slow Internet connection"* (p. 150).
- If you are connected to the Internet through a dial-up connection, then it is recommended to regularly update Bitdefender by user request. For more information, please refer to *"Performing an update"* (p. 42).

8.1. Checking if Bitdefender is up-to-date


To check if your Bitdefender protection is up-to-date, follow these steps:

1. Open the **Bitdefender window**.



2. On the **Security Status Area**, on the left side of the toolbar, look for the time of the last update.

For detailed information about the latest updates, check the update events:


1. In the main window, click the  icon at the top of the window and select **Events** from the drop-down menu.
2. In the **Events** window, select **Update** from the corresponding drop-down menu.

You can find out when updates were initiated and information about them (whether they were successful or not, if they require a restart to complete the installation). If required, restart the system at your earliest convenience.

8.2. Performing an update

In order to perform updates, an Internet connection is required.

To start an update, do any of the following:

- Open the **Bitdefender window** and click the **Update** action button on the right side of the window.
- Right-click the Bitdefender  icon in the **system tray** and select **Update now**.

The Update module will connect to the Bitdefender update server and it will check for updates. If an update is detected, you will be asked to confirm it or the update will be performed automatically, depending on the **update settings**.




Important

It may be necessary to restart the computer when you have completed the update. We recommend doing it as soon as possible.

8.3. Turning on or off automatic update

To turn on or off automatic update, follow these steps:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **General Settings** from the drop-down menu.
3. In the **General Settings** window, select the **Update** tab.



4. Click the switch to turn on or off the automatic update.
5. A warning window will appear. You must confirm your choice by selecting from the menu how long you want the automatic update to be disabled. You can disable the automatic update for 5, 15 or 30 minutes, for an hour, permanently or until the system restart.



Warning


This is a critical security issue. We recommend you to disable automatic update for as little time as possible. If Bitdefender is not updated regularly, it will not be able to protect you against the latest threats.

8.4. Adjusting update settings

The updates can be performed from the local network, over the Internet, directly or through a proxy server. By default, Bitdefender will check for updates every hour, over the Internet, and install the available updates without alerting you.

The default update settings are suited for most users and you do not normally need to change them.

To adjust the update settings, follow these steps:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **General Settings** from the drop-down menu.
3. In the **General Settings** window, select the **Update** tab and adjust the settings according to your preferences.

Update location

Bitdefender is configured to update from the Bitdefender update servers on the Internet. The update location is a generic Internet address that is automatically redirected to the closest Bitdefender update server in your region.

Do not change the update location unless advised by a Bitdefender representative or by your network administrator (if you are connected to an office network).

You can switch back to the generic Internet update location by clicking **Default**.



Update processing rules

You can choose between three ways to download and install updates:

- **Silent update** - Bitdefender automatically downloads and implements the update.
- **Prompt before downloading** - every time an update is available, you will be prompted before downloading it.
- **Prompt before installing** - every time an update was downloaded, you will be prompted before installing it.

Some updates require a restart to complete the installation. By default, if an update requires a restart, Bitdefender will keep working with the old files until the user voluntarily restarts the computer. This is to prevent the Bitdefender update process from interfering with the user's work.

If you want to be prompted when an update requires a restart, turn off the **Postpone reboot** option by clicking the corresponding switch.



HOW TO



9. INSTALLATION

9.1. How do I install Bitdefender on a second computer?

If you have purchased a license key for more than one computer, you can use the same license key to register a second PC.

To install Bitdefender correctly on a second computer, follow these steps:

1. Install Bitdefender from the CD/ DVD or using the installer provided in the online purchase e-mail and follow the same installation steps.

At the beginning of the installation you will be prompted to download the latest installation files available.

2. When the registration window appears, enter the license key and click **Register Now**.
3. At the next step, you have the option to log in to your MyBitdefender account or create a new MyBitdefender account.

You can also choose to create a MyBitdefender account later on.

4. Wait until the installation process is completed and close the window.

9.2. When should I reinstall Bitdefender?

In some situations, you may need to reinstall your Bitdefender product.

Typical situations when you would need to reinstall Bitdefender include the following:

- you have reinstalled the operating system.
- you have purchased a new computer.
- you want to change the display language of the Bitdefender interface.

To reinstall Bitdefender you can use the installation disc you purchased or download a new version from the [Bitdefender website](#).

During the installation, you will be asked to register the product with your license key.



If you cannot find your license key, you can log in to <https://my.bitdefender.com> to retrieve it. Type the e-mail address and the password of your account in the corresponding fields.

For more information about the Bitdefender installation process, please refer to *"Installing your Bitdefender product"* (p. 5).

9.3. Where can I download my Bitdefender product from?

You can download your Bitdefender product from our authorized websites (for example, the website of a Bitdefender partner or an online shop) or from our website at the following address: <http://www.bitdefender.com/Downloads/>.



Note

Before running the kit, it is recommended to remove any antivirus solution installed on your system. When you use more than one security solution on the same computer, the system becomes unstable.

To install Bitdefender, follow these steps:

1. Double click the installer you have downloaded and follow the installation steps.
2. When the registration window appears, enter the license key and click **Register Now**.
3. At the next step, you have the option to log in to your MyBitdefender account or create a new MyBitdefender account.

You can also choose to create a MyBitdefender account later on.

4. Wait until the installation process is completed and close the window.

9.4. How do I switch from one Bitdefender product to another?

You can easily switch from one Bitdefender product to another.

The three Bitdefender products you can install on your system are:

- Bitdefender Antivirus Plus 2015
- Bitdefender Internet Security 2015



● Bitdefender Total Security 2015

If you do not have a license key for the product you want to use, follow these steps:

1. Open the **Bitdefender window**.
2. To access the product registration window, click the link that indicates the number of days left on your license, located at the bottom of the Bitdefender window.
3. Click **Don't have a license key? Buy one now!**
4. A web page will open on your web browser where you can purchase a Bitdefender license key.

After you buy the license key for the Bitdefender product you want to use, follow these steps:

1. Open the **Bitdefender window**.
2. A link that indicates the number of days left on your license appears at the bottom of the Bitdefender window.

Click this link to open the registration window.

3. Enter the new license key and click **Register Now**.
4. You will be informed that the license key is for a different Bitdefender product.

Click the corresponding link and follow the procedure to perform the installation.

9.5. How do I use my Bitdefender license key after a Windows upgrade?

This situation appears when you upgrade your operating system and you want to continue using your Bitdefender license key.

If you are using a previous Bitdefender version you can upgrade, free of charge, to the latest Bitdefender, as follows:

- From a previous Bitdefender Antivirus version to the latest Bitdefender Antivirus available.
- From a previous Bitdefender Internet Security version to the latest Bitdefender Internet Security available.



- From a previous Bitdefender Total Security version to the latest Bitdefender Total Security available.

There are 2 cases which may appear:

- You have upgraded the operating system using the Windows Update and you notice Bitdefender is no longer working.

In this case, you need to reinstall the product using the latest available version.

To solve this situation, follow these steps:

1. Remove Bitdefender by following these steps:

- In **Windows XP**:

- a. Click **Start**, go to **Control Panel** and double-click **Add / Remove programs**.
- b. Find **Bitdefender Antivirus Plus 2015** and select **Remove**.
- c. Click **Remove** in the window that appears and then select **I want to reinstall it**.
- d. Wait for the uninstall process to complete and then reboot your system.

- In **Windows Vista** and **Windows 7**:

- a. Click **Start**, go to **Control Panel** and double-click **Programs and Features**.
- b. Find **Bitdefender Antivirus Plus 2015** and select **Uninstall**.
- c. Click **Remove** in the window that appears and then select **I want to reinstall it**.
- d. Wait for the uninstall process to complete and then reboot your system.

- In **Windows 8**:

- a. From the Windows Start screen, locate **Control Panel** (for example, you can start typing "Control Panel" directly in the Start screen) and then click its icon.
- b. Click **Uninstall a program** or **Programs and Features**.
- c. Find **Bitdefender Antivirus Plus 2015** and select **Uninstall**.



- d. Click **Remove** in the window that appears and then select **I want to reinstall it**.
 - e. Wait for the uninstall process to complete and then reboot your system.
2. Download the installation file by choosing the product you have a valid license key for.

You can download the installation file from the Bitdefender website at the following address: <http://www.bitdefender.com/Downloads/>.

3. Double click the installer to start the installation process.
4. When the registration window appears, enter the license key and click **Register Now**.
5. At the next step, you have the option to log in to your **MyBitdefender** account or create a new **MyBitdefender** account.

You can also choose to create a **MyBitdefender** account later on.

Wait until the installation process is completed and close the window.

- You changed your system and you want to continue using the Bitdefender protection.

Therefore, you need to reinstall the product using the latest version.

To solve this situation, follow these steps:

1. Download the installation file by choosing the product you have a valid license key for.

You can download the installation file from the Bitdefender website at the following address: <http://www.bitdefender.com/Downloads/>.

2. Double click the installer to start the installation process.
3. When the registration window appears, enter the license key and click **Register Now**.
4. At the next step, you have the option to log in to your **MyBitdefender** account or create a new **MyBitdefender** account.

You can also choose to create a **MyBitdefender** account later on.

Wait until the installation process is completed and close the window.

For more information about the Bitdefender installation process, please refer to *"Installing your Bitdefender product"* (p. 5).



9.6. How do I repair Bitdefender?

If you want to repair your Bitdefender Antivirus Plus 2015 from the Windows start menu, follow these steps:

- In **Windows XP, Windows Vista** and **Windows 7**:

1. Click **Start** and go to **All Programs**.
2. Find **Bitdefender Antivirus Plus 2015** and select **Uninstall**.
3. Click **Repair** in the window that appears.
This will take several minutes.
4. You will need to restart the computer to complete the process.

- In **Windows 8**:

1. From the Windows Start screen, locate **Control Panel** (for example, you can start typing "Control Panel" directly in the Start screen) and then click its icon.
2. Click **Uninstall a program** or **Programs and Features**.
3. Find **Bitdefender Antivirus Plus 2015** and select **Uninstall**.
4. Click **Repair** in the window that appears.
This will take several minutes.
5. You will need to restart the computer to complete the process.



10. REGISTRATION

10.1. What Bitdefender product am I using?

To find out which Bitdefender program you have installed, follow these steps:

1. Open the **Bitdefender window**.
2. At the top of the window you should see one of the following:
 - Bitdefender Antivirus Plus 2015
 - Bitdefender Internet Security 2015
 - Bitdefender Total Security 2015

10.2. How do I register a trial version?

If you have installed a trial version, you may only use it for a limited period of time. To continue using Bitdefender after the trial period expires, you must register your product with a license key.

To register Bitdefender, follow these steps:

1. Open the **Bitdefender window**.
2. A link that indicates the number of days left on your license appears at the bottom of the Bitdefender window.

Click this link to open the registration window.

3. Enter the license key and click **Register Now**.

If you do not have a license key, click the link provided in the window to visit a web page from where you can purchase one.

4. Wait until the registration process is completed and close the window.

10.3. When does my Bitdefender protection expire?

To find out the remaining number of days from your license key, follow these steps:

1. Open the **Bitdefender window**.
2. A link that indicates the number of days left on your license appears at the bottom of the Bitdefender window.



3. For additional information, click the link to open the registration window.
4. In the **Register Your Product** window, you can:
 - See the current license key
 - Register with another license key
 - Purchase a license key

10.4. How do I renew my Bitdefender protection?

When your Bitdefender protection is about to expire, you must renew your license key.

- Follow these steps to visit a website where you can renew your Bitdefender license key:
 1. Open the **Bitdefender window**.
 2. A link that indicates the number of days left on your license appears at the bottom of the Bitdefender window. Click this link to open the registration window.
 3. Click **Don't have a license key? Buy one now!**
 4. A web page will open on your web browser where you can purchase a Bitdefender license key.



Note

As an alternative, you can contact the retailer you bought your Bitdefender product from.

- Follow these steps to register your Bitdefender with the new license key:
 1. Open the **Bitdefender window**.
 2. A link that indicates the number of days left on your license appears at the bottom of the Bitdefender window. Click this link to open the registration window.
 3. Enter the license key and click **Register Now**.
 4. Wait until the registration process is completed and close the window.

For more information, you can contact Bitdefender for support as described in section *"Asking for help"* (p. 169).




11. MYBITDEFENDER

11.1. How do I log in into MyBitdefender using another online account?

You have created a new MyBitdefender account and you want to use it from now on.

To successfully use another account, follow these steps:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **Account Info** from the drop-down menu.

If you have already logged in to an account, the account you are logged in is displayed. Click **Login with another account** to change the account linked to the computer.

A new window will appear.


3. Type the e-mail address and the password of your account in the corresponding fields.
4. Click **Login to MyBitdefender**

11.2. How do I change the e-mail address used for MyBitdefender account?

You have created a MyBitdefender account using an e-mail address you no longer use and now you would like to change it.

The e-mail address cannot be changed, but you can use a different e-mail address to create a new online account.

To successfully create another MyBitdefender account, follow these steps:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **Account Info** from the drop-down menu.

If you have already logged in to an account, the account you are logged in to is displayed. Click **Login with another account** to change the account linked to the computer.




A new window will appear.

3. Select **Create a new account**.
4. Type in the required information in the corresponding fields. The data you provide here will remain confidential.
 - **E-mail** - enter your e-mail address.
 - **User name** - enter a user name for your account.
 - **Password** - enter a password for your account. The password must be at least 6 characters long.
 - **Confirm password** - retype the password.
 - Click **Create**.
5. Before being able to use your account, you must complete the registration. Check your e-mail and follow the instructions in the confirmation e-mail sent by Bitdefender.

Use the new e-mail address to log in to MyBitdefender.

11.3. How do I reset the password for MyBitdefender account?

To set a new password for your MyBitdefender account, follow these steps:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **Account Info** from the drop-down menu.

A new window will appear.

3. Click the **Forgot my password** link.
4. Type the e-mail address used to create your MyBitdefender account and click the **Recover password** link.
5. Check your e-mail and click the provided link.

A new window will appear.

6. Type the new password. The password must be at least 6 characters long.
7. Retype the password in the **Retype password** field.
8. Click **Submit**.



To access your MyBitdefender account, type your e-mail address and the new password you have just set.



12. SCANNING WITH BITDEFENDER

12.1. How do I scan a file or a folder?

The easiest way to scan a file or folder is to right-click the object you want to scan, point to Bitdefender and select **Scan with Bitdefender** from the menu.

To complete the scan, follow the Antivirus Scan wizard. Bitdefender will automatically take the recommended actions on detected files.

If there remain unresolved threats, you will be prompted to choose the actions to be taken on them.

Typical situations when you would use this scanning method include the following:

- You suspect a specific file or folder to be infected.
- Whenever you download from the Internet files that you think they might be dangerous.
- Scan a network share before copying files to your computer.

12.2. How do I scan my system?

To perform a complete scan on the system, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Under the **Antivirus** module, select **System Scan**.
4. Follow the Antivirus Scan wizard to complete the scan. Bitdefender will automatically take the recommended actions on detected files.

If there remain unresolved threats, you will be prompted to choose the actions to be taken on them. For more information, please refer to *"Antivirus Scan Wizard"* (p. 88).

12.3. How do I create a custom scan task?

If you want to scan specific locations on your computer or to configure the scanning options, configure and run a customized scan task.

To create a customized scan task, proceed as follows:



1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Under the **Antivirus** module, select **Manage Scans**.
4. Click **New custom task** to enter a name for the scan and select the locations to be scanned.
5. If you want to configure the scanning options in detail, select the **Advanced** tab.

You can easily configure the scanning options by adjusting the scan level. Drag the slider along the scale to set the desired scan level.

You can also choose to shutdown the computer when the scan is over if no threats are found. Remember that this will be the default behavior every time you run this task.

6. Click **OK** to save the changes and close the window.
7. Click **Schedule** if you want to set a schedule for your scan task.
8. Click **Start Scan** and follow the **Antivirus Scan wizard** to complete the scan. At the end of the scan, you will be prompted to choose the actions to be taken on the detected files, if any.
9. If you want to, you can quickly rerun a previous custom scan by clicking the corresponding entry in the available list.

12.4. How do I exclude a folder from being scanned?

Bitdefender allows excluding specific files, folders or file extensions from scanning.

Exclusions are to be used by users having advanced computer knowledge and only in the following situations:

- You have a large folder on your system where you keep movies and music.
- You have a large archive on your system where you keep different data.
- You keep a folder where you install different types of software and applications for testing purposes. Scanning the folder may result in losing some of the data.

To add the folder to the Exclusions list, follow these steps:

1. Open the **Bitdefender window**.



2. Access the **Protection** panel.
3. Click the **Antivirus** module.
4. In the **Antivirus** window, select the **Exclusions** tab.
5. Make sure **Exclusions for files** is turned on by clicking the switch.
6. Click the **Excluded files and folders** link.
7. Click the **Add** button, located at the top of the exclusions table.
8. Click **Browse**, select the folder that you want to be excluded from scanning and then click **OK**.
9. Click **Add** and then **OK** to save the changes and close the window.

12.5. What to do when Bitdefender detected a clean file as infected?

There may be cases when Bitdefender mistakenly flags a legitimate file as being a threat (a false positive). To correct this error, add the file to the Bitdefender Exclusions area:

1. Turn off the Bitdefender real-time antivirus protection:
 - a. Open the **Bitdefender window**.
 - b. Access the **Protection** panel.
 - c. Click the **Antivirus** module.
 - d. In the **Antivirus** window, select the **Shield** tab.
 - e. Click the switch to turn off **On-access scanning**.

A warning window will appear. You must confirm your choice by selecting from the menu how long you want the real-time protection to be disabled. You can disable real-time protection for 5, 15 or 30 minutes, for an hour, permanently or until the system restart.

2. Display hidden objects in Windows. To find out how to do this, please refer to *"How do I display hidden objects in Windows?"* (p. 72).
3. Restore the file from the Quarantine area:
 - a. Open the **Bitdefender window**.
 - b. Access the **Protection** panel.
 - c. Click the **Antivirus** module.



- d. In the **Antivirus** window, select the **Quarantine** tab.
- e. Select the file and click **Restore**.
4. Add the file to the Exclusions list. To find out how to do this, please refer to *"How do I exclude a folder from being scanned?"* (p. 58).
5. Turn on the Bitdefender real-time antivirus protection.
6. Contact our support representatives so that we may remove the detection signature. To find out how to do this, please refer to *"Asking for help"* (p. 169).


12.6. How do I check what viruses Bitdefender detected?

Each time a scan is performed, a scan log is created and Bitdefender records the detected issues.

The scan log contains detailed information about the logged scanning process, such as scanning options, the scanning target, the threats found and the actions taken on these threats.

You can open the scan log directly from the scan wizard, once the scan is completed, by clicking **Show Log**.

To check a scan log or any detected infection at a later time, follow these steps:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **Events** from the drop-down menu.
3. In the **Events** window, select **Antivirus** from the corresponding drop-down menu.

This is where you can find all malware scan events, including threats detected by on-access scanning, user-initiated scans and status changes for automatic scans.

4. In the events list, you can check what scans have been performed recently. Click an event to view details about it.
5. To open a scan log, click **View log**. The scan log will open in a new window.




13. PRIVACY PROTECTION

13.1. How do I make sure my online transaction is secure?

To make sure your online operations remain private, you can use the browser provided by Bitdefender to protect your transactions and home banking applications.

Bitdefender Safepay™ is a secured browser designed to protect your credit card information, account number or any other sensitive data you may enter while accessing different online locations.

To keep your online activity secure and private, follow these steps:

1. Open the **Bitdefender window**.
2. Click the **Safepay** action button on the right side of the window.
3. Click the  button to access the **Virtual Keyboard**.
4. Use the **Virtual Keyboard** when typing sensitive information such as your passwords.

13.2. How do I protect my Facebook account?

Safego is a Facebook application developed by Bitdefender to keep your social networking account safe.

Its role is to scan the links you receive from your Facebook friends and monitor your account privacy settings.

To access Safego from your Bitdefender product, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Under the **Safego** module, select **Activate for Facebook**.

You will be directed to your account.

4. Use your Facebook login information to connect to the Safego application.
5. Allow Safego access to your Facebook account.



13.3. How do I protect my personal information?

To make sure no private data leaves your computer without your consent, you must create appropriate data protection rules. The data protection rules specify the information to be blocked.

To create a Data Protection rule, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Privacy** panel.
3. Click the **Data Protection** module.
4. If **Data Protection** is turned off, turn it on using the corresponding switch.
5. Select the **Add rule** option to start the Data Protection wizard.
6. Follow the wizard steps.

13.4. How do I remove a file permanently with Bitdefender?

If you want to remove a file permanently from your system, you need to delete the data physically from your hard disk.

The Bitdefender File Shredder will help you to quickly shred files or folders from your computer using the Windows contextual menu, by following these steps:

1. Right-click the file or folder you want to permanently delete, point to Bitdefender and select **File Shredder**.
2. A confirmation window will appear. Click **Yes** to start the File Shredder wizard.
3. Wait for Bitdefender to finish shredding the files.
4. The results are displayed. Click **Close** to exit the wizard.



14. TUNEUP

14.1. How do I improve my system performance?

The system performance depends not only on the hardware configuration, such as the CPU load, memory usage and hard disk space. It is also directly connected to your software configuration and to your data management.

These are the main actions you can take with Bitdefender to improve your system's speed and performance:

- *"Defragment your hard disk"* (p. 63)
- *"Optimize your system performance with a single click"* (p. 63)
- *"Scan your system periodically"* (p. 64)

14.1.1. Defragment your hard disk

It is recommended to defragment the hard disk in order to access files faster and improve overall system performance. The Disk Defragmenter helps you reduce file fragmentation and improves the performance of your system.

To start the Disk Defragmenter, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Under the **TuneUp** panel, select **Disk Defragmenter**.
4. Follow the wizard steps.

For more information about the Disk Defragmenter module, please refer to *"Defragmenting hard disk volumes"* (p. 133).

14.1.2. Optimize your system performance with a single click

The OneClick Optimizer option saves you valuable time when you want a quick way to improve your system performance by rapidly scanning, detecting and cleaning useless files.

To start the OneClick Optimizer process, follow these steps:

1. Open the **Bitdefender window**.



2. Access the **Tools** panel.
3. Under the **TuneUp** module, select **OneClick Optimizer**.
4. Let Bitdefender search for files that can be deleted, then click the **Optimize** button to finish the process.

Or quicker, click the **Optimize** action button from the Bitdefender interface.

For more information about how you can improve the speed of your computer with a single click, please refer to *“Optimizing your system speed with a single click”* (p. 130).

14.1.3. Scan your system periodically

Your system speed and its general behavior can also be affected by malware.

Make sure to scan your system periodically, at least once a week.

It is recommended to use the System Scan because it scans for all types of malware threatening the security of your system and it also scans inside archives.

To start the System Scan, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Under the **Antivirus** module, select **System Scan**.
4. Follow the wizard steps.

14.2. How can I improve my system startup time?

Unnecessary applications that are annoyingly slowing down booting time when you open your PC can be disabled or postponed from opening with the Startup Optimizer thus saving you valuable time.

To use the Startup Optimizer, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Under the **TuneUp** module, select **Startup Optimizer**.
4. Select the applications that you want to delay at system startup.



For more information on how to optimize your PC's booting time, please refer to "*Optimizing your PC's boot time*" (p. 131).



15. USEFUL INFORMATION

15.1. How do I test my antivirus solution?

To make sure that your Bitdefender product is properly running, we recommend you using the Eicar test.

The Eicar test allows you to check your antivirus protection using a safe file developed for this purpose.

To test your antivirus solution, follow these steps:

1. Download the test from the official webpage of the EICAR organization <http://www.eicar.org/>.
2. Click the **Anti-Malware Testfile** tab.
3. Click **Download** on the left-side menu.
4. From **Download area using the standard protocol http** click the **ecar.com** test file.
5. You will be informed that the page you are trying to access contains the EICAR-Test-File (not a virus).

If you click **I understand the risks, take me there anyway**, the download of the test will begin and a Bitdefender pop-up will inform you that a virus was detected.

Click **More details** to find out more information about this action.

If you do not receive any Bitdefender alert, we recommend you to contact Bitdefender for support as described in section *"Asking for help"* (p. 169).

15.2. How do I remove Bitdefender?

If you want to remove your Bitdefender Antivirus Plus 2015, follow these steps:

● In **Windows XP**:

1. Click **Start**, go to **Control Panel** and double-click **Add / Remove programs**.
2. Find **Bitdefender Antivirus Plus 2015** and select **Remove**.
3. Click **Remove** to continue.
4. At this step you have the following options:



- **I want to reinstall it** - will completely remove Bitdefender. Bitdefender 60-Second Virus Scanner will not be installed.

- **I want to permanently remove it** - will completely remove Bitdefender. Bitdefender 60-Second Virus Scanner will be installed on your system to protect you against malware.

Select the desired option and click **Next**.

5. Wait for the uninstall process to complete and then reboot your system.

- **In Windows Vista and Windows 7:**

1. Click **Start**, go to **Control Panel** and double-click **Programs and Features**.

2. Find **Bitdefender Antivirus Plus 2015** and select **Uninstall**.

3. Click **Remove** to continue.

4. At this step you have the following options:

- **I want to reinstall it** - will completely remove Bitdefender. Bitdefender 60-Second Virus Scanner will not be installed.

- **I want to permanently remove it** - will completely remove Bitdefender. Bitdefender 60-Second Virus Scanner will be installed on your system to protect you against malware.

Select the desired option and click **Next**.

5. Wait for the uninstall process to complete and then reboot your system.

- **In Windows 8:**

1. From the Windows Start screen, locate **Control Panel** (for example, you can start typing "Control Panel" directly in the Start screen) and then click its icon.

2. Click **Uninstall a program** or **Programs and Features**.

3. Find **Bitdefender Antivirus Plus 2015** and select **Uninstall**.

4. Click **Remove** to continue.

5. At this step you have the following options:

- **I want to reinstall it** - will completely remove Bitdefender. Bitdefender 60-Second Virus Scanner will not be installed.



- **I want to permanently remove it** - will completely remove Bitdefender. Bitdefender 60-Second Virus Scanner will be installed on your system to protect you against malware.

Select the desired option and click **Next**.

6. Wait for the uninstall process to complete and then reboot your system.



Note

Bitdefender 60-Second Virus Scanner is a free application which uses in-the-cloud scanning technology to detect malicious programs and threats in less than 60 seconds.

15.3. How do I keep my system protected after uninstalling Bitdefender?

During the Bitdefender Antivirus Plus 2015 removal process, you have the option **I want to permanently remove it** with the possibility to install Bitdefender 60-Second Virus Scanner on your system.

Bitdefender 60-Second Virus Scanner is a free application which uses in-the-cloud scanning technology to detect malicious programs and threats in less than 60 seconds.

You can continue using the application even if you reinstall Bitdefender or you install any other antivirus program on your system.

If you want to remove Bitdefender 60-Second Virus Scanner, follow these steps:

- In **Windows XP**:

1. Click **Start**, go to **Control Panel** and double-click **Add / Remove programs**.
2. Find **Bitdefender 60-Second Virus Scanner** and select **Remove**.
3. Select **Uninstall** at the next step and wait for the process to finish.

- In **Windows Vista** and **Windows 7**:

1. Click **Start**, go to **Control Panel** and double-click **Programs and Features**.
2. Find **Bitdefender 60-Second Virus Scanner** and select **Uninstall**.
3. Select **Uninstall** at the next step and wait for the process to finish.

- In **Windows 8**:



1. From the Windows Start screen, locate **Control Panel** (for example, you can start typing "Control Panel" directly in the Start screen) and then click its icon.
2. Click **Uninstall a program** or **Programs and Features**.
3. Select **Bitdefender 60-Second Virus Scanner** and click **Uninstall**.
4. Select **Uninstall** at the next step and wait for the process to finish.

15.4. How do I automatically shut down the computer after the scan is over?

Bitdefender offers multiple scan tasks that you can use to make sure your system is not infected with malware. Scanning the entire computer may take longer time to complete depending on your system's hardware and software configuration.

For this reason, Bitdefender allows you to configure Bitdefender to shut down your system as soon as the scan is over.

Consider this example: you have finished your work at the computer and you want to go to sleep. You would like to have your entire system checked for malware by Bitdefender.

This is how you set up Bitdefender to shut down your system at the end of the scan:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Under the **Antivirus** module, select **Manage Scans**.
4. In the **Manage Scan Task** window, click **New custom task** to enter a name for the scan and select the locations to be scanned.
5. If you want to configure the scanning options in detail, select the **Advanced** tab.
6. Choose to shutdown the computer when the scan is over if no threats are found.
7. Click **OK** to save the changes and close the window.
8. Click **Start Scan**.

If no threats are found, the computer will shut down.



If there remain unresolved threats, you will be prompted to choose the actions to be taken on them. For more information, please refer to *"Antivirus Scan Wizard"* (p. 88).

15.5. How do I configure Bitdefender to use a proxy Internet connection?


If your computer connects to the Internet through a proxy server, you must configure Bitdefender with the proxy settings. Normally, Bitdefender automatically detects and imports the proxy settings from your system.



Important

Home Internet connections do not normally use a proxy server. As a rule of thumb, check and configure the proxy connection settings of your Bitdefender program when updates are not working. If Bitdefender can update, then it is properly configured to connect to the Internet.

To manage the proxy settings, follow these steps:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **General Settings** from the drop-down menu.
3. In the **General Settings** window, select the **Advanced** tab.
4. Turn on proxy usage by clicking the switch.
5. Click the **Manage proxies** link.
6. There are two options to set the proxy settings:

- **Import proxy settings from default browser** - proxy settings of the current user, extracted from the default browser. If the proxy server requires a username and a password, you must specify them in the corresponding fields.



Note

Bitdefender can import proxy settings from the most popular browsers, including the latest versions of Internet Explorer, Mozilla Firefox and Opera.

- **Custom proxy settings** - proxy settings that you can configure yourself. The following settings must be specified:



- **Address** - type in the IP of the proxy server.
- **Port** - type in the port Bitdefender uses to connect to the proxy server.
- **Username** - type in a user name recognized by the proxy.
- **Password** - type in the valid password of the previously specified user.

7. Click **OK** to save the changes and close the window.

Bitdefender will use the available proxy settings until it manages to connect to the Internet.

15.6. Am I using a 32 bit or a 64 bit version of Windows?

To find out if you have a 32 bit or a 64 bit operating system, follow these steps:

● In **Windows XP**:

1. Click **Start**.
2. Locate **My Computer** on the **Start** menu.
3. Right-click **My Computer** and select **Properties**.
4. If you see **x64 Edition** listed under **System**, you are running the 64 bit version of Windows XP.

If you do not see **x64 Edition** listed, you are running a 32 bit version of Windows XP.

● In **Windows Vista** and **Windows 7**:

1. Click **Start**.
2. Locate **Computer** on the **Start** menu.
3. Right-click **Computer** and select **Properties**.
4. Look under **System** in order to check the information about your system.

● In **Windows 8**:

1. From the Windows Start screen, locate **Computer** (for example, you can start typing "Computer" directly in the Start screen) and then right-click its icon.
2. Select **Properties** in the bottom menu.



3. Look under **System** to see the system type.

15.7. How do I display hidden objects in Windows?

These steps are useful in those cases where you are dealing with a malware situation and you need to find and remove the infected files, which could be hidden.

Follow these steps to display hidden objects in Windows:

1. Click **Start**, go to **Control Panel**.

In **Windows 8**: From the Windows Start screen, locate **Control Panel** (for example, you can start typing "Control Panel" directly in the Start screen) and then click its icon.

2. Select **Folder Options**.
3. Go to **View** tab.
4. Select **Display contents of system folders** (for Windows XP only).
5. Select **Show hidden files and folders**.
6. Clear **Hide extensions for known file types**.
7. Clear **Hide protected operating system files**.
8. Click **Apply** and then **OK**.

15.8. How do I remove other security solutions?

The main reason for using a security solution is to provide protection and safety for your data. But what happens when you have more than one security product on the same system?

When you use more than one security solution on the same computer, the system becomes unstable. The Bitdefender Antivirus Plus 2015 installer automatically detects other security programs and offers you the option to uninstall them.

If you did not remove the other security solutions during the initial installation, follow these steps:

● In **Windows XP**:

1. Click **Start**, go to **Control Panel** and double-click **Add / Remove programs**.
2. Wait a few moments until the installed software list is displayed.



3. Find the name of the program you want to remove and select **Remove**.
4. Wait for the uninstall process to complete and then reboot your system.

● In **Windows Vista** and **Windows 7**:

1. Click **Start**, go to **Control Panel** and double-click **Programs and Features**.
2. Wait a few moments until the installed software list is displayed.
3. Find the name of the program you want to remove and select **Uninstall**.
4. Wait for the uninstall process to complete and then reboot your system.

● In **Windows 8**:

1. From the Windows Start screen, locate **Control Panel** (for example, you can start typing "Control Panel" directly in the Start screen) and then click its icon.
2. Click **Uninstall a program** or **Programs and Features**.
3. Wait a few moments until the installed software list is displayed.
4. Find the name of the program you want to remove and select **Uninstall**.
5. Wait for the uninstall process to complete and then reboot your system.

If you fail to remove the other security solution from your system, get the uninstall tool from the vendor website or contact them directly in order to provide you with the uninstall guidelines.

15.9. How do I use System Restore in Windows?

If you cannot start the computer in normal mode, you can boot up in Safe Mode and use System Restore to restore to a time when you could start the computer without errors.

To perform the System Restore, you must be logged on to Windows as an administrator.

To use System Restore, follow these steps:

● In **Windows XP**:

1. Log on to Windows in Safe Mode.
2. Follow the path from the Windows start menu: **Start** → **All Programs** → **System Tools** → **System Restore**.



3. On the **Welcome to System Restore** page, click to select the **Restore my computer to an earlier time** option, and then click Next.

4. Follow the wizard steps and you should be able to boot up the system in normal mode.

● In **Windows Vista** and **Windows 7**:

1. Log on to Windows in Safe Mode.

2. Follow the path from the Windows start menu: **All Programs** → **Accessories** → **System Tools** → **System Restore**.

3. Follow the wizard steps and you should be able to boot up the system in normal mode.

● In **Windows 8**:

1. Log on to Windows in Safe Mode.

2. From the Windows Start screen, locate **Control Panel** (for example, you can start typing "Control Panel" directly in the Start screen) and then click its icon.

3. Select **Recovery** and then **Open System Restore**.

4. Follow the wizard steps and you should be able to boot up the system in normal mode.

15.10. How do I restart in Safe Mode?

Safe mode is a diagnostic operating mode, used mainly to troubleshoot problems affecting normal operation of Windows. Such problems range from conflicting drivers to viruses preventing Windows from starting normally. In Safe Mode only a few applications work and Windows loads just the basic drivers and a minimum of operating system components. This is why most viruses are inactive when using Windows in Safe Mode and they can be easily removed.

To start Windows in Safe Mode:

1. Restart the computer.

2. Press the **F8** key several times before Windows starts in order to access the boot menu.

3. Select **Safe Mode** in the boot menu or **Safe Mode with Networking** if you want to have Internet access.



4. Press **Enter** and wait while Windows loads in Safe Mode.
5. This process ends with a confirmation message. Click **OK** to acknowledge.
6. To start Windows normally, simply reboot the system.



MANAGING YOUR SECURITY



16. ANTIVIRUS PROTECTION

Bitdefender protects your computer from all kinds of malware (viruses, Trojans, spyware, rootkits and so on). The protection Bitdefender offers is divided into two categories:

- **On-access scanning** - prevents new malware threats from entering your system. Bitdefender will, for example, scan a word document for known threats when you open it, and an e-mail message when you receive one.

On-access scanning ensures real-time protection against malware, being an essential component of any computer security program.



Important

To prevent viruses from infecting your computer keep **on-access scanning** enabled.

- **On-demand scanning** - allows detecting and removing the malware that already resides in the system. This is the classic scan initiated by the user - you choose what drive, folder or file Bitdefender should scan, and Bitdefender scans it - on-demand.

Bitdefender automatically scans any removable media that is connected to the computer to make sure it can be safely accessed. For more information, please refer to *"Automatic scan of removable media"* (p. 91).

Advanced users can configure scan exclusions if they do not want specific files or file types to be scanned. For more information, please refer to *"Configuring scan exclusions"* (p. 93).

When it detects a virus or other malware, Bitdefender will automatically attempt to remove the malware code from the infected file and reconstruct the original file. This operation is referred to as disinfection. Files that cannot be disinfected are moved to quarantine in order to contain the infection. For more information, please refer to *"Managing quarantined files"* (p. 96).

If your computer has been infected with malware, please refer to *"Removing malware from your system"* (p. 158). To help you clean your computer of malware that cannot be removed from within the Windows operating system, Bitdefender provides you with **Rescue Mode**. This is a trusted environment, especially designed for malware removal, which enables you to boot your computer independent of Windows. When the computer runs in Rescue Mode, Windows malware is inactive, making it easy to remove.



To protect you against unknown malicious applications, Bitdefender uses Active Virus Control, an advanced heuristic technology, which continuously monitors the applications running on your system. Active Virus Control automatically blocks applications that exhibit malware-like behavior to stop them from damaging your computer. Occasionally, legitimate applications may be blocked. In such situations, you can configure Active Virus Control not to block those applications again by creating exclusion rules. To learn more, please refer to *“Active Virus Control”* (p. 97).

16.1. On-access scanning (real-time protection)

Bitdefender provides continuous, real-time protection against a wide range of malware threats by scanning all accessed files and e-mail messages.

The default real-time protection settings ensure good protection against malware, with minor impact on system performance. You can easily change the real-time protection settings according to your needs by switching to one of the predefined protection levels. Or, if you are an advanced user, you can configure the scan settings in detail by creating a custom protection level.

16.1.1. Turning on or off real-time protection

To turn on or off real-time protection against malware, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Click the **Antivirus** module.
4. In the **Antivirus** window, select the **Shield** tab.
5. Click the switch to turn on or off On-access scanning.
6. If you want to disable real-time protection, a warning window will appear. You must confirm your choice by selecting from the menu how long you want the real-time protection to be disabled. You can disable real-time protection for 5, 15 or 30 minutes, for an hour, permanently or until the system restart. The real-time protection will automatically turn on when the selected time will expire.



Warning

This is a critical security issue. We recommend you to disable real-time protection for as little time as possible. If real-time protection is disabled, you will not be protected against malware threats.

16.1.2. Adjusting the real-time protection level

The real-time protection level defines the scan settings for real-time protection. You can easily change the real-time protection settings according to your needs by switching to one of the predefined protection levels.

To adjust the real-time protection level, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Click the **Antivirus** module.
4. In the **Antivirus** window, select the **Shield** tab.
5. Drag the slider along the scale to set the desired protection level. Use the description on the right side of the scale to choose the protection level that better fits your security needs.

16.1.3. Configuring the real time protection settings

Advanced users might want to take advantage of the scan settings Bitdefender offers. You can configure the real-time protection settings in detail by creating a custom protection level.

To configure the real time protection settings, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Click the **Antivirus** module.
4. In the **Antivirus** window, select the **Shield** tab.
5. Click **Custom**.
6. Configure the scan settings as needed.
7. Click **OK** to save the changes and close the window.



Information on the scan options

You may find this information useful:

- If you are not familiar with some of the terms, check them in the [glossary](#). You can also find useful information by searching the Internet.
- **Scan options for accessed files.** You can set Bitdefender to scan all accessed files or applications (program files) only. Scanning all accessed files provides best protection, while scanning applications only can be used for better system performance.

By default, both local folders and network shares are subject to on-access scanning. For better system performance, you can exclude network locations from on-access scanning.

Applications (or program files) are far more vulnerable to malware attacks than other types of files. This category includes the following file extensions:

386; a6p; ac; accda; accdb; accdc; accde; accdp; accdr; accdt; accdu; acl; acr; action; ade; adp; air; app; as; asd; asp; awk; bas; bat; bin; cgi; chm; cla; class; cmd; cnv; com; cpl; csc; csh; dat; dek; dld; dll; doc; docm; docx; dot; dotm; dotx; drv; ds; ebm; esh; exe; ezs; fky; frs; fxp; gadget; grv; hlp; hms; hta; htm; html; iaf; icd; ini; inx; ipf; isu; jar; js; jse; jsx; kix; laccdb; lnk; maf; mam; maq; mar; mat; mcr; mda; mdb; mde; mdt; mdw; mem; mhtml; mpp; mpt; mpx; ms; msg; msi; msp; mst; msu; oab; obi; obs; ocx; oft; ole; one; onepkg; ost; ovl; pa; paf; pex; pfd; php; pif; pip; pot; potm; potx; ppa; ppam; pps; ppsm; ppsx; ppt; pptm; pptx; prc; prf; prg; pst; pub; puz; pvd; pwc; py; pyc; pyo; qpx; rbx; rgs; rox; rpj; rtf; scar; scr; script; sct; shb; shs; sldm; sldx; smm; snp; spr; svd; sys; thmx; tlb; tms; u3p; udf; url; vb; vbe; vbs; vbscript; vxd; wbk; wcm; wdm; wiz; wll; wpk; ws; wsf; xar; xl; xla; xlam; xlb; xlc; xll; xlm; xls; xlsb; xlsx; xlt; xltm; xltx; xlw; xml; xqt; xsf; xsn; xtp

- **Scan inside archives.** Scanning inside archives is a slow and resource-intensive process, which is therefore not recommended for real-time protection. Archives containing infected files are not an immediate threat to the security of your system. The malware can affect your system only if the infected file is extracted from the archive and executed without having real-time protection enabled.

If you decide on using this option, you can set a maximum accepted size limit of archives to be scanned on-access. Select the corresponding check box and type the maximum archive size (in MB).



- **Scan options for e-mail and web.** To prevent malware from being downloaded to your computer, Bitdefender automatically scans the following malware entry points:

- incoming and outgoing e-mails
- web traffic

Scanning the web traffic may slow down web browsing a little, but it will block malware coming from the Internet, including drive-by downloads.

Though not recommended, you can disable e-mail or web antivirus scan to increase system performance. If you disable the corresponding scan options, the e-mails and files received or downloaded from the Internet will not be scanned, thus allowing infected files to be saved to your computer. This is not a major threat because real-time protection will block the malware when the infected files are accessed (opened, moved, copied or executed).

- **Scan boot sectors.** You can set Bitdefender to scan the boot sectors of your hard disk. This sector of the hard disk contains the necessary computer code to start the boot process. When a virus infects the boot sector, the drive may become inaccessible and you may not be able to start your system and access your data.
- **Scan only new and changed files.** By scanning only new and changed files, you may greatly improve overall system responsiveness with a minimum trade-off in security.
- **Scan for keyloggers.** Select this option to scan your system for keylogger applications. Keyloggers record what you type on your keyboard and send reports over the Internet to a malicious person (hacker). The hacker can find out sensitive information from the stolen data, such as bank account numbers and passwords, and use it to gain personal benefits.

Actions taken on detected malware

You can configure the actions taken by the real-time protection.

To configure the actions, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Click the **Antivirus** module.
4. In the **Antivirus** window, select the **Shield** tab.



5. Click **Custom**.
6. Configure the scan settings as needed.
7. Click **OK** to save the changes and close the window.

The following actions can be taken by the real time protection in Bitdefender:

Take proper actions

Bitdefender will take the recommended actions depending on the type of detected file:

- **Infected files.** Files detected as infected match a malware signature in the Bitdefender Malware Signature Database. Bitdefender will automatically attempt to remove the malware code from the infected file and reconstruct the original file. This operation is referred to as disinfection.

Files that cannot be disinfected are moved to quarantine in order to contain the infection. Quarantined files cannot be executed or opened; therefore, the risk of getting infected disappears. For more information, please refer to "*Managing quarantined files*" (p. 96).



Important

For particular types of malware, disinfection is not possible because the detected file is entirely malicious. In such cases, the infected file is deleted from the disk.

- **Suspicious files.** Files are detected as suspicious by the heuristic analysis. Suspicious files cannot be disinfected, because no disinfection routine is available. They will be moved to quarantine to prevent a potential infection.

By default, quarantined files are automatically sent to Bitdefender Labs in order to be analyzed by the Bitdefender malware researchers. If malware presence is confirmed, a signature is released to allow removing the malware.

- **Archives containing infected files.**
 - Archives that contain only infected files are deleted automatically.
 - If an archive contains both infected and clean files, Bitdefender will attempt to delete the infected files provided it can reconstruct the archive with the clean files. If archive reconstruction is not possible,



you will be informed that no action can be taken so as to avoid losing clean files.

Move files to quarantine

Moves detected files to quarantine. Quarantined files cannot be executed or opened; therefore, the risk of getting infected disappears. For more information, please refer to *"Managing quarantined files"* (p. 96).

Deny access

In case an infected file is detected, the access to this will be denied.

16.1.4. Restoring the default settings

The default real-time protection settings ensure good protection against malware, with minor impact on system performance.

To restore the default real-time protection settings, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Click the **Antivirus** module.
4. In the **Antivirus** window, select the **Shield** tab.
5. Click **Default**.

16.2. On-demand scanning

The main objective for Bitdefender is to keep your computer clean of viruses. This is done by keeping new viruses out of your computer and by scanning your e-mail messages and any new files downloaded or copied to your system.

There is a risk that a virus is already lodged in your system, before you even install Bitdefender. This is why it's a very good idea to scan your computer for resident viruses after you've installed Bitdefender. And it's definitely a good idea to frequently scan your computer for viruses.

On-demand scanning is based on scan tasks. Scan tasks specify the scanning options and the objects to be scanned. You can scan the computer whenever you want by running the default tasks or your own scan tasks (user-defined tasks). If you want to scan specific locations on your computer or to configure the scan options, configure and run a custom scan.



16.2.1. Scanning a file or folder for malware

You should scan files and folders whenever you suspect they might be infected. Right-click the file or folder you want to be scanned, point to **Bitdefender** and select **Scan with Bitdefender**. The **Antivirus Scan wizard** will appear and guide you through the scanning process. At the end of the scan, you will be prompted to choose the actions to be taken on the detected files, if any.

16.2.2. Running a Quick Scan

Quick Scan uses in-the-cloud scanning to detect malware running in your system. Running a Quick Scan usually takes less than a minute and uses a fraction of the system resources needed by a regular virus scan.

To run a Quick Scan, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Under the **Antivirus** module, select **Quick Scan**.
4. Follow the **Antivirus Scan wizard** to complete the scan. Bitdefender will automatically take the recommended actions on detected files. If there remain unresolved threats, you will be prompted to choose the actions to be taken on them.

16.2.3. Running a System Scan

The System Scan task scans the entire computer for all types of malware threatening its security, such as viruses, spyware, adware, rootkits and others.



Note

Because **System Scan** performs a thorough scan of the entire system, the scan may take a while. Therefore, it is recommended to run this task when you are not using your computer.

Before running a System Scan, the following are recommended:

- Make sure Bitdefender is up-to-date with its malware signatures. Scanning your computer using an outdated signature database may prevent Bitdefender from detecting new malware found since the last update. For more information, please refer to *"Keeping Bitdefender up-to-date"* (p. 41).



- Shut down all open programs.

If you want to scan specific locations on your computer or to configure the scanning options, configure and run a custom scan. For more information, please refer to "*Configuring a custom scan*" (p. 85).

To run a System Scan, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Under the **Antivirus** module, select **System Scan**.
4. Follow the **Antivirus Scan wizard** to complete the scan. Bitdefender will automatically take the recommended actions on detected files. If there remain unresolved threats, you will be prompted to choose the actions to be taken on them.

16.2.4. Configuring a custom scan

To configure a scan for malware in detail and then run it, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Under the **Antivirus** module, select **Manage Scans**.
4. Click **New custom task**. In the **Basic** tab enter a name for the scan and select the locations to be scanned.
5. If you want to configure the scanning options in detail, select the **Advanced** tab. A new window will appear. Follow these steps:
 - a. You can easily configure the scanning options by adjusting the scan level. Drag the slider along the scale to set the desired scan level. Use the description on the right side of the scale to identify the scan level that better fits your needs.

Advanced users might want to take advantage of the scan settings Bitdefender offers. To configure the scan options in detail, click **Custom**. You can find information about them at the end of this section.

- b. You can also configure these general options:
 - **Run the task with low priority.** Decreases the priority of the scan process. You will allow other programs to run faster and increase the time needed for the scan process to finish.



- **Minimize Scan Wizard to system tray.** Minimizes the scan window to the **system tray**. Double-click the Bitdefender icon to open it.
- Specify the action to be taken if no threats are found.
- c. Click **OK** to save the changes and close the window.
- 6. Use the **Schedule** switch if you want to set a schedule for your scan task. Select one of the corresponding options to set a schedule:
 - At system startup
 - Once
 - Periodically
- 7. Select the type of scanning you want to run from the **Scan task** window.
- 8. Click **Start Scan** and follow the **Antivirus Scan wizard** to complete the scan. Depending on the locations to be scanned, the scan may take a while. At the end of the scan, you will be prompted to choose the actions to be taken on the detected files, if any.
- 9. If you want to, you can quickly rerun a previous custom scan by clicking the corresponding entry in the available list.

Information on the scan options

You may find this information useful:

- If you are not familiar with some of the terms, check them in the **glossary**. You can also find useful information by searching the Internet.
- **Scan files.** You can set Bitdefender to scan all types of files or applications (program files) only. Scanning all files provides best protection, while scanning applications only can be used to perform a quicker scan.

Applications (or program files) are far more vulnerable to malware attacks than other types of files. This category includes the following file extensions: 386; a6p; ac; accda; accdb; accdc; accde; accdp; accdr; accdt; accdu; acl; acr; action; ade; adp; air; app; as; asd; asp; awk; bas; bat; bin; cgi; chm; cla; class; cmd; cnv; com; cpl; csc; csh; dat; dek; dld; dll; doc; docm; docx; dot; dotm; dotx; drv; ds; ebm; esh; exe; ezs; fky; frs; fxp; gadget; grv; hlp; hms; hta; htm; html; iaf; icd; ini; inx; ipf; isu; jar; js; jse; jsx; kix; laccdb; lnk; maf; mam; maq; mar; mat; mcr; mda; mdb; mde; mdt; mdw; mem; mhtml; mpp; mpt; mpx; ms; msg; msi; msp; mst; msu; oab; obi; obs; ocx; oft; ole; one; onepkg; ost; ovl; pa; paf; pex; pfd; php; pif; pip; pot; potm; potx; ppa;



ppam; pps; ppsm; ppsx; ppt; pptm; pptx; prc; prf; prg; pst; pub; puz; pvd; pwc; py; pyc; pyo; qpx; rbx; rgs; rox; rpj; rtf; scar; scr; script; sct; shb; shs; sldm; sldx; smm; snp; spr; svd; sys; thmx; tlb; tms; u3p; udf; url; vb; vbe; vbs; vbscript; vxd; wbk; wcm; wdm; wiz; wll; wpk; ws; wsf; xar; xl; xla; xlam; xlb; xlc; xll; xlm; xls; xlsb; xlsn; xlsx; xlt; xltm; xltx; xlw; xml; xqt; xsf; xsn; xtp

- **Scan options for archives.** Archives containing infected files are not an immediate threat to the security of your system. The malware can affect your system only if the infected file is extracted from the archive and executed without having real-time protection enabled. However, it is recommended to use this option in order to detect and remove any potential threat, even if it is not an immediate threat.



Note

Scanning archived files increases the overall scanning time and requires more system resources.

- **Scan boot sectors.** You can set Bitdefender to scan the boot sectors of your hard disk. This sector of the hard disk contains the necessary computer code to start the boot process. When a virus infects the boot sector, the drive may become inaccessible and you may not be able to start your system and access your data.
- **Scan memory.** Select this option to scan programs running in your system's memory.
- **Scan registry.** Select this option to scan registry keys. Windows Registry is a database that stores configuration settings and options for the Windows operating system components, as well as for installed applications.
- **Scan cookies.** Select this option to scan the cookies stored by browsers on your computer.
- **Scan only new and changed files.** By scanning only new and changed files, you may greatly improve overall system responsiveness with a minimum trade-off in security.
- **Ignore commercial keyloggers.** Select this option if you have installed and use commercial keylogger software on your computer. Commercial keyloggers are legitimate computer monitoring software whose most basic function is to record everything that is typed on the keyboard.



- **Scan for rootkits.** Select this option to scan for **rootkits** and objects hidden using such software.

16.2.5. Antivirus Scan Wizard

Whenever you initiate an on-demand scan (for example, right-click a folder, point to Bitdefender and select **Scan with Bitdefender**), the Bitdefender Antivirus Scan wizard will appear. Follow the wizard to complete the scanning process.



Note

If the scan wizard does not appear, the scan may be configured to run silently, in the background. Look for the **B** scan progress icon in the **system tray**. You can click this icon to open the scan window and to see the scan progress.

Step 1 - Perform scan

Bitdefender will start scanning the selected objects. You can see real-time information about the scan status and statistics (including the elapsed time, an estimation of the remaining time and the number of detected threats). To see more details, click the **Show more** link.

Wait for Bitdefender to finish scanning. The scanning process may take a while, depending on the complexity of the scan.

Stopping or pausing the scan. You can stop scanning anytime you want by clicking **Stop**. You will go directly to the last step of the wizard. To temporarily stop the scanning process, just click **Pause**. You will have to click **Resume** to resume scanning.

Password-protected archives. When a password-protected archive is detected, depending on the scan settings, you may be prompted to provide the password. Password-protected archives cannot be scanned unless you provide the password. The following options are available:

- **Password.** If you want Bitdefender to scan the archive, select this option and type the password. If you do not know the password, choose one of the other options.
- **Don't ask for a password and skip this object from scan.** Select this option to skip scanning this archive.
- **Skip all password-protected items without scanning them.** Select this option if you do not want to be bothered about password-protected



archives. Bitdefender will not be able to scan them, but a record will be kept in the scan log.

Choose the desired option and click **OK** to continue scanning.

Step 2 - Choose actions

At the end of the scan, you will be prompted to choose the actions to be taken on the detected files, if any.



Note

When you run a quick scan or a full system scan, Bitdefender will automatically take the recommended actions on detected files during the scan. If there remain unresolved threats, you will be prompted to choose the actions to be taken on them.

The infected objects are displayed in groups, based on the malware they are infected with. Click the link corresponding to a threat to find out more information about the infected objects.

You can choose an overall action to be taken for all issues or you can select separate actions for each group of issues. One or several of the following options can appear on the menu:

Take proper actions

Bitdefender will take the recommended actions depending on the type of detected file:

- **Infected files.** Files detected as infected match a malware signature in the Bitdefender Malware Signature Database. Bitdefender will automatically attempt to remove the malware code from the infected file and reconstruct the original file. This operation is referred to as disinfection.

Files that cannot be disinfected are moved to quarantine in order to contain the infection. Quarantined files cannot be executed or opened; therefore, the risk of getting infected disappears. For more information, please refer to *"Managing quarantined files"* (p. 96).



Important

For particular types of malware, disinfection is not possible because the detected file is entirely malicious. In such cases, the infected file is deleted from the disk.



- **Suspicious files.** Files are detected as suspicious by the heuristic analysis. Suspicious files cannot be disinfected, because no disinfection routine is available. They will be moved to quarantine to prevent a potential infection.

By default, quarantined files are automatically sent to Bitdefender Labs in order to be analyzed by the Bitdefender malware researchers. If malware presence is confirmed, a signature is released to allow removing the malware.

- **Archives containing infected files.**

- Archives that contain only infected files are deleted automatically.
- If an archive contains both infected and clean files, Bitdefender will attempt to delete the infected files provided it can reconstruct the archive with the clean files. If archive reconstruction is not possible, you will be informed that no action can be taken so as to avoid losing clean files.

Delete

Removes detected files from the disk.

If infected files are stored in an archive together with clean files, Bitdefender will attempt to delete the infected files and reconstruct the archive with the clean files. If archive reconstruction is not possible, you will be informed that no action can be taken so as to avoid losing clean files.

Take no action

No action will be taken on the detected files. After the scan is completed, you can open the scan log to view information on these files.

Click **Continue** to apply the specified actions.

Step 3 - Summary

When Bitdefender finishes fixing the issues, the scan results will appear in a new window. If you want comprehensive information on the scanning process, click **Show Log** to view the scan log.

Click **Close** to close the window.



Important


In most cases Bitdefender successfully disinfects the infected files it detects or it isolates the infection. However, there are issues that cannot be solved automatically. If required, please restart your system in order to complete the cleaning process. For more information and instructions on how to remove malware manually, please refer to *"Removing malware from your system"* (p. 158).

16.2.6. Checking scan logs

Each time a scan is performed, a scan log is created and Bitdefender records the detected issues in the Antivirus window. The scan log contains detailed information about the logged scanning process, such as scanning options, the scanning target, the threats found and the actions taken on these threats.

You can open the scan log directly from the scan wizard, once the scan is completed, by clicking **Show Log**.

To check a scan log or any detected infection at a later time, follow these steps:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **Events** from the drop-down menu.
3. In the **Events** window, select **Antivirus** from the corresponding drop-down menu.

This is where you can find all malware scan events, including threats detected by on-access scanning, user-initiated scans and status changes for automatic scans.

4. In the events list, you can check what scans have been performed recently. Click an event to view details about it.
5. To open the scan log, click **View log**.

16.3. Automatic scan of removable media

Bitdefender automatically detects when you connect a removable storage device to your computer and scans it in the background. This is recommended in order to prevent viruses and other malware from infecting your computer.

Detected devices fall into one of these categories:



- CDs/DVDs
- USB storage devices, such as flash pens and external hard-drives
- mapped (remote) network drives

You can configure automatic scan separately for each category of storage devices. Automatic scan of mapped network drives is off by default.

16.3.1. How does it work?

When it detects a removable storage device, Bitdefender starts scanning it for malware in the background (provided automatic scan is enabled for that type of device). A Bitdefender scan **B** icon will appear in the **system tray**. You can click this icon to open the scan window and to see the scan progress.

If Autopilot is on, you will not be bothered about the scan. The scan will only be logged and information about it will be available in the **Events** window.

If Autopilot is off:

1. You will be notified through a pop-up window that a new device has been detected and it is being scanned.
2. In most cases, Bitdefender automatically removes detected malware or isolates infected files into quarantine. If there are unresolved threats after the scan, you will be prompted to choose the actions to be taken on them.



Note

Take into account that no action can be taken on infected or suspicious files detected on CDs/DVDs. Similarly, no action can be taken on infected or suspicious files detected on mapped network drives if you do not have the appropriate privileges.

3. When the scan is completed, the scan results window is displayed to inform you if you can safely access files on the removable media.

This information may be useful to you:

- Please be careful when using a malware-infected CD/DVD, because the malware cannot be removed from the disc (the media is read-only). Make sure real-time protection is turned on to prevent malware from spreading to your system. It is best practice to copy any valuable data from the disc to your system and then dispose of the disc.
- In some cases, Bitdefender may not be able to remove malware from specific files due to legal or technical constraints. Such an example are



files archived using a proprietary technology (this is because the archive cannot be recreated correctly).

To find out how to deal with malware, please refer to *"Removing malware from your system"* (p. 158).

16.3.2. Managing removable media scan

To manage automatic scan of removable media, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Click the **Antivirus** module.
4. In the **Antivirus** window, select the **Exclusions** tab.

For best protection, it is recommended to turn on automatic scan for all types of removable storage devices.

The scanning options are pre-configured for the best detection results. If infected files are detected, Bitdefender will try to disinfect them (remove the malware code) or to move them to quarantine. If both actions fail, the Antivirus Scan wizard will allow you to specify other actions to be taken on infected files. The scanning options are standard and you cannot change them.

16.4. Configuring scan exclusions

Bitdefender allows excluding specific files, folders or file extensions from scanning. This feature is intended to avoid interference with your work and it can also help improve system performance. Exclusions are to be used by users having advanced computer knowledge or, otherwise, following the recommendations of a Bitdefender representative.

You can configure exclusions to apply to on-access or on-demand scanning only, or to both. The objects excluded from on-access scanning will not be scanned, no matter if they are accessed by you or by an application.



Note

Exclusions will NOT apply for contextual scanning. Contextual scanning is a type of on-demand scanning: you right-click the file or folder you want to scan and select **Scan with Bitdefender**.



16.4.1. Excluding files or folders from scanning

To exclude specific files or folders from scanning, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Click the **Antivirus** module.
4. In the **Antivirus** window, select the **Exclusions** tab.
5. Turn on scan exclusions for files using the corresponding switch.
6. Click the **Excluded files and folders** link. In the window that appears, you can manage the files and folders excluded from scanning.
7. Add exclusions by following these steps:
 - a. Click the **Add** button, located at the top of the exclusions table.
 - b. Click **Browse**, select the file or folder that you want to be excluded from scanning and then click **OK**. Alternatively, you can type (or copy and paste) the path to the file or folder in the edit field.
 - c. By default, the selected file or folder is excluded from both on-access and on-demand scanning. To change when to apply the exclusion, select one of the other options.
 - d. Click **Add**.
8. Click **OK** to save the changes and close the window.

16.4.2. Excluding file extensions from scanning

When you exclude a file extension from scanning, Bitdefender will no longer scan files with that extension, regardless of their location on your computer. The exclusion also applies to files on removable media, such as CDs, DVDs, USB storage devices or network drives.



Important

Use caution when excluding extensions from scanning because such exclusions can make your computer vulnerable to malware.

To exclude file extensions from scanning, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.



3. Click the **Antivirus** module.
4. In the **Antivirus** window, select the **Exclusions** tab.
5. Turn on scan exclusions for files using the corresponding switch.
6. Click the **Excluded extensions** link. In the window that appears, you can manage the file extensions excluded from scanning.
7. Add exclusions by following these steps:
 - a. Click the **Add** button, located at the top of the exclusions table.
 - b. Enter the extensions that you want to be excluded from scanning, separating them with semicolons (;). Here is an example:
txt;avi;jpg
 - c. By default, all files with the specified extensions are excluded from both on-access and on-demand scanning. To change when to apply the exclusion, select one of the other options.
 - d. Click **Add**.
8. Click **OK** to save the changes and close the window.

16.4.3. Managing scan exclusions

If the configured scan exclusions are no longer needed, it is recommended that you delete them or disable scan exclusions.

To manage scan exclusions, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Click the **Antivirus** module.
4. In the **Antivirus** window, select the **Exclusions** tab. Use the options in the **Files and folders** section to manage scan exclusions.
5. To remove or edit scan exclusions, click one of the available links. Proceed as follows:
 - To remove an entry from the table, select it and click the **Remove** button.
 - To edit an entry from the table, double-click it (or select it and click the **Edit** button). A new window will appear where you can change the extension or the path to be excluded and the type of scanning you want



them to be excluded from, as needed. Make the necessary changes, then click **Modify**.

6. To turn off scan exclusions, use the corresponding switch.

16.5. Managing quarantined files

Bitdefender isolates the malware-infected files it cannot disinfect and the suspicious files in a secure area named quarantine. When a virus is in quarantine it cannot do any harm because it cannot be executed or read.

By default, quarantined files are automatically sent to Bitdefender Labs in order to be analyzed by the Bitdefender malware researchers. If malware presence is confirmed, a signature is released to allow removing the malware.

In addition, Bitdefender scans the quarantined files after each malware signature update. Cleaned files are automatically moved back to their original location.

To check and manage quarantined files, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Click the **Antivirus** module.
4. In the **Antivirus** window, select the **Quarantine** tab.
5. Quarantined files are managed automatically by Bitdefender according to the default quarantine settings. Though not recommended, you can adjust the quarantine settings according to your preferences.

Rescan quarantine after virus definitions update

Keep this option turned on to automatically scan quarantined files after each virus definitions update. Cleaned files are automatically moved back to their original location.

Submit suspicious quarantined files for further analysis

Keep this option turned on to automatically send quarantined files to Bitdefender Labs. The sample files will be analyzed by the Bitdefender malware researchers. If malware presence is confirmed, a signature is released to allow removing the malware.

Delete content older than {30} days

By default, quarantined files older than 30 days are automatically deleted. If you want to change this interval, type a new value in the



corresponding field. To disable automatic deletion of old quarantined files, type 0.

6. To delete a quarantined file, select it and click the **Delete** button. If you want to restore a quarantined file to its original location, select it and click **Restore**.

16.6. Active Virus Control


Bitdefender Active Virus Control is an innovative proactive detection technology which uses advanced heuristic methods to detect new potential threats in real time.

Active Virus Control continuously monitors the applications running on the computer, looking for malware-like actions. Each of these actions is scored and an overall score is computed for each process. When the overall score for a process reaches a given threshold, the process is considered to be harmful and it is blocked automatically.

If Autopilot is off, you will be notified through a pop-up window about the blocked application. Otherwise, the application will be blocked without any notification. You can check what applications have been detected by Active Virus Control in the **Events** window.

16.6.1. Checking detected applications

To check the applications detected by Active Virus Control, follow these steps:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **Events** from the drop-down menu.
3. In the **Events** window, select **Antivirus** from the corresponding drop-down menu.
4. Click an event to view details about it.
5. If you trust the application, you can configure Active Virus Control not to block it anymore by clicking **Allow and monitor**. Active Virus Control will continue to monitor excluded applications. If an excluded application is detected to perform suspicious activities, the event will simply be logged and reported to Bitdefender Cloud as detection error.



16.6.2. Turning on or off Active Virus Control

To turn on or off Active Virus Control, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Click the **Antivirus** module.
4. In the **Antivirus** window, select the **Shield** tab.
5. Click the switch to turn on or off Active Virus Control.

16.6.3. Adjusting the Active Virus Control protection

If you notice that Active Virus Control detects legitimate applications often, you should set a more permissive protection level.

To adjust the Active Virus Control protection, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Click the **Antivirus** module.
4. In the **Antivirus** window, select the **Shield** tab.
5. Make sure Active Virus Control is turned on.
6. Drag the slider along the scale to set the desired protection level. Use the description on the right side of the scale to choose the protection level that better fits your security needs.



Note

As you set the protection level higher, Active Virus Control will require fewer signs of malware-like behavior to report a process. This will lead to a higher number of applications being reported and, at the same time, to an increased likelihood of false positives (clean applications detected as malicious).

16.6.4. Managing excluded processes

You can configure exclusion rules for trusted applications so that Active Virus Control does not block them if they perform malware-like actions. Active Virus Control will continue to monitor excluded applications. If an



excluded application is detected to perform suspicious activities, the event will simply be logged and reported to Bitdefender Cloud as detection error.

To manage Active Virus Control process exclusions, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Click the **Antivirus** module.
4. In the **Antivirus** window, select the **Exclusions** tab.
5. Click the **Excluded processes** link. In the window that appears, you can manage the Active Virus Control process exclusions.
6. Add exclusions by following these steps:
 - a. Click the **Add** button, located at the top of the exclusions table.
 - b. Click **Browse**, find and select the application you want to be excluded and then click **OK**.
 - c. Keep the **Allow** option selected to prevent Active Virus Control from blocking the application.
 - d. Click **Add**.
7. To remove or edit exclusions, proceed as follows:
 - To remove an entry from the table, select it and click the **Delete** button.
 - To edit an entry from the table, double-click it (or select it) and click the **Modify** button. Make the necessary changes, then click **Modify**.
8. Save the changes and close the window.



17. WEB PROTECTION

Bitdefender Web protection ensures a safe browsing experience by alerting you about potential phishing web pages.

Bitdefender provides real-time web protection for:

- Internet Explorer
- Mozilla Firefox
- Google Chrome
- Safari

To configure Web protection settings, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Click the **Web Protection** module.

Click the switches to turn on or off:

- Showing the **Bitdefender toolbar** in the web browser.



Note

The Bitdefender browser toolbar is not enabled by default.

- Search Advisor, a component that rates the results of your search engine queries and the links posted on social networking websites by placing an icon next to every result:

● You should not visit this web page.

● This web page may contain dangerous content. Exercise caution if you decide to visit it.

● This is a safe page to visit.

Search Advisor rates the search results from the following web search engines:

- Google
- Yahoo!
- Bing
- Baidu



Search Advisor rates the links posted on the following online social networking services:

- Facebook
- Twitter

- Scanning SSL web traffic.

More sophisticated attacks might use secure web traffic to mislead their victims. It is therefore recommended to enable SSL scanning.

- Protection against fraud.
- Protection against phishing.

You can create a list of web sites that will not be scanned by the Bitdefender antimalware, antiphishing and antifraud engines. The list should contain only web sites you fully trust. For example, add the web sites where you currently shop online.

To configure and manage web sites using the web protection provided by Bitdefender, click the **Whitelist** link. A new window will appear.

To add a site to the whitelist, provide its address in the corresponding field and click **Add**.


To remove a web site from the list, select it in the list and click the corresponding **Remove** link.

Click **Save** to save the changes and close the window.

17.1. Bitdefender protection in the web browser

Bitdefender integrates directly through an intuitive and easy-to-use toolbar into the following web browsers:

- Internet Explorer
- Mozilla Firefox
- Google Chrome
- Safari

The Bitdefender toolbar is not your typical browser toolbar. The only thing it adds to your browser is a small dragger  at the top of every web page. Click it to see the toolbar.

The Bitdefender toolbar contains the following elements:




Page Rating

Depending on how Bitdefender classifies the web page you are currently viewing, one of the following ratings is displayed on the left side of the toolbar:

- The message "Page not safe" appears on a red background - you should leave the web page immediately. To find out more about this threat, click the + symbol on the page rating.
- The message "Caution is advised" appears on an orange background - this web page may contain dangerous content. Exercise caution if you decide to visit it.
- The message "This page is safe" appears on a green background - this is a safe page to visit.

Sandbox

Click  to launch the browser in a Bitdefender-provided environment, isolating it from the operating system. This prevents browser-based threats from exploiting browser vulnerabilities to gain control of your system. Use Sandbox when visiting web pages you suspect may contain malware.

Browser windows opened in Sandbox will be easily recognizable through their modified outline and Sandbox icon added at the center of the title bar.



Note


Sandbox is not available on computers running Windows XP.

Settings

Click  to select individual features to turn on or off:

- Antiphishing Filter
- Antimalware Web Filter
- Search Advisor

Power Switch

To enable / disable the toolbar features completely, click  on the right side of the toolbar.



17.2. Bitdefender alerts in the browser

Whenever you try to visit a website classified as unsafe, the website is blocked and a warning page is displayed in your browser.

The page contains information such as the website URL and the detected threat.

You have to decide what to do next. The following options are available:

- Navigate away from the web page by clicking **Take me back to safety**.
- Disable blocking pages that contain phishing by clicking **Disable Antiphishing filter**.
- Disable blocking pages that contain malware by clicking **Disable Antimalware filter**.
- Add the page to the Antiphishing whitelist by clicking **Add to whitelist**. The page will no longer be scanned by Bitdefender Antiphishing engines.
- Proceed to the web page, despite the warning, by clicking **I understand the risks, take me there anyway**.



18. DATA PROTECTION

Data protection prevents sensitive data leaks when you are online.

Consider a simple example: you have created a data protection rule that protects your credit card number. If a spyware software somehow manages to install on your computer, it cannot send your credit card number via e-mail, instant messages or web pages. Moreover, your children cannot use it to buy online or reveal it to people they met on the Internet.

18.1. About data protection

Whether it is your e-mail or your credit card number, when they fall into the wrong hands such information may cause you damage: you may find yourself drowning in spam messages or you might be surprised to access an emptied account.

Based on the rules you create, Data Protection scans the web, e-mail and instant messaging traffic leaving your computer for specific character strings (for example, your credit card number). If there is a match, the respective web page, e-mail or instant message is blocked.

You can create rules to protect any piece of information you might consider personal or confidential, from your phone number or e-mail address to your bank account information. Multiuser support is provided so that users logging on to different Windows user accounts can configure and use their own rules. If your Windows account is an administrator account, the rules you create can be configured to also apply when other users of the computer are logged on to their Windows user accounts.

18.2. Configuring data protection

If you want to use data protection, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Privacy** panel.
3. Click the **Data Protection** module.
4. Make sure data protection is enabled.
5. Create rules to protect your sensitive data. For more information, please refer to *"Creating data protection rules"* (p. 105).



18.2.1. Creating data protection rules

To create a rule, click the **Add rule** button and follow the configuration wizard. You can navigate through the wizard using the **Next** and **Back** buttons. To exit the wizard, click **Cancel**.

1. Describe Rule

You must set the following parameters:

- **Rule Name** - type the name of the rule in this edit field.
- **Rule Type** - choose the rule type (address, name, credit card, PIN, SSN, etc).
- **Rule Data** - type the data you want to protect in this edit field. For example, if you want to protect your credit card number, type all or part of it here.



Important

It is recommended to enter at least three characters in order to avoid mistakenly blocking messages and web pages. However, for extra safety, only enter partial data (for example, only a part of your credit card number).

- **Rule Description** - enter a short description of the rule in the edit field. Since the blocked data (character string) is not displayed in plain text when accessing the rule, the description should help you easily identify it.

2. Configure rule settings

- a. Select the type of traffic you want Bitdefender to scan.

- **Scan Web (HTTP traffic)** - scans the HTTP (web) traffic and blocks the outgoing data that matches the rule data.
- **Scan e-mail (SMTP traffic)** - scans the SMTP (mail) traffic and blocks the outgoing e-mail messages that contain the rule data.

You can choose to apply the rule only if the rule data matches whole words or if the rule data and the detected string case match.

- b. Specify the users for which the rule applies.

- **Only for me (current user)** - the rule will apply only to your user account.



- **All users** - the rule will apply to all Windows accounts.
- **Limited user accounts** - the rule will apply to you and all limited Windows accounts.

Click **Finish**. The rule will appear in the table.

From now on, any attempt to send the rule data through the selected protocols will fail. An entry will be displayed in the **Events** window indicating that Bitdefender has blocked identity specific content from being sent.

18.3. Managing rules

To manage the data protection rules:

1. Open the **Bitdefender window**.
2. Access the **Privacy** panel.
3. Click the **Data Protection** module.

You can see the rules created so far listed in the table.

To delete a rule, select it and click the **Remove rule** button.

To edit a rule, select it and click the **Edit rule** button. A new window will appear. Here you can change the name, description and parameters of the rule (type, data and traffic). Click **OK** to save the changes.

18.4. Deleting files permanently

When you delete a file, it can no longer be accessed through normal means. However, the file continues to be stored on the hard disk until it is overwritten when copying new files.

The Bitdefender File Shredder will help you permanently delete data by physically removing it from your hard disk.

You can quickly shred files or folders from your computer using the Windows contextual menu, by following these steps:

1. Right-click the file or folder you want to permanently delete.
2. Select **Bitdefender > File Shredder** in the context menu that appears.
3. A confirmation window will appear. Click **Yes** to start the File Shredder wizard.
4. Wait for Bitdefender to finish shredding the files.



5. The results are displayed. Click **Close** to exit the wizard.

Alternatively, you can shred files from the Bitdefender interface.

1. Open the **Bitdefender window**.

2. Access the **Privacy** panel.

3. Under the **Data Protection** module, select **File Shredder**.

4. Follow the File Shredder wizard:

a. **Select file/folder**

Add the files or folders you want to be permanently removed.

b. **Shredding Files**

Wait for Bitdefender to finish shredding the files.

c. **Results**

The results are displayed. Click **Close** to exit the wizard.



19. VULNERABILITY

An important step in protecting your computer against malicious persons and applications is to keep up to date the operating system and the applications you regularly use. You should also consider disabling Windows settings that make the system more vulnerable to malware. Moreover, to prevent unauthorized physical access to your computer, strong passwords (passwords that cannot be easily guessed) must be configured for each Windows user account.

Bitdefender automatically checks your system for vulnerabilities and alerts you about them. System vulnerabilities include the following:

- outdated applications on your computer.
- missing Windows updates.
- weak passwords to Windows user accounts.

Bitdefender provides two easy ways to fix the vulnerabilities of your system:

- You can scan your system for vulnerabilities and fix them step by step using the **Vulnerability Scan** option.
- Using automatic vulnerability monitoring, you can check and fix detected vulnerabilities in the **Events** window.

You should check and fix system vulnerabilities every one or two weeks.

19.1. Scanning your system for vulnerabilities

To fix system vulnerabilities using the Vulnerability Scan option, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Under the **Vulnerability** module, select **Vulnerability Scan**.
4. Wait for Bitdefender to check your system for vulnerabilities. To stop the scanning process, click the **Skip** button at the top of the window.
 - a. **Application updates**

If an application is not up to date, click the provided link to download the latest version.



Click **View details** to see information about the application that needs to be updated.

b. Windows updates

Click **View details** to see the list of critical Windows updates that are not currently installed on your computer.

To initiate the installation of selected updates, click **Install updates**. Please note that it may take a while to install the updates and some of them may require a system restart to complete the installation. If required, restart the system at your earliest convenience.

c. Weak passwords

You can see the list of the Windows user accounts configured on your computer and the level of protection their password provides.


Click **View details** to modify the weak passwords. You can choose between asking the user to change the password at the next logon or changing the password yourself immediately. For a strong password, use a combination of uppercase and lowercase letters, numbers and special characters (such as #, \$ or @).

In the upper-right corner of the window you can filter the results according to your preferences.

19.2. Using automatic vulnerability monitoring

Bitdefender scans your system for vulnerabilities regularly, in the background, and keeps records of detected issues in the **Events** window.

To check and fix the detected issues, follow these steps:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **Events** from the drop-down menu.
3. In the **Events** window, select **Vulnerability**.
4. You can see detailed information regarding the detected system vulnerabilities. Depending on the issue, to fix a specific vulnerability proceed as follows:
 - If Windows updates are available, click **Update now**.



- If an application is outdated, click **Update now** to find a link to the vendor web page from where you can install the latest version of that application.
- If a Windows user account has a weak password, click **Change password** to force the user to change the password at the next logon or change the password yourself. For a strong password, use a combination of uppercase and lowercase letters, numbers and special characters (such as #, \$ or @).
- If the Windows Autorun feature is enabled, click **Disable** to disable it.

To configure the vulnerability monitoring settings, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Click the **Vulnerability** module.
4. Click the switch to turn on or off Vulnerability scan.



Important

To be automatically notified about system or application vulnerabilities, keep the **Vulnerability scan** option enabled.

5. Choose the system vulnerabilities you want to be regularly checked by using the corresponding switches.

Critical Windows updates

Check if your Windows operating system has the latest critical security updates from Microsoft.

Application updates

Check if applications installed on your system are up-to-date. Outdated applications can be exploited by malicious software, making your PC vulnerable to outside attacks.

Weak passwords

Check whether the passwords of the Windows accounts configured on the system are easy to guess or not. Setting passwords that are hard to guess (strong passwords) makes it very difficult for hackers to break into your system. A strong password includes uppercase and lowercase letters, numbers and special characters (such as #, \$ or @).



Media autorun

Check the status of the Windows Autorun feature. This feature enables applications to be automatically started from CDs, DVDs, USB drives or other external devices.

Some types of malware use Autorun to spread automatically from removable media to the PC. This is why it is recommended to disable this Windows feature.



Note

If you turn off monitoring of a specific vulnerability, related issues will no longer be recorded in the Events window.



20. SAFEPAY SECURITY FOR ONLINE TRANSACTIONS

The computer is fast becoming the main tool for shopping and banking. Paying bills, transferring money, buying pretty much anything you can imagine has never been quicker or easier.

This involves sending personal information, account and credit card data, passwords and other types of private information over the Internet, in other words exactly the type of information flow that cyber-criminals are very interested to tap into. Hackers are relentless in their efforts to steal this information, so you can never be too careful about securing online transactions.

Bitdefender Safepay™ is first of all a protected browser, a sealed environment that is designed to keep your online banking, e-shopping and any other type of online transaction private and secure.

For the best privacy protection, Bitdefender Wallet has been integrated into Bitdefender Safepay™ to secure your credentials whenever you want to access private online locations. For more information, please refer to *“Wallet protection for your credentials”* (p. 118).

Bitdefender Safepay™ offers the following features:

- It blocks access to your desktop and any attempt to take snapshots of your screen.
- It protects your secret passwords while browsing online with Wallet.
- It comes with a virtual keyboard which, when used, makes it impossible for hackers to read your keystrokes.
- It is completely independent from your other browsers.
- It comes with built-in hotspot protection to be used when your computer is connected to unsecured Wi-fi networks.
- It supports bookmarks and allows you to navigate between your favorite banking/shopping sites.
- It is not limited to banking and e-shopping. Any website can be opened in Bitdefender Safepay™.



20.1. Using Bitdefender Safepay™

By default, Bitdefender detects when you navigate to an online banking site or online shop in any browser on your computer and prompts you to launch it in Bitdefender Safepay™.

To access the main interface of Bitdefender Safepay™, use one of the following methods:

- From the Bitdefender interface:
 1. Open the **Bitdefender window**.
 2. Click the **Safepay** action button on the right side of the window.
- From Windows:
 - In **Windows XP, Windows Vista and Windows 7**:
 1. Click **Start** and go to **All Programs**.
 2. Click **Bitdefender**.
 3. Click **Bitdefender Safepay™** or, quicker, click the **Safepay** action button on the right side of the Bitdefender interface.
 - In **Windows 8**:





Locate Bitdefender Safepay™ from the Windows Start screen (for example, you can start typing "Bitdefender Safepay™" directly in the Start screen) and then click the icon. Alternatively, click the **Safepay** action button on the right side of the Bitdefender interface.







Note

If the Adobe Flash Player plugin is not installed or is outdated, a Bitdefender message will be displayed. Click the corresponding button to continue. After the installation process is completed, you will have to manually reopen the Bitdefender Safepay™ browser to continue your work.


If you are used to web browsers, you will have no trouble using Bitdefender Safepay™ - it looks and behaves like a regular browser:

- enter URLs you want to go to in the address bar.
- add tabs to visit multiple websites in the Bitdefender Safepay™ window by clicking .
- navigate back and forward and refresh pages using    respectively.



- access Bitdefender Safepay™ **settings** by clicking .
- protect your passwords with **Wallet** by clicking .
- manage your **bookmarks** by clicking  next to the address bar.
- open the virtual keyboard by clicking .
- increase or decrease the browser size by pressing simultaneously **Ctrl** and the **+/-** keys in the numeric keypad.

20.2. Configuring settings

Click  to configure the following settings:

General Bitdefender Safepay™ behavior

Choose what will happen when you access an online shop or Internet banking site in your regular web browser:

- Automatically open in Bitdefender Safepay™.
- Have Bitdefender prompt you for action each time.
- Never use Bitdefender Safepay™ for pages visited in a regular browser.

Domains list

Choose how Bitdefender Safepay™ will behave when you visit websites from specific domains in your regular web browser by adding them to the domains list and selecting the behavior for each one:

- Automatically open in Bitdefender Safepay™.
- Have Bitdefender prompt you for action each time.
- Never use Bitdefender Safepay™ when visiting a page from the domain in a regular browser.

Blocking pop-ups

You can choose to block pop-ups by clicking the corresponding switch.

You can also create a list of web sites to allow pop-ups from. The list should contain only web sites you fully trust.

To add a site to the list, provide its address in the corresponding field and click **Add domain**.


To remove a web site from the list, select it in the list and click the corresponding **Remove** link.



20.3. Managing bookmarks

If you disabled the automatic detection of some or all websites, or Bitdefender simply doesn't detect certain websites, you can add bookmarks to Bitdefender Safepay™ so that you can easily launch favorite websites in the future.

Follow these steps to add a URL to Bitdefender Safepay™ bookmarks:

1. Click  next to the address bar to open the Bookmarks page.



Note

The Bookmarks page is opened by default when you start Bitdefender Safepay™.

2. Click the **+** button to add a new bookmark.
3. Enter the URL and the title of the bookmark and click **Create**. The URL is also added to the Domains list on the **settings** page.


20.4. Hotspot protection for unsecured networks

When using Bitdefender Safepay™ while connected to unsecured Wi-fi networks (for example, a public hotspot) an extra layer of security is offered by the Hotspot protection feature. This service encrypts Internet communication over unsecured connections, helping you maintain your privacy no matter what network you are connected to.

The following prerequisites must be met for Hotspot protection to work:

- You are logged in to a MyBitdefender account from Bitdefender Antivirus Plus 2015.
- Your computer is connected to an unsecured network.

Once the prerequisites are met, Bitdefender will automatically prompt you to use the secured connection whenever you open Bitdefender Safepay™. All you need to do is enter your MyBitdefender credentials when prompted.

The secure connection will be initialized and a message will be displayed in the Bitdefender Safepay™ window when the connection is established. The symbol  appears in front of the URL in the address bar to help you easily identify secure connections.

To improve your visual browsing experience, you can choose to enable **Adobe Flash** and **Java** plugins by clicking **Show advanced settings**.



You may need to acknowledge the action.



21. ID THEFT PROTECTION

To protect you against identity theft, Bitdefender comes with the **ID Theft Protection** service.

This service monitors your credit card and delivers alerts to your desktop when new information is found on your credit report. When using ID Theft Protection, you get real-time alerts when critical new information is detected on your credit report and you are constantly informed of the changes that could impact your credit score. Bitdefender comes with a limited free version. For concrete details about your card you need to upgrade to a paid version through your MyBitdefender online account.

To activate ID Theft Protection, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Privacy** panel.
3. Click the **ID Theft Protection** module.
4. Turn on or off ID Theft Protection by clicking the corresponding switch.

ID Theft Protection can also be configured through your MyBitdefender account. Click the provided link to log in to <https://my.bitdefender.com>, where you can learn more about this service and set up identity protection.



Note

This service is available only for users in the United States.



22. WALLET PROTECTION FOR YOUR CREDENTIALS

We use our computers to shop online or pay our bills, to connect to social media platforms or log in with instant messaging applications.

But as everybody knows, it's not always easy to remember the password!

And if we are not careful while browsing online, our private information, such as our e-mail address, our instant messaging ID or our credit card data can be compromised.

To keep your passwords or your personal data on a sheet of paper or in the computer can be dangerous because they can be accessed and used by people who want to steal and use that information. And to remember each password you have set for your online accounts or for your favorite websites is not an easy task.

Therefore, is there a way to make sure that we find our passwords when we need them? And can we rest assured that our secret passwords are always safe?

Wallet is the password manager that helps you keep track of your passwords, protects your privacy and provides a secure browsing experience.

Using a single master password to access your credentials, Wallet makes it easy for you to keep your passwords safe.

To offer the best protection for your online activities, Wallet is integrated with Bitdefender Safepay™ and provides a unified solution for the various ways in which your private data can be compromised.

Wallet protects the following private information:

- Personal information, such as the e-mail address or the phone number
- Login credentials for the websites
- Bank account information or the credit card number
- Access data to the e-mail accounts
- Passwords for the applications
- Passwords for the Wi-Fi networks



22.1. Configuring the Wallet

Once the installation is finished and you open your browser, you will be notified through a pop-up window that you can use Wallet for an easier browsing experience.

Click **Explore** to start the setup wizard for the Wallet. Follow the wizard to complete the setup process.

Two tasks can be performed during this step:

- Create a new Wallet database to protect your passwords.

During the setup process, you will be asked to protect your Wallet with a master password. The password should be strong and contain at least 7 characters.

To create a strong password use minimum one number or symbol, and one upper case character. Once you have set a password, anyone trying to access the Wallet will first have to provide the password.

At the end of the setup process, the following Wallet settings are enabled by default:

- **Save credentials automatically in Wallet.**
- **Ask for my master password when I login to my computer.**
- **Automatically lock Wallet when I leave my PC unattended.**
- Import an existing database if you previously used Wallet on your system.

Export the Wallet database

To export your Wallet database, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Privacy** panel.
3. Under the **Wallet** module, select **Export Wallet**.
4. Follow the steps to export the Wallet database to a location on your system.

Create a new Wallet database

To create a new Wallet database, follow these steps:



1. Open the **Bitdefender window**.
2. Access the **Privacy** panel.
3. Under the **Wallet** module, select **Create new Wallet**.
4. A warning window will appear informing you that the data currently stored in the Wallet will be deleted. Click **Yes** to wipe the existing database and to continue with the wizard. To exit the wizard, click **No**.

Manage your Wallet credentials

To manage your passwords, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Privacy** panel.
3. Under the **Wallet** module, select **Open Wallet**.

A new window will appear. Select the desired category from the upper part of the window:

- Identity
- Websites
- Online banking
- E-mail client
- Applications
- Wi-Fi Networks

Adding/ editing the credentials

- To add a new password, choose the desired category from the top, click **+ Add item**, insert the information in the corresponding fields and click the **Save** button.
- To edit an entry from the table, select it and click the **Edit** button.
- To exit, click **Cancel**.
- To remove an entry, select it, click the **Edit** button and choose **Delete**.

22.2. Turning on or off the Wallet protection

To turn the Wallet protection on or off, follow these steps:



1. Open the **Bitdefender window**.
2. Access the **Privacy** panel.
3. Click the **Wallet** module.
4. In the **Wallet** window, click the switch to turn on or off **Wallet**.

22.3. Managing the Wallet settings

To configure the master password in detail, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Privacy** panel.
3. Click the **Wallet** module.
4. In the **Wallet** window, select the **Master password** tab.

The following options are available:

- **Ask for my master password when I login to my PC** - you will be prompted to insert your master password when you access the computer.
- **Ask for my master password when I open my browsers and apps** - you will be prompted to insert your master password when you access a browser or an application.
- **Automatically lock Wallet when I leave my PC unattended** - you will be prompted to insert your master password when you return to your computer after 15 minutes.



Important

Be sure to remember your master password or keep a record of it in a safe place. If you forget the password, you will have to reinstall the program or contact Bitdefender for support.

Improve your experience

To select the browsers or the applications where you want to integrate the Wallet, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Privacy** panel.
3. Click the **Wallet** module.



4. In the **Wallet** window, select the **Enhanced apps** tab.

Check an application to use the Wallet and improve your experience:

- Internet Explorer
- Mozilla Firefox
- Google Chrome
- Safepay
- Yahoo! Messenger
- Skype

Configuring the Autofill

The Autofill feature makes it easy for you to connect with your favorite websites or to log in with your online accounts. The first time you enter your login credentials and personal information into your web browser, they are automatically secured into the Wallet.

To configure the **Autofill** settings, follow these steps:


1. Open the **Bitdefender window**.
2. Access the **Privacy** panel.
3. Click the **Wallet** module.
4. In the **Wallet** window, select the **Autofill settings** tab.
5. Configure the following options:
 - **Autofill login credentials:**
 - **Autofill login credentials every time** - the credentials are inserted automatically into the browser.
 - **Let me choose when I want to autofill my login credentials** - you can choose when to autofill the credentials into the browser.
 - **Configure how Wallet secures your credentials:**
 - **Save credentials automatically in Wallet** - the login credentials and other identifiable information such as your personal and credit card details are automatically saved and updated into the Wallet.
 - **Ask me every time** - you will be asked every time if you want to add your credentials to the Wallet.



- **Do not save, I will update the information manually** - the credentials can be added only manually into the Wallet.
- **Autofill forms:**
 - **Prompt my fill options when I visit a page with forms** - a popup with the fill options will appear every time Bitdefender detects that you want to perform an online payment or to sign up.

Manage the Wallet information from your browser

You can easily manage the Wallet directly from your browser, to have all the important data at hand. The Wallet add-on is supported by the following browsers: Google Chrome, Internet Explorer and Mozilla Firefox, and is also also integrated with Safepay.

To access the Wallet extension, open your web browser, allow the add-on to be installed and click the  icon on the toolbar.

The Wallet extension contains the following options:

- **Open Wallet** - opens the Wallet.
- **Lock Wallet** - locks the wallet.
- **Websites** - opens a submenu with all the websites logins stored in the Wallet. Click **Add website** to add new websites into the list.
- **Fill forms** - opens a submenu containing the information you added for a specific category. From here you can add new data to your Wallet.
- **Settings** - opens the Wallet settings window.
- **Report issue** - report any issue you encounter with the Bitdefender Wallet.



23. SAFEGO PROTECTION FOR FACEBOOK

You trust your online friends, but do you trust their computers? Use Safego protection for Facebook to protect your account and your friends from online threats.

Safego is a Bitdefender application developed to keep your Facebook account safe. Its role is to scan the links you receive from your friends and monitor your account privacy settings.



Note

A MyBitdefender account is required in order to use this feature. For more information, please refer to *"MyBitdefender account"* (p. 38).

These are the main features available for your Facebook account:

- automatically scans the posts in your News Feed for malicious links.
- protects your account against online threats.

When it detects a post or a comment which is a spam, a phishing or a malware, you will receive a warning message.

- warns your friends on suspicious links posted on their News Feed.
- helps you build a safe network of friends using the **Friend'O'Meter** feature.
- get a system safety status check provided by Bitdefender QuickScan.

To access Safego for Facebook, follow these steps:

- From the Bitdefender interface:
 1. Open the **Bitdefender window**.
 2. Access the **Tools** panel.
 3. Under the **Safego** module, select **Activate for Facebook**.
You will be directed to your account.
 4. Use your Facebook login information to connect to the Safego application.
 5. Allow Safego access to your Facebook account.

If Safego has already been activated, you will be able to access statistics regarding its activity by selecting **Reports for Facebook** in the menu.



● From MyBitdefender account:

1. Go to: <https://my.bitdefender.com>.
2. Log in to your account using your user name and password.
3. Click **Facebook Protection**.
A message informing you that Facebook protection is not activated for your account is displayed.
4. Click **Activate** in order to continue.
You will be directed to your account.
5. Use your Facebook login information to connect to the Safego application.
6. Allow Safego access to your Facebook account.



24. USB IMMUNIZER

The Autorun feature built into Windows operating systems is a very useful tool that allows computers to automatically execute a file from media connected to it. For example, software installations can start automatically when a CD is inserted into the optical drive.

Unfortunately, this feature can also be used by malware to automatically launch and infiltrate your computer from rewritable media such as USB flash drives and memory cards connected through card readers. Numerous Autorun based attacks have been created in recent years.

With USB Immunizer you can prevent any NTFS, FAT32 or FAT formatted flash drive from automatically executing malware ever again. Once an USB device is immunized, malware can no longer configure it to run a certain application when the device is connected to a computer running Windows.

To immunize an USB device, follow these steps:

1. Connect the flash drive to your computer.
2. Browse your computer to locate the removable storage device and right-click its icon.
3. In the contextual menu, point to **Bitdefender** and select **Immunize this drive**.



Note

If the drive has already been immunized, the message **The USB device is protected against autorun-based malware** will appear instead of the Immunize option.

To prevent your computer from launching malware from unimmunized USB devices, disable the media autorun feature. For more information, please refer to *"Using automatic vulnerability monitoring"* (p. 109).



25. MANAGING YOUR COMPUTERS REMOTELY

Your MyBitdefender account allows you to manage the Bitdefender products installed on your computers remotely.

Use MyBitdefender to create and apply tasks to your computers from a remote location.

Any computer will be managed from MyBitdefender account if it meets the following conditions:


- you have installed Bitdefender Antivirus Plus 2015 product on the computer
- you have linked the Bitdefender product to the MyBitdefender account.
- the computer is connected to the Internet

25.1. Accessing MyBitdefender

Bitdefender enables you to control the security of your computers by adding tasks to your Bitdefender products.

With Bitdefender you can access your MyBitdefender account on any computer or mobile device connected to the Internet.

Access MyBitdefender:

- On any device with Internet access:
 1. Open a web browser.
 2. Go to: <https://my.bitdefender.com>
 3. Log in to your account using your user name and password.
- From your Bitdefender interface:
 1. Open the **Bitdefender window**.
 2. Click the  icon at the top of the window and select **MyBitdefender** from the drop-down menu.

25.2. Running tasks on the computers

To run a task on one of your computers, access your MyBitdefender account.

If you click a computer icon at the bottom of the window, you can see all the administrative tasks you can run on the remote computer.

**Product registration**

Allows you to register Bitdefender on the remote computer by entering a license key.

Perform a complete scan of your PC

Allows you to run a complete scan on the remote computer.

Scan critical areas to detect active malware

Allows you to run a quick scan on the remote computer.

Fix critical issues

Allows you to fix the issues that are affecting the security of the remote computer.

Product update

Initiates the update process for the Bitdefender product installed on this computer.



SYSTEM OPTIMIZATION



26. TUNEUP

Bitdefender comes with a TuneUp module that helps you maintain the integrity of your system. The maintenance tools offered are critical for the improvement of your system's responsiveness and the efficient management of the hard drive space.

Bitdefender provides the following PC tune-up tools:

- **OneClick Optimizer** analyzes and improves your system speed by running multiple tasks with a single click on a button.
- **Startup Optimizer** reduces your system startup time by stopping unnecessary applications from running when the PC is rebooted.
- **PC Clean-Up** removes the temporary Internet files and cookies, unused system files and recent documents shortcuts.
- **Disk Defragmenter** physically reorganizes the data on the hard disk so that the pieces of each file are stored close together and continuously.
- **Registry Cleaner** identifies and deletes invalid or outdated references in the Windows Registry. In order to keep the Windows Registry clean and optimized, it is recommended to run the Registry Cleaner monthly.
- **Registry Recovery** can retrieve registry keys previously deleted from the Windows Registry using Bitdefender Registry Cleaner.
- **Duplicate Finder** finds and deletes files that are duplicated in your system.

26.1. Optimizing your system speed with a single click

Issues such as hard disk failures, leftover registry files and browser history, may slow down your computer work, which may become nagging for you. All these can now be fixed with one single click on a button.

OneClick Optimizer allows you to identify and remove useless files, by running multiple cleaning tasks at the same time.

To start the OneClick Optimizer process, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Under the **TuneUp** module, select **OneClick Optimizer**. To exit, click **Cancel**.
 - a. **Analyzing**



Wait for Bitdefender to finish searching for system issues.

- **Disk Cleanup** - identifies old and useless system files.
- **Registry Cleanup** - identifies invalid or outdated references in the Windows Registry.
- **Privacy Cleanup** - identifies temporary Internet files and cookies, browser cache and history.

The number of found issues is displayed. It is recommended to review them before proceeding with the cleaning process. Click **Optimize** to continue.

b. **System optimization**

Wait for Bitdefender to finish optimizing your system.

c. **Issues**

This is where you can view the operation result.

If you want comprehensive information on the optimization process, click the **View detailed report** link.

26.2. Optimizing your PC's boot time

Extended system startup is a real problem due to applications that are set to run without being necessary. Waiting several minutes for a system to boot can cost you valuable time and productivity.

The Startup Optimizer window displays what applications are running during system startup and lets you manage their behavior at this step.

To start the Startup Optimizer process, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Under the **TuneUp** module, select **Startup Optimizer**.

a. **Select applications**

You can see a list of the applications that are running at system startup. Select the ones you want to disable or delay at startup.

b. **Community choice**



See what other Bitdefender users have decided to do with the app you have selected. Based on the program usage, three levels are displayed: **High**, **Medium** and **Low**.

c. System boot time

Check the slider at the top of the window to see the time required by both your system and the selected applications to run at startup.

A system restart is required to be able to retrieve information about system and applications startup time.

d. Startup status

● **Enable.** Select this option when you want an application to start running at system startup. This option is enabled by default.

● **Delay.**

Select this option to postpone a program from running at system startup. This means that the selected applications will start with a five-minute delay after user logins on system.

The **Delay** functionality is predefined and cannot be configured by user.

● **Disable.** Select this option to disable a program from running at system startup.

e. Results

Information such as the estimated system boot time after delaying or disabling programs is displayed.

A system restart may be required in order to see all this info.

Click **OK** to save the changes and close the window.



Note

In case your subscription expires or you decide to uninstall Bitdefender, the programs that you scheduled to stop running from startup will be restored to their default startup settings.

26.3. Cleaning up your PC

Every time you visit a web page, temporary Internet files are created in order to allow you to access it quicker next time.

Cookies are also stored on your computer when you visit a web page.



The PC Clean-up wizard helps you free disk space and protect your privacy by deleting files that may no longer be useful.

- browsers cache (Internet Explorer, Mozilla Firefox, Google Chrome).
- debug information (error reporting files, memory dumps and logs created by Windows during its operation).
- Windows junk files (recycle bin and temporary system files).

To start the PC Clean-Up wizard, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Under the **TuneUp** panel, select **PC Clean-Up**.
4. Follow the three-step guided procedure to perform the clean-up. You can navigate through the wizard using the **Next** button. To exit the wizard, click **Cancel**.
 - a. **Welcome**
Select **Typical** or **Custom**. Then click **Next** to continue.
 - b. **Perform Cleaning**
 - c. **Results**

26.4. Defragmenting hard disk volumes

When copying a file exceeding the largest block of free space on the hard disk, file fragmentation occurs. Because there is not enough free space to store the entire file continuously, it will be stored in several blocks. When the fragmented file is accessed, its data must be read from several different locations.

It is recommended to defragment the hard disk in order to:

- access files faster.
- improve overall system performance.
- extend hard disk life.

To start the Disk Defragmenter wizard, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.



3. Under the **TuneUp** panel, select **Disk Defragmenter**.
4. Follow the five-step guided procedure to perform the defragmentation. You can navigate through the wizard using the **Next** button. To exit the wizard, click **Cancel**.
 - a. **Select for analysis**

Select the partitions you want to check for fragmentation. Click **Continue** to start the analyzing process.
 - b. **Analyzing**

Wait for Bitdefender to finish analyzing the partitions.
 - c. **Select for defragmentation**

The fragmentation status of the analyzed partitions is displayed. Select the partitions you want to be defragmented.
 - d. **Defragmenting**

Wait for Bitdefender to finish defragmenting the partitions.
 - e. **Results**



Note

Defragmentation may take a while since it involves moving portions of stored data from a place to another on the hard disk. We recommend you to perform defragmentation when you are not using your computer.

26.5. Cleaning Windows registry

Many applications write keys in the Windows Registry at installation time. When removing such applications, some of their associated registry keys might not be deleted and continue to remain in the Windows Registry, slowing down your system and even causing system instability. The same happens when you delete shortcuts to or certain files of applications installed on your system, as well as in the case of corrupt drivers.

To start the Registry Cleaner wizard, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Under the **TuneUp** panel, select **Registry Cleaner**.



4. Follow the four-step guided procedure to clean the registry. You can navigate through the wizard using the **Next** button. To exit the wizard, click **Cancel**.

- a. **Welcome**

- b. **Perform Scan**

Wait for Bitdefender to finish scanning the registry.

- c. **Select Keys**

You can see all the invalid or orphan registry keys detected. Detailed information is provided about each registry key (name, value, priority, category).

The registry keys are grouped based on their location in the Windows Registry:

- **Software Locations.** Registry keys that contain information about the path to applications installed on your computer.

The invalid keys are assigned a low priority, which means that you can delete them without almost any risk.

- **Custom Controls.** Registry keys that contain information about the file extensions registered on your computer. These registry keys are commonly used to maintain file associations (to ensure that the correct program opens when you open a file using Windows Explorer). For example, such a registry key allows Windows to open a .doc file in Microsoft Word.

The invalid keys are assigned a low priority, which means that you can delete them without almost any risk.

- **Shared DLLs.** Registry keys that contain information on the location of shared DLLs (Dynamic Link Libraries). DLLs store functions that are used by installed applications to perform certain tasks. They can be shared by multiple applications to reduce memory and disk space requirements.

These registry keys become invalid when the DLL they point to is moved to another location or completely removed (this usually happens when you uninstall a program).

The invalid keys are assigned a medium priority, which means that deleting them may negatively affect the system.



By default, all the keys are marked for deletion. You can choose to delete individual invalid keys from a selected category.

d. Results

26.6. Recovering cleaned registry

Sometimes, after registry clean up, you might notice that your system does not work well or that some applications fail to operate properly due to missing registry keys. This may be caused by shared registry keys that were deleted during registry cleaning or by other deleted keys. To solve this problem, you must recover the cleaned registry.

To start the Registry Recovery wizard, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Under the **TuneUp** panel, select **Registry Recovery**.
4. Follow the two-step guided procedure to recover the cleaned registry. You can navigate through the wizard using the **Next** button. To exit the wizard, click **Cancel**.

a. Select checkpoint

You can see a list of time points when the Windows Registry was cleaned. Click the **View File** link to see the detected registry keys. Select the time point to restore the Windows Registry to.



Warning

The recovery of the cleaned registry might overwrite the registry keys edited since the last registry clean up.

b. Task results

26.7. Finding duplicate files

Duplicate files eat up your hard disk space. Just think about having the same .mp3 file stored in three different locations.

The Duplicate Finder wizard will help you detect and delete duplicate files on your computer.

To start the Duplicate Finder wizard, follow these steps:



1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Under the **TuneUp** panel, select **Duplicate Finder**.
4. Follow the four-step guided procedure to identify and remove duplicates. You can navigate through the wizard using the **Next** button. To exit the wizard, click **Cancel**.

a. **Select target**

Add the folders where to search for duplicate files.

b. **Search for duplicates**

Wait for Bitdefender to finish searching for duplicates.

c. **Select files for deletion**

Identical files are listed in groups. You can choose an action to take on all groups or on each separate group: keep newest, keep oldest or take no action. You can also select actions for each individual file.



Note

If no duplicated files are found, this step will be skipped.

d. **Results**



27. PROFILES

Daily job activities, watching movies or playing games may cause system slow down, especially if they are running simultaneously with Windows update processes and maintenance tasks. With Bitdefender, you can now choose and apply your preferred profile, which makes system adjustments suited to increase the performance of specific installed applications.

Bitdefender provides the following profiles:

- Work Profile
- Movie Profile
- Game Profile

If you decide to not use **Profiles**, a default profile called **Standard** is enabled and it brings no optimization to your system.

According to your activity, the following product settings are applied when a profile is activated:

- All Bitdefender alerts and pop-ups are disabled.
- Automatic Update is postponed.
- Scheduled scans are postponed.
- Search Advisor is disabled.
- Special offers and product notifications are disabled.

According to your activity, the following system settings are applied when a profile is activated:

- Windows Automatic Updates are postponed.
- Windows alerts and pop-ups are disabled.
- Unnecessary background programs are suspended.
- Visual effects are adjusted for best performance.
- Maintenance tasks are postponed.
- Power plan settings are adjusted.



27.1. Work Profile

Running multiple tasks at work, such as sending e-mails, having a video communication with your distant colleagues or working with design applications may affect your system performance. Work Profile has been designed to help you improve your work efficiency, by turning off some of your background services and maintenance tasks.

Configuring Work profile

To configure the actions to be taken while in Work Profile, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Click the **Profiles** module.
4. In the **Profiles Settings** window, click the **Configure** button from the Work Profile area.
5. Choose the system adjustments you would like to be applied by checking the following options:
 - Boost performance on work apps
 - Optimize product settings for Work profile
 - Postpone background programs and maintenance tasks
 - Postpone Windows Automatic Updates
6. Click **Save** to save the changes and close the window.

Manually adding applications to the Work Profile list

If Bitdefender does not automatically enter Work Profile when you launch a certain work application, you can manually add the application to the **Applications list**.

To manually add applications to the Applications list in Work Profile:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Click the **Profiles** module.



4. In the **Profiles** window, click the **Configure** button from the Work profile area.
5. In the **Work profile** window, click the **Applications list** link.
6. Click **Add** to add a new application to the **Applications list**.

A new window will appear. Browse to the application's executable file, select it and click **OK** to add it to the list.

27.2. Movie Profile

Displaying high quality video content, such as high definition movies, requires significant system resources. Movie Profile adjusts system and product settings so you can enjoy an uninterrupted and seamless movie experience.

Configuring Movie Profile

To configure the actions to be taken while in Movie Profile:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Click the **Profiles** module.
4. In the **Profiles Settings** window, click the **Configure** button from the Movie profile area.
5. Choose the system adjustments you would like to be applied by checking the following options:
 - Boost performance on video players
 - Optimize product settings for Movie profile
 - Postpone background programs and maintenance tasks
 - Postpone Windows Automatic Updates
 - Adjust power plan and visual settings for movies
6. Click **Save** to save the changes and close the window.

Manually adding video players to the Movie Profile list

If Bitdefender does not automatically enter Movie Profile when you launch a certain video player application, you can manually add the application to the **Players list**.



To manually add video players to the Players list in Movie Profile:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Click the **Profiles** module.
4. In the **Profiles Settings** window, click the **Configure** button from the Movie Profile area.
5. In the **Movie Profile** window, click the **Players list** link.
6. Click **Add** to add a new application to the **Players list**.

A new window will appear. Browse to the application's executable file, select it and click **OK** to add it to the list.

27.3. Game Profile

Enjoying an uninterrupted gaming experience is all about reducing system interruption and diminishing slowdowns. By using behavioral heuristics along with a list of known games, Bitdefender can automatically detect running games and optimize your system resources so that you can enjoy your gaming break.

Configuring Game Profile

To configure the actions to be taken while in Game Profile, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Click the **Profiles** module.
4. In the **Profiles Settings** window, click the **Configure** button from the Game Profile area.
5. Choose the system adjustments you would like to be applied by checking the following options:
 - Boost performance on games
 - Optimize product settings for Game profile
 - Postpone background programs and maintenance tasks
 - Postpone Windows Automatic Updates



- Adjust power plan and visual settings for games

6. Click **Save** to save the changes and close the window.

Manually adding games to the Game list

If Bitdefender does not automatically enter Game Profile when you launch a certain game or application, you can manually add the application to the **Games list**.

To manually add games to the Games list in Game Profile:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Click the **Profiles** module.
4. In the **Profiles Settings** window, click the **Configure** button from the Game Profile area.
5. In the **Game Profile** window, click the **Games list** link.
6. Click **Add** to add a new game to the **Games list**.

A new window will appear. Browse to the game's executable file, select it and click **OK** to add it to the list.

27.4. Real-Time Optimization

Bitdefender Real-Time Optimization is a plugin that improves your system performance silently, in the background, making sure that you are not interrupted while you are in a profile mode. Depending on the CPU load, the plugin monitors all processes, focusing on those that take up a higher load, to adjust them to your needs.

To turn on or off Real-Time Optimization, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Tools** panel.
3. Click the **Profiles** module.
4. In the **Profiles** window, select the **Profiles Settings** tab.
5. Turn on or off automatic Real-Time Optimization by clicking the corresponding switch.



TROUBLESHOOTING



28. SOLVING COMMON ISSUES

This chapter presents some problems you may encounter when using Bitdefender and provides you with possible solutions to these problems. Most of these problems can be solved through the appropriate configuration of the product settings.

- *"My system appears to be slow"* (p. 144)
- *"Scan doesn't start"* (p. 146)
- *"I can no longer use an application"* (p. 148)
- *"What to do when Bitdefender blocks a safe website or online application"* (p. 149)
- *"How to update Bitdefender on a slow Internet connection"* (p. 150)
- *"My computer is not connected to the Internet. How do I update Bitdefender?"* (p. 150)
- *"Bitdefender services are not responding"* (p. 151)
- *"The Autofill feature in my Wallet doesn't work"* (p. 152)
- *"Bitdefender removal failed"* (p. 153)
- *"My system doesn't boot up after installing Bitdefender"* (p. 154)

If you cannot find your problem here, or if the presented solutions do not solve it, you can contact the Bitdefender technical support representatives as presented in chapter *"Asking for help"* (p. 169).

28.1. My system appears to be slow

Usually, after installing a security software, there may appear a slight slowdown of the system, which to a certain degree is normal.

If you notice a significant slowdown, this issue can appear for the following reasons:

- **Bitdefender is not the only security program installed on the system.**

Though Bitdefender searches and removes the security programs found during the installation, it is recommended to remove any other antivirus program you may use before installing Bitdefender. For more information, please refer to *"How do I remove other security solutions?"* (p. 72).



- **The Minimum System Requirements for running Bitdefender are not met.**

If your machine does not meet the Minimum System Requirements, the computer will become sluggish, especially when multiple applications are running at the same time. For more information, please refer to "[Minimum system requirements](#)" (p. 3).

- **There are too many invalid registry keys left in your Windows Registry.**

Cleaning the Windows Registry can improve the performance of your system. For more information, please refer to "[Cleaning Windows registry](#)" (p. 134).

- **Your hard disk drives are too fragmented.**

File fragmentation slows down file access and decreases system performance.

Running the Disk Defragmenter can improve the performance of your system. For more information, please refer to "[Defragmenting hard disk volumes](#)" (p. 133).

To defragment your disk using your Windows operating system, follow the path from the Windows start menu: **Start** → **All Programs** → **Accessories** → **System Tools** → **Disk Defragmenter**.

- **You have installed applications that you do not use.**

Any computer has programs or applications that you do not use. And many unwanted programs run in the background taking up disk space and memory. If you do not use a program, uninstall it. This is also valid for any other pre-installed software or trial application you forgot to remove.



Important

If you suspect a program or an application to be an essential part of your operating system, do not remove it and contact Bitdefender Customer Care for assistance.

- **Your system may be infected.**

Your system speed and its general behavior can also be affected by malware. Spyware, viruses, Trojans and adware all take a toll on your computer's performance. Make sure to scan your system periodically, at least once a week. It is recommended to use the Bitdefender System Scan because it scans for all types of malware threatening the security of your system.



To start the System Scan, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Under the **Antivirus** module, select **System Scan**.
4. Follow the wizard steps.

28.2. Scan doesn't start

This type of issue can have two main causes:

- **A previous Bitdefender installation which was not completely removed or a faulty Bitdefender installation.**

In this case, follow these steps:

1. Remove Bitdefender completely from the system:

- **In Windows XP:**

- a. Click **Start**, go to **Control Panel** and double-click **Add / Remove programs**.
- b. Find **Bitdefender Antivirus Plus 2015** and select **Remove**.
- c. Click **Remove** in the window that appears and then select **I want to reinstall it**.
- d. Wait for the uninstall process to complete and then reboot your system.

- **In Windows Vista and Windows 7:**

- a. Click **Start**, go to **Control Panel** and double-click **Programs and Features**.
- b. Find **Bitdefender Antivirus Plus 2015** and select **Uninstall**.
- c. Click **Remove** in the window that appears and then select **I want to reinstall it**.
- d. Wait for the uninstall process to complete and then reboot your system.

- **In Windows 8:**



- a. From the Windows Start screen, locate **Control Panel** (for example, you can start typing "Control Panel" directly in the Start screen) and then click its icon.
- b. Click **Uninstall a program** or **Programs and Features**.
- c. Find **Bitdefender Antivirus Plus 2015** and select **Uninstall**.
- d. Click **Remove** in the window that appears and then select **I want to reinstall it**.
- e. Wait for the uninstall process to complete and then reboot your system.

2. Reinstall your Bitdefender product.

● **Bitdefender is not the only security solution installed on your system.**

In this case, follow these steps:

1. Remove the other security solution. For more information, please refer to *"How do I remove other security solutions?"* (p. 72).
2. Remove Bitdefender completely from the system:

● **In Windows XP:**

- a. Click **Start**, go to **Control Panel** and double-click **Add / Remove programs**.
- b. Find **Bitdefender Antivirus Plus 2015** and select **Remove**.
- c. Click **Remove** in the window that appears and then select **I want to reinstall it**.
- d. Wait for the uninstall process to complete and then reboot your system.

● **In Windows Vista and Windows 7:**

- a. Click **Start**, go to **Control Panel** and double-click **Programs and Features**.
- b. Find **Bitdefender Antivirus Plus 2015** and select **Uninstall**.
- c. Click **Remove** in the window that appears and then select **I want to reinstall it**.
- d. Wait for the uninstall process to complete and then reboot your system.



- In **Windows 8**:

- a. From the Windows Start screen, locate **Control Panel** (for example, you can start typing "Control Panel" directly in the Start screen) and then click its icon.
- b. Click **Uninstall a program** or **Programs and Features**.
- c. Find **Bitdefender Antivirus Plus 2015** and select **Uninstall**.
- d. Click **Remove** in the window that appears and then select **I want to reinstall it**.
- e. Wait for the uninstall process to complete and then reboot your system.

3. Reinstall your Bitdefender product.

If this information was not helpful, you can contact Bitdefender for support as described in section *"Asking for help"* (p. 169).

28.3. I can no longer use an application

This issue occurs when you are trying to use a program which was working normally before installing Bitdefender.

After installing Bitdefender you may encounter one of these situations:

- You could receive a message from Bitdefender that the program is trying to make a modification to the system.
- You could receive an error message from the program you're trying to use.

This type of situation occurs when Active Virus Control mistakenly detects some applications as malicious.

Active Virus Control is a Bitdefender module which constantly monitors the applications running on your system and reports those with potentially malicious behavior. Since this feature is based on a heuristic system, there may be cases when legitimate applications are reported by Active Virus Control.

When this situation occurs, you can exclude the respective application from being monitored by Active Virus Control.

To add the program to the exclusions list, follow these steps:

1. Open the **Bitdefender window**.



2. Access the **Protection** panel.
3. Click the **Antivirus** module.
4. In the **Antivirus** window, select the **Exclusions** tab.
5. Click the **Excluded Processes** link. In the window that appears, you can manage the Active Virus Control process exclusions.
6. Add exclusions by following these steps:
 - a. Click the **Add** button, located at the top of the exclusions table.
 - b. Click **Browse**, find and select the application you want to be excluded and then click **OK**.
 - c. Keep the **Allow** option selected to prevent Active Virus Control from blocking the application.
 - d. Click **Add**.

If this information was not helpful, you can contact Bitdefender for support as described in section *"Asking for help"* (p. 169).

28.4. What to do when Bitdefender blocks a safe website or online application

Bitdefender offers a secure web browsing experience by filtering all web traffic and blocking any malicious content. However, it is possible that Bitdefender considers a safe website or online application as unsafe, which will cause Bitdefender HTTP traffic scanning to block them incorrectly.

Should the same page or application be blocked repeatedly, they can be added to a whitelist so that they will not be scanned by the Bitdefender engines, thus ensuring a smooth web browsing experience.

To add a website to the **Whitelist**, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Click the **Web Protection** module.
4. In the **Settings** tab, click the **Whitelist** link. A new window will appear.
5. Provide the address of the blocked website or online application in the corresponding field and click **Add**.



6. Click **Save** to save the changes and close the window.


Only websites and applications that you fully trust should be added to this list. These will be excluded from scanning by the following engines: malware, phishing and fraud.

If this information was not helpful, you can contact Bitdefender for support as described in section *"Asking for help"* (p. 169).

28.5. How to update Bitdefender on a slow Internet connection

If you have a slow Internet connection (such as dial-up), errors may occur during the update process.

To keep your system up to date with the latest Bitdefender malware signatures, follow these steps:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **General Settings** from the drop-down menu.
3. In the **General Settings** window, select the **Update** tab.
4. Next to **Update processing rules**, select **Prompt before downloading** from the drop-down menu.
5. Go back to the main window and click the **Update** action button on the right side of the window.
6. Select only **Signatures updates** and then click **OK**.
7. Bitdefender will download and install only the malware signature updates.

28.6. My computer is not connected to the Internet. How do I update Bitdefender?

If your computer is not connected to the Internet, you must download the updates manually to a computer with Internet access and then transfer them to your computer using a removable device, such as a flash drive.

Follow these steps:

1. On a computer with Internet access, open a web browser and go to:
<http://www.bitdefender.com/site/view/Desktop-Products-Updates.html>



2. In the **Manual Update** column, click the link corresponding to your product and system architecture. If you do not know whether your Windows is running on 32 or 64 bits, please refer to *"Am I using a 32 bit or a 64 bit version of Windows?"* (p. 71).
3. Save the file named `weekly.exe` to the system.
4. Transfer the downloaded file on a removable device, such as a flash drive, and then to your computer.
5. Double-click the file and follow the wizard steps.

28.7. Bitdefender services are not responding

This article helps you troubleshoot the **Bitdefender Services are not responding** error. You may encounter this error as follows:

- The Bitdefender icon in the **system tray** is grayed out and you are informed that the Bitdefender services are not responding.
- The Bitdefender window indicates that the Bitdefender services are not responding.

The error may be caused by one of the following conditions:

- temporary communication errors between the Bitdefender services.
- some of the Bitdefender services are stopped.
- other security solutions running on your computer at the same time with Bitdefender.

To troubleshoot this error, try these solutions:

1. Wait a few moments and see if anything changes. The error may be temporary.
2. Restart the computer and wait a few moments until Bitdefender is loaded. Open Bitdefender to see if the error persists. Restarting the computer usually solves the problem.
3. Check if you have any other security solution installed as they may disrupt the normal operation of Bitdefender. If this is the case, we recommend you to remove all of the other security solutions and then reinstall Bitdefender.

For more information, please refer to *"How do I remove other security solutions?"* (p. 72).



If the error persists, please contact our support representatives for help as described in section *"Asking for help"* (p. 169).

28.8. The Autofill feature in my Wallet doesn't work

You have saved your online credentials in your Bitdefender Wallet and you noticed that the autofill is not working. Usually, this issue appears when the Bitdefender Wallet extension is not installed in your browser.

To fix this situation, follow these steps:

● In Internet Explorer:

1. Open Internet Explorer.
2. Click Tools.
3. Click Manage Add-ons.
4. Click Toolbars and Extensions.
5. Point **Bitdefender Wallet** and click Enable.

● In Mozilla Firefox:

1. Open Mozilla Firefox.
2. Click Tools.
3. Click Add-ons.
4. Click Extensions.
5. Point **Bitdefender Wallet** and click Enable.

● In Google Chrome:

1. Open Google Chrome.
2. Go to the Menu icon.
3. Click Settings.
4. Click Extensions.
5. Point **Bitdefender Wallet** and click Enable.



Note

The add-on will be enabled after you restart your web browser.

Now check if the autofill feature in Wallet works for your online accounts.



If this information was not helpful, you can contact Bitdefender for support as described in section *"Asking for help"* (p. 169).

28.9. Bitdefender removal failed

If you want to remove your Bitdefender product and you notice that the process hangs out or the system freezes, click **Cancel** to abort the action. If this does not work, restart the system.

When removal fails, some Bitdefender registry keys and files may remain in your system. Such remainders may prevent a new installation of Bitdefender. They may also affect system performance and stability.

In order to completely remove Bitdefender from your system, follow these steps:

● In **Windows XP**:

1. Click **Start**, go to **Control Panel** and double-click **Add / Remove programs**.
2. Find **Bitdefender Antivirus Plus 2015** and select **Remove**.
3. Click **Remove** in the window that appears.
4. At this step you have the following options:
 - **I want to reinstall it** - will completely remove Bitdefender. Bitdefender 60-Second Virus Scanner will not be installed.
 - **I want to permanently remove it** - will completely remove Bitdefender. Bitdefender 60-Second Virus Scanner will be installed on your system to protect you against malware.

Select the desired option and click **Next**.

5. Wait for the uninstall process to complete and then reboot your system.

● In **Windows Vista** and **Windows 7**:

1. Click **Start**, go to **Control Panel** and double-click **Programs and Features**.
2. Find **Bitdefender Antivirus Plus 2015** and select **Uninstall**.
3. Click **Remove** in the window that appears.
4. At this step you have the following options:
 - **I want to reinstall it** - will completely remove Bitdefender. Bitdefender 60-Second Virus Scanner will not be installed.



- **I want to permanently remove it** - will completely remove Bitdefender. Bitdefender 60-Second Virus Scanner will be installed on your system to protect you against malware.

Select the desired option and click **Next**.

5. Wait for the uninstall process to complete and then reboot your system.

● In Windows 8:

1. From the Windows Start screen, locate **Control Panel** (for example, you can start typing "Control Panel" directly in the Start screen) and then click its icon.
2. Click **Uninstall a program** or **Programs and Features**.
3. Find **Bitdefender Antivirus Plus 2015** and select **Uninstall**.
4. Click **Remove** in the window that appears.
5. At this step you have the following options:

- **I want to reinstall it** - will completely remove Bitdefender. Bitdefender 60-Second Virus Scanner will not be installed.
- **I want to permanently remove it** - will completely remove Bitdefender. Bitdefender 60-Second Virus Scanner will be installed on your system to protect you against malware.

Select the desired option and click **Next**.

6. Wait for the uninstall process to complete and then reboot your system.



Note

Bitdefender 60-Second Virus Scanner is a free application which uses in-the-cloud scanning technology to detect malicious programs and threats in less than 60 seconds.

28.10. My system doesn't boot up after installing Bitdefender

If you just installed Bitdefender and cannot reboot your system in normal mode anymore there may be various reasons for this issue.

Most probably this is caused by a previous Bitdefender installation which was not removed properly or by another security solution still present on the system.



This is how you may address each situation:

● **You had Bitdefender before and you did not remove it properly.**

To solve this, follow these steps:

1. Reboot your system and enter in Safe Mode. To find out how to do this, please refer to *"How do I restart in Safe Mode?"* (p. 74).
2. Remove Bitdefender from your system:

● **In Windows XP:**

- a. Click **Start**, go to **Control Panel** and double-click **Add / Remove programs**.
- b. Find **Bitdefender Antivirus Plus 2015** and select **Remove**.
- c. Click **Remove** in the window that appears and then select **I want to reinstall it**.
- d. Click **Next** to continue.
- e. Uncheck the **Install Bitdefender 60-Second Virus Scanner** option and click **Next**.
- f. Wait for the uninstall process to complete.
- g. Reboot your system in normal mode.

● **In Windows Vista and Windows 7:**

- a. Click **Start**, go to **Control Panel** and double-click **Programs and Features**.
- b. Find **Bitdefender Antivirus Plus 2015** and select **Uninstall**.
- c. Click **Remove** in the window that appears and then select **I want to reinstall it**.
- d. Click **Next** to continue.
- e. Uncheck the **Install Bitdefender 60-Second Virus Scanner** option and click **Next**.
- f. Wait for the uninstall process to complete.
- g. Reboot your system in normal mode.

● **In Windows 8:**



- a. From the Windows Start screen, locate **Control Panel** (for example, you can start typing "Control Panel" directly in the Start screen) and then click its icon.
 - b. Click **Uninstall a program** or **Programs and Features**.
 - c. Find **Bitdefender Antivirus Plus 2015** and select **Uninstall**.
 - d. Click **Remove** in the window that appears and then select **I want to reinstall it**.
 - e. Click **Next** to continue.
 - f. Uncheck the **Install Bitdefender 60-Second Virus Scanner** option and click **Next**.
 - g. Wait for the uninstall process to complete.
 - h. Reboot your system in normal mode.
3. Reinstall your Bitdefender product.
- **You had a different security solution before and you did not remove it properly.**

To solve this, follow these steps:

1. Reboot your system and enter in Safe Mode. To find out how to do this, please refer to *"How do I restart in Safe Mode?" (p. 74)*.
2. Remove the other security solution from your system:

● **In Windows XP:**

- a. Click **Start**, go to **Control Panel** and double-click **Add / Remove programs**.
- b. Wait a few moments until the list of installed software is displayed.
- c. Find the name of the program you want to remove and select **Remove**.
- d. Wait for the uninstall process to complete and then reboot your system.

● **In Windows Vista and Windows 7:**

- a. Click **Start**, go to **Control Panel** and double-click **Programs and Features**.
- b. Wait a few moments until the list of installed software is displayed.



- c. Find the name of the program you want to remove and select **Remove**.
- d. Wait for the uninstall process to complete and then reboot your system.
- In **Windows 8**:
 - a. From the Windows Start screen, locate **Control Panel** (for example, you can start typing "Control Panel" directly in the Start screen) and then click its icon.
 - b. Click **Uninstall a program** or **Programs and Features**.
 - c. Wait a few moments until the list of installed software is displayed.
 - d. Find the name of the program you want to remove and select **Remove**.
 - e. Wait for the uninstall process to complete and then reboot your system.

In order to correctly uninstall the other software, go to their website and run their uninstall tool or contact them directly in order to provide you with the uninstall guidelines.

3. Reboot your system in normal mode and reinstall Bitdefender.

You have already followed the steps above and the situation is not solved.

To solve this, follow these steps:

1. Reboot your system and enter in Safe Mode. To find out how to do this, please refer to *"How do I restart in Safe Mode?"* (p. 74).
2. Use the System Restore option from Windows to restore the computer to an earlier date before installing the Bitdefender product. To find out how to do this, please refer to *"How do I use System Restore in Windows?"* (p. 73).
3. Reboot the system in normal mode and contact our support representatives for help as described in section *"Asking for help"* (p. 169).



29. REMOVING MALWARE FROM YOUR SYSTEM

Malware can affect your system in many different ways and the Bitdefender approach depends on the type of malware attack. Because viruses change their behavior frequently, it is difficult to establish a pattern for their behavior and their actions.

There are situations when Bitdefender cannot automatically remove the malware infection from your system. In such cases, your intervention is required.

- *"Bitdefender Rescue Mode" (p. 158)*
- *"What to do when Bitdefender finds viruses on your computer?" (p. 160)*
- *"How do I clean a virus in an archive?" (p. 161)*
- *"How do I clean a virus in an e-mail archive?" (p. 163)*
- *"What to do if I suspect a file as being dangerous?" (p. 164)*
- *"How to clean the infected files from System Volume Information" (p. 164)*
- *"What are the password-protected files in the scan log?" (p. 166)*
- *"What are the skipped items in the scan log?" (p. 166)*
- *"What are the over-compressed files in the scan log?" (p. 167)*
- *"Why did Bitdefender automatically delete an infected file?" (p. 167)*

If you cannot find your problem here, or if the presented solutions do not solve it, you can contact the Bitdefender technical support representatives as presented in chapter *"Asking for help" (p. 169)*.

29.1. Bitdefender Rescue Mode

Rescue Mode is a Bitdefender feature that allows you to scan and disinfect all existing hard drive partitions outside of your operating system.

Once Bitdefender Antivirus Plus 2015 is installed, Rescue Mode can be used even if you are no longer able to boot into Windows.

Starting your system in Rescue Mode

You can enter Rescue Mode in one of two ways:



From the **Bitdefender window**

To enter Rescue Mode directly from Bitdefender, follow these steps:

1. Open the **Bitdefender window**.
2. Access the **Protection** panel.
3. Under the **Antivirus** module, select **Rescue Mode**.

A confirmation window will appear. Click **Yes** to reboot your computer.

4. After the computer restarts, a menu will appear prompting you to select an operating system. Choose **Bitdefender Rescue Mode** and press the **Enter** key to boot into a Bitdefender environment from where you can clean up your Windows partition.
5. If prompted, press **Enter** and select the screen resolution closest to the one you normally use. Then press **Enter** again.

Bitdefender Rescue Mode will load in a few moments.

Boot your computer directly into Rescue Mode

If Windows no longer starts, you can boot your computer directly into Bitdefender Rescue Mode by following the steps below:



Note

This method is not available on computers running Windows XP.

1. Start / reboot your computer and start pressing the **space** key on your keyboard before the Windows logo appears.
2. A menu will appear prompting you to select an operating system to start. Press **TAB** to go to the tools area. Choose **Bitdefender Rescue Image** and press the **Enter** key to boot into a Bitdefender environment from where you can clean up your Windows partition.
3. If prompted, press **Enter** and select the screen resolution closest to the one you normally use. Then press **Enter** again.

Bitdefender Rescue Mode will load in a few moments.

Scanning your system in Rescue Mode

To scan your system in Rescue Mode, follow these steps:

1. Enter Rescue Mode, as described in **“Starting your system in Rescue Mode”** (p. 158).



2. The Bitdefender logo will appear and the antivirus engines will start to be copied.
3. A welcome window will then appear. Click **Continue**.
4. An update of the antivirus signatures is started.
5. After the update is completed, the Bitdefender On-demand Antivirus Scanner window will appear.
6. Click **Scan Now**, select the scan target in the window that appears and click **Open** to start scanning.

It is recommended to scan your entire Windows partition.



Note

When working in Rescue Mode, you are dealing with Linux-type partition names. Disk partitions will appear as sda1 probably corresponding to the (C:) Windows-type partition, sda2 corresponding to (D:) and so on.

7. Wait for the scan to complete. If any malware is detected, follow the instructions to remove the threat.
8. To exit Rescue Mode, right-click in an empty area of the desktop, select **Exit** in the menu that appears and then choose whether to reboot or shut down the computer.

29.2. What to do when Bitdefender finds viruses on your computer?

You may find out there is a virus on your computer in one of these ways:

- You scanned your computer and Bitdefender found infected items on it.
- A virus alert informs you that Bitdefender blocked one or multiple viruses on your computer.

In such situations, update Bitdefender to make sure you have the latest malware signatures and run a System Scan to analyze the system.

As soon as the system scan is over, select the desired action for the infected items (Disinfect, Delete, Move to quarantine).



Warning

If you suspect the file is part of the Windows operating system or that it is not an infected file, do not follow these steps and contact Bitdefender Customer Care as soon as possible.

If the selected action could not be taken and the scan log reveals an infection which could not be deleted, you have to remove the file(s) manually:

The first method can be used in normal mode:

1. Turn off the Bitdefender real-time antivirus protection:
 - a. Open the **Bitdefender window**.
 - b. Access the **Protection** panel.
 - c. Click the **Antivirus** module.
 - d. In the **Antivirus** window, select the **Shield** tab.
 - e. Click the switch to turn off **On-access scanning**.
2. Display hidden objects in Windows. To find out how to do this, please refer to *"How do I display hidden objects in Windows?"* (p. 72).
3. Browse to the location of the infected file (check the scan log) and delete it.
4. Turn on the Bitdefender real-time antivirus protection.

In case the first method failed to remove the infection, follow these steps:

1. Reboot your system and enter in Safe Mode. To find out how to do this, please refer to *"How do I restart in Safe Mode?"* (p. 74).
2. Display hidden objects in Windows. To find out how to do this, please refer to *"How do I display hidden objects in Windows?"* (p. 72).
3. Browse to the location of the infected file (check the scan log) and delete it.
4. Reboot your system and enter in normal mode.

If this information was not helpful, you can contact Bitdefender for support as described in section *"Asking for help"* (p. 169).

29.3. How do I clean a virus in an archive?

An archive is a file or a collection of files compressed under a special format to reduce the space on disk necessary for storing the files.



Some of these formats are open formats, thus providing Bitdefender the option to scan inside them and then take appropriate actions to remove them.

Other archive formats are partially or fully closed, and Bitdefender can only detect the presence of viruses inside them, but is not able to take any other actions.

If Bitdefender notifies you that a virus has been detected inside an archive and no action is available, it means that removing the virus is not possible due to restrictions on the archive's permission settings.

Here is how you can clean a virus stored in an archive:

1. Identify the archive that includes the virus by performing a System Scan of the system.
2. Turn off the Bitdefender real-time antivirus protection:
 - a. Open the **Bitdefender window**.
 - b. Access the **Protection** panel.
 - c. Click the **Antivirus** module.
 - d. In the **Antivirus** window, select the **Shield** tab.
 - e. Click the switch to turn off **On-access scanning**.
3. Go to the location of the archive and decompress it using an archiving application, like WinZip.
4. Identify the infected file and delete it.
5. Delete the original archive in order to make sure the infection is totally removed.
6. Recompress the files in a new archive using an archiving application, like WinZip.
7. Turn on the Bitdefender real-time antivirus protection and run a Full system scan in order to make sure there is no other infection on the system.



Note

It's important to note that a virus stored in an archive is not an immediate threat to your system, since the virus has to be decompressed and executed in order to infect your system.



If this information was not helpful, you can contact Bitdefender for support as described in section *"Asking for help"* (p. 169).

29.4. How do I clean a virus in an e-mail archive?

Bitdefender can also identify viruses in e-mail databases and e-mail archives stored on disk.

Sometimes it is necessary to identify the infected message using the information provided in the scan report, and delete it manually.

Here is how you can clean a virus stored in an e-mail archive:

1. Scan the e-mail database with Bitdefender.
2. Turn off the Bitdefender real-time antivirus protection:
 - a. Open the **Bitdefender window**.
 - b. Access the **Protection** panel.
 - c. Click the **Antivirus** module.
 - d. In the **Antivirus** window, select the **Shield** tab.
 - e. Click the switch to turn off **On-access scanning**.
3. Open the scan report and use the identification information (Subject, From, To) of the infected messages to locate them in the e-mail client.
4. Delete the infected messages. Most e-mail clients also move the deleted message to a recovery folder, from which it can be recovered. You should make sure the message is deleted also from this recovery folder.
5. Compact the folder storing the infected message.
 - In Outlook Express: On the File menu, click Folder, then Compact All Folders.
 - In Microsoft Outlook 2007: On the File menu, click Data File Management. Select the personal folders (.pst) files you intend to compact, and click Settings. Click Compact Now.
 - In Microsoft Outlook 2010 / 2013: On the File menu, click Info and then Account settings (Add and remove accounts or change existing connection settings). Then click Data File, select the personal folders (.pst) files you intend to compact, and click Settings. Click Compact Now.



6. Turn on the Bitdefender real-time antivirus protection.

If this information was not helpful, you can contact Bitdefender for support as described in section *"Asking for help"* (p. 169).

29.5. What to do if I suspect a file as being dangerous?

You may suspect a file from your system as being dangerous, even though your Bitdefender product did not detect it.

To make sure your system is protected, follow these steps:

1. Run a **System Scan** with Bitdefender. To find out how to do this, please refer to *"How do I scan my system?"* (p. 57).
2. If the scan result appears to be clean, but you still have doubts and want to make sure about the file, contact our support representatives so that we may help you.

To find out how to do this, please refer to *"Asking for help"* (p. 169).

29.6. How to clean the infected files from System Volume Information

The System Volume Information folder is a zone on your hard drive created by the Operating System and used by Windows for storing critical information related to the system configuration.

The Bitdefender engines can detect any infected files stored by the System Volume Information, but being a protected area it may not be able to remove them.

The infected files detected in the System Restore folders will appear in the scan log as follows:

?:\System Volume Information_restore{B36120B2-BA0A-4E5D-...

To completely and immediately remove the infected file or files in the data store, disable and re-enable the System Restore feature.

When System Restore is turned off, all the restore points are removed.

When System Restore is turned on again, new restore points are created as the schedule and events require.

In order to disable the System Restore follow these steps:



● For Windows XP:

1. Follow this path: **Start** → **All Programs** → **Accessories** → **System Tool** → **System Restore**
2. Click **System Restore Settings** located on the left hand side of the window.
3. Select the **Turn off System Restore** check box on all drives, and click **Apply**.
4. When you are warned that all existing Restore Points will be deleted, click **Yes** to continue.
5. To turn on the System Restore, clear the **Turn off System Restore** check box on all drives, and click **Apply**.

● For Windows Vista:

1. Follow this path: **Start** → **Control Panel** → **System and Maintenance** → **System**
2. In the left pane, click **System Protection**.
If you are prompted for an administrator password or confirmation, type the password or provide confirmation.
3. To turn off the System Restore clear the check boxes corresponding to each drive and click **OK**.
4. To turn on the System Restore select the check boxes corresponding to each drive and click **OK**.

● For Windows 7:

1. Click **Start**, right-click **Computer** and click **Properties**.
2. Click **System protection** link in the left pane.
3. In the **System protection** options, select each drive letter and click **Configure**.
4. Select **Turn off system protection** and click **Apply**.
5. Click **Delete**, click **Continue** when prompted and then click **OK**.

● For Windows 8:

1. From the Windows Start screen, locate **Computer** (for example, you can start typing "Computer" directly in the Start screen) and then click its icon.



2. Click **System protection** link in the left pane.
3. In the **System protection** options, select each drive letter and click **Configure**.
4. Select **Turn off system protection** and click **Apply**.

If this information was not helpful, you can contact Bitdefender for support as described in section *"Asking for help"* (p. 169).

29.7. What are the password-protected files in the scan log?

This is only a notification which indicates that Bitdefender has detected these files are either protected with a password or by some form of encryption.

Most commonly, the password-protected items are:

- Files that belong to another security solution.
- Files that belong to the operating system.

In order to actually scan the contents, these files would need to either be extracted or otherwise decrypted.

Should those contents be extracted, Bitdefender's real-time scanner would automatically scan them to keep your computer protected. If you want to scan those files with Bitdefender, you have to contact the product manufacturer in order to provide you with more details on those files.

Our recommendation to you is to ignore those files because they are not a threat for your system.

29.8. What are the skipped items in the scan log?

All files that appear as Skipped in the scan report are clean.

For increased performance, Bitdefender does not scan files that have not changed since the last scan.



29.9. What are the over-compressed files in the scan log?

The over-compressed items are elements which could not be extracted by the scanning engine or elements for which the decryption time would have taken too long making the system unstable.

Overcompressed means that Bitdefender skipped scanning within that archive because unpacking it proved to take up too many system resources. The content will be scanned on real time access if needed.

29.10. Why did Bitdefender automatically delete an infected file?

If an infected file is detected, Bitdefender will automatically attempt to disinfect it. If disinfection fails, the file is moved to quarantine in order to contain the infection.

For particular types of malware, disinfection is not possible because the detected file is entirely malicious. In such cases, the infected file is deleted from the disk.

This is usually the case with installation files that are downloaded from untrustworthy websites. If you find yourself in such a situation, download the installation file from the manufacturer's website or other trusted website.



CONTACT US



30. ASKING FOR HELP

Bitdefender provides its customers with an unparalleled level of fast and accurate support. If you experience any issue or if you have any question about your Bitdefender product, you can use several online resources to find a solution or an answer. At the same time, you can contact the Bitdefender Customer Care team. Our support representatives will answer your questions in a timely manner and will provide you with the assistance you need.

The *“Solving common issues”* (p. 144) section provides the necessary information regarding the most frequent issues you may encounter when using this product.

If you do not find an answer to your question in the provided resources, you can contact us directly:

- *“Contact us directly from your Bitdefender product”* (p. 169)
- *“Contact us through our online Support Center”* (p. 170)




Important

To contact the Bitdefender Customer Care you must register your Bitdefender product. For more information, please refer to *“Registering Bitdefender”* (p. 36).

Contact us directly from your Bitdefender product

If you have a working Internet connection, you can contact Bitdefender for assistance directly from the product interface.

Follow these steps:

1. Open the **Bitdefender window**.
2. Click the  icon at the top of the window and select **Help & Support** from the drop-down menu.
3. You have the following options:

● **Product Documentation**

Access our database and search for the necessary information.

● **Contact Support**

Use the **Contact Support** button to launch the Bitdefender Support Tool and contact the Customer Care Department. You can navigate through the wizard using the **Next** button. To exit the wizard, click **Cancel**.



- a. Select the agreement check box and click **Next**.
- b. Complete the submission form with the necessary data:
 - i. Enter your e-mail address.
 - ii. Enter your full name.
 - iii. Enter a description of the issue you encountered.
 - iv. Check the **Try to reproduce the issue before submitting** option in case you are encountering a product issue. Continue with the required steps.
- c. Please wait for a few minutes while Bitdefender gathers product related information. This information will help our engineers find a solution to your problem.
- d. Click **Finish** to send the information to the Bitdefender Customer Care Department. You will be contacted as soon as possible.

Contact us through our online Support Center

If you cannot access the necessary information using the Bitdefender product, please refer to our online Support Center:

1. Go to <http://www.bitdefender.com/support/consumer.html>.

The Bitdefender Support Center hosts numerous articles that contain solutions to Bitdefender-related issues.

2. Use the search bar at the top of the window to find articles that may provide a solution to your problem. To search, just type a term in the Search bar and click **Search**.
3. Read the relevant articles or documents and try the proposed solutions.
4. If the solution does not solve your problem, go to

<http://www.bitdefender.com/support/contact-us.html> and contact our support representatives.



31. ONLINE RESOURCES

Several online resources are available to help you solve your Bitdefender-related problems and questions.

- Bitdefender Support Center:

<http://www.bitdefender.com/support/consumer.html>

- Bitdefender Support Forum:

<http://forum.bitdefender.com>

- The HOTforSecurity computer security portal:

<http://www.hotforsecurity.com>

You can also use your favorite search engine to find out more information about computer security, the Bitdefender products and the company.

31.1. Bitdefender Support Center

The Bitdefender Support Center is an online repository of information about the Bitdefender products. It stores, in an easily accessible format, reports on the results of the ongoing technical support and bugfixing activities of the Bitdefender support and development teams, along with more general articles about virus prevention, the management of Bitdefender solutions with detailed explanations, and many other articles.

The Bitdefender Support Center is open to the public and freely searchable. The extensive information it contains is yet another means of providing Bitdefender customers with the technical knowledge and insight they need. All valid requests for information or bug reports coming from Bitdefender clients eventually find their way into the Bitdefender Support Center, as bugfix reports, workaround cheatsheets or informational articles to supplement product helpfiles.

The Bitdefender Support Center is available any time at

<http://www.bitdefender.com/support/consumer.html>.

31.2. Bitdefender Support Forum

The Bitdefender Support Forum provides Bitdefender users with an easy way to get help and to help others.



If your Bitdefender product does not operate well, if it cannot remove specific viruses from your computer or if you have questions about the way it works, post your problem or question on the forum.

Bitdefender support technicians monitor the forum for new posts in order to assist you. You may also get an answer or a solution from a more experienced Bitdefender user.

Before posting your problem or question, please search the forum for a similar or related topic.

The Bitdefender Support Forum is available at <http://forum.bitdefender.com>, in 5 different languages: English, German, French, Spanish and Romanian. Click the **Home & Home Office Protection** link to access the section dedicated to consumer products.

31.3. HOTforSecurity Portal

HOTforSecurity is a rich source of computer security information. Here you can learn about the various threats your computer is exposed to when connected to the Internet (malware, phishing, spam, cyber-criminals).

New articles are posted regularly to keep you up-to-date with the latest threats discovered, the current security trends and other information on the computer security industry.

The HOTforSecurity web page is <http://www.hotforsecurity.com>.



32. CONTACT INFORMATION

Efficient communication is the key to a successful business. During the past 10 years BITDEFENDER has established an unquestionable reputation by constantly striving for better communication so as to exceed the expectations of our clients and partners. Should you have any questions, do not hesitate to contact us.

32.1. Web addresses

Sales department: sales@bitdefender.com
Support Center: <http://www.bitdefender.com/support/consumer.html>
Documentation: documentation@bitdefender.com
Local distributors: <http://www.bitdefender.com/partners>
Partner program: partners@bitdefender.com
Media relations: pr@bitdefender.com
Careers: jobs@bitdefender.com
Virus submissions: virus_submission@bitdefender.com
Spam submissions: spam_submission@bitdefender.com
Report abuse: abuse@bitdefender.com
Web site: <http://www.bitdefender.com>

32.2. Local distributors

The Bitdefender local distributors are ready to respond to any inquiries regarding their areas of operation, both in commercial and in general matters.

To find a Bitdefender distributor in your country:

1. Go to <http://www.bitdefender.com/partners/#PartnerLocator/>.
2. Click the **Partner Locator** tab.
3. The contact information of the Bitdefender local distributors should be displayed automatically. If this does not happen, select the country you reside in to view the information.
4. If you do not find a Bitdefender distributor in your country, feel free to contact us by e-mail at sales@bitdefender.com. Please write your e-mail in English in order for us to be able to assist you promptly.



32.3. Bitdefender offices

The Bitdefender offices are ready to respond to any inquiries regarding their areas of operation, both in commercial and in general matters. Their respective addresses and contacts are listed below.

U.S.A

Bitdefender, LLC

PO Box 667588

Pompano Beach, FL 33066

Phone (office&sales): 1-954-776-6262

Sales: sales@bitdefender.com

Technical support: <http://www.bitdefender.com/support/consumer.html>

Web: <http://www.bitdefender.com>

UK and Ireland

Genesis Centre Innovation Way

Stoke-on-Trent, Staffordshire

ST6 4BF

E-mail: info@bitdefender.co.uk

Phone: +44 (0) 8451-305096

Sales: sales@bitdefender.co.uk

Technical support: <http://www.bitdefender.com/support/consumer.html>

Web: <http://www.bitdefender.co.uk>

Germany

Bitdefender GmbH

TechnoPark Schwerte

Lohbachstrasse 12

D - 58239 Schwerte

Deutschland

Office: +49 2304 9 45 - 162

Fax: +49 2304 9 45 - 169

Sales: vertrieb@bitdefender.de

Technical support: <http://www.bitdefender.de/support/consumer.html>

Web: <http://www.bitdefender.de>



Spain

Bitdefender España, S.L.U.

C/Bailén, 7, 3-D

08010 Barcelona

Fax: +34 93 217 91 28

Phone: +34 902 19 07 65

Sales: comercial@bitdefender.es

Technical support: <http://www.bitdefender.es/support/consumer.html>

Website: <http://www.bitdefender.es>

Romania

BITDEFENDER SRL

Complex DV24, Building A, 24 Delea Veche Street, Sector 2

Bucharest

Fax: +40 21 2641799

Sales phone: +40 21 2063470

Sales e-mail: sales@bitdefender.ro

Technical support: <http://www.bitdefender.ro/support/consumer.html>

Website: <http://www.bitdefender.ro>

United Arab Emirates

Dubai Internet City

Building 17, Office # 160

Dubai, UAE

Sales phone: 00971-4-4588935 / 00971-4-4589186

Sales e-mail: sales@bitdefender.com

Technical support: <http://www.bitdefender.com/support/consumer.html>

Website: <http://www.bitdefender.com/world>



Glossary

ActiveX

ActiveX is a model for writing programs so that other programs and the operating system can call them. ActiveX technology is used with Microsoft Internet Explorer to make interactive Web pages that look and behave like computer programs, rather than static pages. With ActiveX, users can ask or answer questions, use push buttons, and interact in other ways with the Web page. ActiveX controls are often written using Visual Basic.

Active X is notable for a complete lack of security controls; computer security experts discourage its use over the Internet.

Adware

Adware is often combined with a host application that is provided at no charge as long as the user agrees to accept the adware. Because adware applications are usually installed after the user has agreed to a licensing agreement that states the purpose of the application, no offense is committed.

However, pop-up advertisements can become an annoyance, and in some cases degrade system performance. Also, the information that some of these applications collect may cause privacy concerns for users who were not fully aware of the terms in the license agreement.

Archive

A disk, tape, or directory that contains files that have been backed up.

A file that contains one or more files in a compressed format.

Backdoor

A hole in the security of a system deliberately left in place by designers or maintainers. The motivation for such holes is not always sinister; some operating systems, for example, come out of the box with privileged accounts intended for use by field service technicians or the vendor's maintenance programmers.

**Boot sector**

A sector at the beginning of each disk that identifies the disk's architecture (sector size, cluster size, and so on). For startup disks, the boot sector also contains a program that loads the operating system.

Boot virus

A virus that infects the boot sector of a fixed or floppy disk. An attempt to boot from a diskette infected with a boot sector virus will cause the virus to become active in memory. Every time you boot your system from that point on, you will have the virus active in memory.

Browser

Short for Web browser, a software application used to locate and display Web pages. Popular browsers include Microsoft Internet Explorer, Mozilla Firefox and Google Chrome. These are graphical browsers, which means that they can display graphics as well as text. In addition, most modern browsers can present multimedia information, including sound and video, though they require plug-ins for some formats.

Command line

In a command line interface, the user types commands in the space provided directly on the screen using command language.

Cookie

Within the Internet industry, cookies are described as small files containing information about individual computers that can be analyzed and used by advertisers to track your online interests and tastes. In this realm, cookie technology is still being developed and the intention is to target ads directly to what you've said your interests are. It's a double-edge sword for many people because on one hand, it's efficient and pertinent as you only see ads about what you're interested in. On the other hand, it involves actually "tracking" and "following" where you go and what you click. Understandably so, there is a debate over privacy and many people feel offended by the notion that they are viewed as a "SKU number" (you know, the bar code on the back of packages that gets scanned at the grocery check-out line). While this viewpoint may be extreme, in some cases it is accurate.

Disk drive

It's a machine that reads data from and writes data onto a disk.



A hard disk drive reads and writes hard disks.

A floppy drive accesses floppy disks.

Disk drives can be either internal (housed within a computer) or external (housed in a separate box that connects to the computer).

Download

To copy data (usually an entire file) from a main source to a peripheral device. The term is often used to describe the process of copying a file from an online service to one's own computer. Downloading can also refer to copying a file from a network file server to a computer on the network.

E-mail

Electronic mail. A service that sends messages on computers via local or global networks.

Events

An action or occurrence detected by a program. Events can be user actions, such as clicking a mouse button or pressing a key, or system occurrences, such as running out of memory.

False positive

Occurs when a scanner identifies a file as infected when in fact it is not.

Filename extension

The portion of a filename, following the final point, which indicates the kind of data stored in the file.

Many operating systems use filename extensions, e.g. Unix, VMS, and MS-DOS. They are usually from one to three letters (some sad old OSes support no more than three). Examples include "c" for C source code, "ps" for PostScript, "txt" for arbitrary text.

Heuristic

A rule-based method of identifying new viruses. This method of scanning does not rely on specific virus signatures. The advantage of the heuristic scan is that it is not fooled by a new variant of an existing virus. However, it might occasionally report suspicious code in normal programs, generating the so-called "false positive".



IP

Internet Protocol - A routable protocol in the TCP/IP protocol suite that is responsible for IP addressing, routing, and the fragmentation and reassembly of IP packets.

Java applet

A Java program which is designed to run only on a web page. To use an applet on a web page, you would specify the name of the applet and the size (length and width, in pixels) that the applet can utilize. When the web page is accessed, the browser downloads the applet from a server and runs it on the user's machine (the client). Applets differ from applications in that they are governed by a strict security protocol.

For example, even though applets run on the client, they cannot read or write data onto the client's machine. Additionally, applets are further restricted so that they can only read and write data from the same domain that they are served from.

Keylogger

A keylogger is an application that logs anything you type.

Keyloggers are not malicious in nature. They can be used for legitimate purposes, such as monitoring employees or children activity. However, they are increasingly being used by cyber-criminals for malicious purposes (for example, to collect private data, such as login credentials and social security numbers).

Macro virus

A type of computer virus that is encoded as a macro embedded in a document. Many applications, such as Microsoft Word and Excel, support powerful macro languages.

These applications allow you to embed a macro in a document, and have the macro execute each time the document is opened.

Mail client

An e-mail client is an application that enables you to send and receive e-mail.

Memory

Internal storage areas in the computer. The term memory identifies data storage that comes in the form of chips, and the word storage is used



for memory that exists on tapes or disks. Every computer comes with a certain amount of physical memory, usually referred to as main memory or RAM.

Non-heuristic

This method of scanning relies on specific virus signatures. The advantage of the non-heuristic scan is that it is not fooled by what might seem to be a virus, and does not generate false alarms.

Packed programs

A file in a compression format. Many operating systems and applications contain commands that enable you to pack a file so that it takes up less memory. For example, suppose you have a text file containing ten consecutive space characters. Normally, this would require ten bytes of storage.

However, a program that packs files would replace the space characters by a special space-series character followed by the number of spaces being replaced. In this case, the ten spaces would require only two bytes. This is just one packing technique - there are many more.

Path

The exact directions to a file on a computer. These directions are usually described by means of the hierarchical filing system from the top down.

The route between any two points, such as the communications channel between two computers.

Phishing

The act of sending an e-mail to a user falsely claiming to be an established legitimate enterprise in an attempt to scam the user into surrendering private information that will be used for identity theft. The e-mail directs the user to visit a Web site where they are asked to update personal information, such as passwords and credit card, social security, and bank account numbers, that the legitimate organization already has. The Web site, however, is bogus and set up only to steal the user's information.

Photon

Photon is an innovative non-intrusive Bitdefender technology, designed to minimize the performance impact of antivirus protection. By



monitoring your PC's activity in the background, it creates usage patterns that help optimize booting and scanning processes.

Polymorphic virus

A virus that changes its form with each file it infects. Since they have no consistent binary pattern, such viruses are hard to identify.

Port

An interface on a computer to which you can connect a device. Personal computers have various types of ports. Internally, there are several ports for connecting disk drives, display screens, and keyboards. Externally, personal computers have ports for connecting modems, printers, mice, and other peripheral devices.

In TCP/IP and UDP networks, an endpoint to a logical connection. The port number identifies what type of port it is. For example, port 80 is used for HTTP traffic.

Report file

A file that lists actions that have occurred. Bitdefender maintains a report file listing the path scanned, the folders, the number of archives and files scanned, how many infected and suspicious files were found.

Rootkit

A rootkit is a set of software tools which offer administrator-level access to a system. The term was first used for the UNIX operating systems and it referred to recompiled tools which provided intruders administrative rights, allowing them to conceal their presence so as not to be seen by the system administrators.

The main role of rootkits is to hide processes, files, logins and logs. They may also intercept data from terminals, network connections or peripherals, if they incorporate the appropriate software.

Rootkits are not malicious in nature. For example, systems and even some applications hide critical files using rootkits. However, they are mostly used to hide malware or to conceal the presence of an intruder into the system. When combined with malware, rootkits pose a great threat to the integrity and the security of a system. They can monitor traffic, create backdoors into the system, alter files and logs and avoid detection.

**Script**

Another term for macro or batch file, a script is a list of commands that can be executed without user interaction.

Spam

Electronic junk mail or junk newsgroup postings. Generally known as any unsolicited e-mail.

Spyware

Any software that covertly gathers user information through the user's Internet connection without his or her knowledge, usually for advertising purposes. Spyware applications are typically bundled as a hidden component of freeware or shareware programs that can be downloaded from the Internet; however, it should be noted that the majority of shareware and freeware applications do not come with spyware. Once installed, the spyware monitors user activity on the Internet and transmits that information in the background to someone else. Spyware can also gather information about e-mail addresses and even passwords and credit card numbers.

Spyware's similarity to a Trojan horse is the fact that users unwittingly install the product when they install something else. A common way to become a victim of spyware is to download certain peer-to-peer file swapping products that are available today.

Aside from the questions of ethics and privacy, spyware steals from the user by using the computer's memory resources and also by eating bandwidth as it sends information back to the spyware's home base via the user's Internet connection. Because spyware is using memory and system resources, the applications running in the background can lead to system crashes or general system instability.

Startup items

Any files placed in this folder will open when the computer starts. For example, a startup screen, a sound file to be played when the computer first starts, a reminder calendar, or application programs can be startup items. Normally, an alias of a file is placed in this folder rather than the file itself.



System tray

Introduced with Windows 95, the system tray is located in the Windows taskbar (usually at the bottom next to the clock) and contains miniature icons for easy access to system functions such as fax, printer, modem, volume, and more. Double click or right-click an icon to view and access the details and controls.

TCP/IP

Transmission Control Protocol/Internet Protocol - A set of networking protocols widely used on the Internet that provides communications across interconnected networks of computers with diverse hardware architectures and various operating systems. TCP/IP includes standards for how computers communicate and conventions for connecting networks and routing traffic.

Trojan

A destructive program that masquerades as a benign application. Unlike viruses, Trojan horses do not replicate themselves but they can be just as destructive. One of the most insidious types of Trojan horse is a program that claims to rid your computer of viruses but instead introduces viruses onto your computer.

The term comes from a story in Homer's Iliad, in which the Greeks give a giant wooden horse to their foes, the Trojans, ostensibly as a peace offering. But after the Trojans drag the horse inside their city walls, Greek soldiers sneak out of the horse's hollow belly and open the city gates, allowing their compatriots to pour in and capture Troy.

Update

A new version of a software or hardware product designed to replace an older version of the same product. In addition, the installation routines for updates often check to make sure that an older version is already installed on your computer; if not, you cannot install the update.

Bitdefender has its own update module that allows you to manually check for updates, or let it automatically update the product.

Virus

A program or piece of code that is loaded onto your computer without your knowledge and runs against your will. Most viruses can also replicate themselves. All computer viruses are manmade. A simple virus



that can copy itself over and over again is relatively easy to produce. Even such a simple virus is dangerous because it will quickly use all available memory and bring the system to a halt. An even more dangerous type of virus is one capable of transmitting itself across networks and bypassing security systems.

Virus signature

The binary pattern of a virus, used by the antivirus program to detect and eliminate the virus.

Worm

A program that propagates itself over a network, reproducing itself as it goes. It cannot attach itself to other programs.